



Federal Communications Commission
Washington, D.C. 20554

May 30, 2019

1800E1-MHH

MEREDITH CORPORATION
Joshua Pila
1716 LOCUST STREET
DES MOINES, IA 50309

WPCH-TV
0000072916
Atlanta, GA
Facility ID Number: 64033

Dear Licensee:

This is in response to the above application filed on May 17, 2019, for special temporary authority (STA) to operate at variance. You indicate that the WPCH-TV STA facility will operate on pre-transition channel 20 using a different tower location from the WPCH-TV main facility. You mentioned that the proposed STA antenna system has been designed such that there will be no extension of the predicted noise-limited service contour of the STA facility beyond that of the main facility.

After a thorough review of your technical specifications, we are persuaded that no interference is likely to occur from the proposed operation. If problems do arise, we expect them to be solved expeditiously and the Bureau reserves the right to require termination of the operation. We therefore conclude that the public interest would be served by the grant of this request.

With respect to radio frequency radiation (RFR), we expect compliance with Section 1.1307(b) of the Commission's Rules to be achieved.

Accordingly, the request for special temporary authority IS GRANTED subject to the technical parameters and conditions specified below.

Technical Parameters:

Channel: 20

Antenna Coordinates: N. Latitude: 33° 44' 40.9"
W. Longitude 084° 21' 35.7"

Antenna Type RFS, Directional Custom
Model No. PEPL48U2221

Maximum Effective Radiated Power: 805 kW

Radiation Center Above Mean Sea Level: 613.2 meters

Radiation Center Above Ground Level: 317.8meters

HAAT: 330 meters

Tower Registration Number: 1206253


Special Conditions:

1. The grant of this construction permit is subject to the condition that, with ample time before commencing operation, you make a good faith effort to identify and notify health care facilities (e.g., hospitals, nursing homes, see 47 CFR 15.242(a)(1)) within your service area potentially affected by your DTV operations. Contact with state and/or local hospital associations and local governmental health care licensing authorities may prove helpful in this process. During this pre-broadcast period, you must provide all notified entities with relevant technical details of your operation, such as DTV channel, targeted on-air date, effective radiated power, antenna location, and antenna height. You are required to place in the station's public inspection file documentation of the notifications and contacts made and you may not commence operations until good faith efforts have been made to notify affected health care facilities. During this pre-broadcast period and for up to twenty (20) days after commencing operations, should you become aware of any instances of medical devices malfunctioning or that such devices are likely to malfunction due to your DTV operations, you must cooperate with the health care facility so that it is afforded a reasonable opportunity to resolve the interference problem. At such time as all provisions of this condition have been fulfilled, and either upon the expiration of twenty (20) days following commencement of operations or when all known interference problems have been resolved, whichever is later, this condition lapses.

2. This authority expires on **September 6, 2019**. If appropriate, a timely renewal request must be filed before the end of this period.

3. Hours of operation of this facility will be in accordance with Section 73.624(b) of the Commission's Rules

Sincerely,

A handwritten signature in blue ink, reading "Kevin R. Harding". The signature is fluid and cursive, with a long horizontal stroke at the end.

Kevin R. Harding
Associate Chief
Video Division
Media Bureau

cc: Joshua Pila