## Federal Communications Commission

## NEXT GENERATION TELEVISION BROADCAST STATION LICENSE

Licensee/Permittee			
MANHAN MEDIA, INC.			
1776 Park Ave 4-135			
Park City, UT, 84060			
			Call Sign File Number
			WWHO 0000129743
			WW10 0000123743
Facility ID: 21158			
NTSC TSID: 2240			
Digital TSID: 2241			
	0108126		
	0108120		
*			
ATSC 3.0			
Grant Date		Expiration Date	
12/23/2020		10/01/2021	
Hours of Operation			
Unlimited			
Station Location	Frequency (MHz)	120	Station Channel
	524.0 - 530.0		23
State OH	ALLAND WITH		
	~WICAIL	0	
Facility Type			
Commercial			
Antenna Structure Registration Number 1011933			
Transmitter			Dutput Power(kW)
Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the		e As required t	o achieve authorized ERP.
Commission's Rules.			
Antenna Coordinates		Antenna Typ	
Latitude 39-56-14.0 N		Non-Direction	nal
Longitude 83-1-16.0 W			
Description of Antenna			
Make Dielectric			
Model TFU-28GTH/VP-R O4 DC			

Antenna Beam Tilt (Degrees Electrical) 0.8	Antenna Beam Tilt (Degrees Mechanical @ Degrees Azimuth)
	Not Applicable
Major Lobe Directions	Maximum Effective Radiated Power (Average)
N/A	885 kW
	29.47 DBK
Height of Radiated Center Above Ground (Meters)	Height of Radiated Center Above Mean Sea
305	Level (Meters)
	522.6
Height of Radiated Center Above Average Terrain (Meters)	Overall Height of Antenna Structure Above
286	Ground (Meters)
	See the registration for this antenna structure.

Waivers/Special Conditio	UNITED			
ATSC 1.0			Call Sig	n Facility ID 74137
Grant Date 04/07/2020		Expiration Date 10/01/2021	Ξ.	
Hours of Operation Unlimited	MAUNIC	ATIONS		
Station Location City COLUMBUS State OH	<b>Frequency (M</b> 548.0 - 554.0		Station Channel 27	
Facility Type Commercial				

Antenna Structure Registration Number 1011933	
<b>Transmitter</b> Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.	<b>Transmitter Output Power(kW)</b> As required to achieve authorized ERP.
Antenna Coordinates Latitude 39-56-14.0 N Longitude 83-1-16.0 W	Antenna Type Non-Directional

Description of Antenna	
Make DIE	
Model TFU-26GBH/VP-R O8	
Antenna Beam Tilt (Degrees Electrical)	Antenna Beam Tilt (Degrees Mechanical @
0.75	Degrees Azimuth)
	Not Applicable
Major Lobe Directions	Maximum Effective Radiated Power (Average)
N/A	1000 kW
	30.00 DBK
Height of Radiated Center Above Ground (Meters)	Height of Radiated Center Above Mean Sea
290	Level (Meters)
	507.6
Height of Radiated Center Above Average Terrain (Meters)	Overall Height of Antenna Structure Above
271	Ground (Meters)
	See the registration for this antenna structure.

Waivers/Special Conditions	
2	
*	
TED	
E	

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.