### **Federal Communications Commission**

# NEXT GENERATION TELEVISION BROADCAST STATION LICENSE

#### Licensee/Permittee

Baltimore (WNUV-TV) Licensee, Inc. 2000 W. 41st Street Baltimore, MD, 21211

Call Sign File Number WNUV 0000136472

Facility ID: 7933 NTSC TSID: 1408 Digital TSID: 1409

This License Modifies License No.

0000059729

#### **ATSC 3.0**

<b>Grant Date</b> 06/22/2021	<b>Expiratio</b> 12/22/20	
Hours of Operation Unlimited		
Station Location  City BALTIMORE  State MD	Frequency (MHz) 536.0 - 542.0	Station Channel 25
Facility Type Commercial		

Antenna Structure Registration Number		
1044237		
<b>Transmitter</b> Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the	Transmitter Output Power(kW) As required to achieve authorized ERP.	
Commission's Rules.		
Antenna Coordinates	Antenna Type	
Latitude 39-20-10.4 N	Directional	
Longitude 76-38-57.9 W		
Description of Antenna		
Make DIE		
Model TUD-C5SP-10/36SPH-1-B		

Antenna Beam Tilt (Degrees Electrical) 0.9	Antenna Beam Tilt (Degrees Mechanical @ Degrees Azimuth) Not Applicable
Major Lobe Directions 210.0 282.0	Maximum Effective Radiated Power (Average) 750 kW 28.75 DBK
Height of Radiated Center Above Ground (Meters) 374.8	Height of Radiated Center Above Mean Sea Level (Meters) 456.8
Height of Radiated Center Above Average Terrain (Meters) 372.8	Overall Height of Antenna Structure Above Ground (Meters) See the registration for this antenna structure.

## Waivers/Special Conditions

**ATSC 1.0** 

Call SignFacility IDWMPT65942

Grant Date 10/09/2019	<b>Expirati</b> 12/22/20	
Hours of Operation Unlimited	MUNICATIONS	
Station Location	Frequency (MHz)	Station Channel
City ANNAPOLIS	512.0 - 518.0	21
State MD		
Facility Type		<u> </u>
Noncommercial Educational		

Antenna Structure Registration Number 1225569	
Transmitter	Transmitter Output Power(kW)
Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the	As required to achieve authorized ERP.
Commission's Rules.	
Antenna Coordinates	Antenna Type
Latitude 39-0-36.7 N	Non-Directional
<b>Longitude</b> 76-36-31.8 W	

Description of Antenna	
Make DIE	
Model TFU-30GTH/VP-R-O6	
Antenna Beam Tilt (Degrees Electrical) 0.75	Antenna Beam Tilt (Degrees Mechanical @ Degrees Azimuth) Not Applicable
Major Lobe Directions N/A	Maximum Effective Radiated Power (Average) 1000 kW 30.00 DBK
Height of Radiated Center Above Ground (Meters) 264.6	Height of Radiated Center Above Mean Sea Level (Meters) 309.1
Height of Radiated Center Above Average Terrain (Meters) 284	Overall Height of Antenna Structure Above Ground (Meters) See the registration for this antenna structure.

# Waivers/Special Conditions

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.