Federal Communications Commission

NEXT GENERATION TELEVISION BROADCAST STATION LICENSE

Licensee/Permittee

Meredith Corporation Television Station WSMV-TV 1716 Locust Street Des Moines, IA, 50309

Call Sign File Number WSMV-TV 0000159733

Facility ID: 41232 NTSC TSID: 2720 Digital TSID: 2721

This License Modifies License No.

BLCDT-20021029AAV

ATSC 3.0

Grant Date	Expirat	tion Date
06/10/2020	08/01/2	2029
Hours of Operation		
Unlimited		
Station Location	Frequency (MHz)	Station Channel
City NASHVILLE	566.0 - 572.0	30
State TN	24/1CAT10	
Facility Type		1
Commercial		

Antenna Structure Registration Number	
1224078	
Transmitter	Transmitter Output Power(kW)
Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the	As required to achieve authorized ERP.
Commission's Rules.	
Antenna Coordinates	Antenna Type
Latitude 36-15-49.8 N	Directional
Longitude 86-47-38.9 W	

Description of Antenna	
Make Dielectric	
Model TFU-28DSC/VP-R C180	
Antenna Beam Tilt (Degrees Electrical)	Antenna Beam Tilt (Degrees Mechanical @
0.75	Degrees Azimuth)
	Not Applicable
Major Lobe Directions	Maximum Effective Radiated Power (Average)
190.0	510 kW
	27.08 DBK
Height of Radiated Center Above Ground (Meters)	Height of Radiated Center Above Mean Sea
350	Level (Meters)
	593.2
Height of Radiated Center Above Average Terrain (Meters)	Overall Height of Antenna Structure Above
411	Ground (Meters)
	See the registration for this antenna structure.

Waivers/Special Conditions

ATSC 1.0

Call SignFacility IDWSMV-TV41232

Grant Date	Expirat	ion Date
09/30/2021	08/01/2	2029
Hours of Operation		
Unlimited		
Station Location	Frequency (MHz)	Station Channel
City NASHVILLE	192.0 - 198.0	10
State TN		
Facility Type		1
Commercial		

Antenna Structure Registration Number 1050735	
Transmitter Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.	Transmitter Output Power(kW) As required to achieve authorized ERP.

Antenna Coordinates	Antenna Type Non-Directional
Latitude 36-8-27.0 N	
Longitude 86-51-56.0 W	
Description of Antenna	
Make DIE	
Model TW-9B10-R(S)	
Antenna Beam Tilt (Degrees Electrical)	Antenna Beam Tilt (Degrees Mechanical @
0.8	Degrees Azimuth)
	Not Applicable
Major Lobe Directions	Maximum Effective Radiated Power (Average)
N/A	42.4 kW
	16.27 DBK
Height of Radiated Center Above Ground (Meters)	Height of Radiated Center Above Mean Sea
384	Level (Meters)
	589.7
Height of Radiated Center Above Average Terrain (Meters)	Overall Height of Antenna Structure Above
415	Ground (Meters)
410	See the registration for this antenna structure.
	See the registration for this affertina structure.

Waivers/Special Conditions

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.