Federal Communications Commission

NEXT GENERATION TELEVISION BROADCAST STATION LICENSE

Licensee/Permittee KFRE LICENSEE, LLC C/O MILES S. MASON, ESQ PILLSBU 1200 SEVENTEENTH STREET, NW WASHINGTON, DC, 20036	IRY WINTHROP				
				Call Sign	File Number
				KFRE-TV	0000190922
Facility ID: 59013 NTSC TSID: 412 Digital TSID: 413 This License Modifies License No.	BLCDT-20060421AA				
H	- CR		0		
Grant Date 05/25/2022		Expiration Date 12/01/2022			
Hours of Operation Unlimited			WA,		
Station Location	Frequency (MHz)	7 /20	Station Ch	annel	
City SANGER	602.0 - 608.0		36		
State CA	IVICE				
Facility Type Commercial			1		

Antenna Structure Registration Number	
1019440	
Transmitter	Transmitter Output Power(kW)
Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the	As required to achieve authorized ERP.
Commission's Rules.	
Antenna Coordinates	Antenna Type
Latitude 37-4-37.0 N	Directional
Longitude 119-26-4.0 W	

Make AND	
Model ALP24M6-HSM-36	
Antenna Beam Tilt (Degrees Electrical)	Antenna Beam Tilt (Degrees Mechanical @
1.5	Degrees Azimuth)
	Not Applicable
Major Lobe Directions	Maximum Effective Radiated Power (Average
225.0	360 kW
	25.56 DBK
Height of Radiated Center Above Ground (Meters)	Height of Radiated Center Above Mean Sea
40.8	Level (Meters)
	1425.9
Height of Radiated Center Above Average Terrain (Meters)	Overall Height of Antenna Structure Above
607	Ground (Meters)
	See the registration for this antenna structure

Waivers/Special Conditions				
ATSC 1.0 Grant Date	Contraction of the second seco	Expiration Date	INNY	Call SignFacility IDKGPE56034
05/25/2022		12/01/2022		
Hours of Operation Unlimited				
Station Location City FRESNO State CA	Frequency (MHz) 590.0 - 596.0		Station Char 34	nnel
Facility Type Commercial				

Antenna Structure Registration Number 1015709	
Transmitter	Transmitter Output Power(kW)
Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.	As required to achieve authorized ERP.

Antenna Coordinates	Antenna Type		
Latitude 37-4-14.0 N	Directional		
Longitude 119-25-34.0 W			
Description of Antenna			
Make AND			
Model ALP-24M6-HSP-34			
Antenna Beam Tilt (Degrees Electrical)	Antenna Beam Tilt (Degrees Mechanical @		
1.5	Degrees Azimuth)		
	Not Applicable		
Major Lobe Directions	Maximum Effective Radiated Power (Average)		
153.0 287.0	185 kW		
	22.67 DBK		
Height of Radiated Center Above Ground (Meters)	Height of Radiated Center Above Mean Sea		
49	Level (Meters)		
	1415.0		
Height of Radiated Center Above Average Terrain (Meters)	Overall Height of Antenna Structure Above		
577	Ground (Meters)		
	See the registration for this antenna structure		



Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.