

Federal Communications Commission

AM BROADCAST STATION CONSTRUCTION PERMIT

Licensee/Permittee

HOLSTON VALLEY BROADCASTING
CORPORATION
222 Commerce Street
Kingsport, TN, 37660

Call Sign

WKPT

Facility ID

27495

File Number 0000225473	This Permit Modifies License File No. BL-10095	
Filing Date 11/08/2023	Grant Date 01/19/2024	Expiration Date 36 months after the grant date

Community of License City: Kingsport State: TN	Frequency (KHz) 1400	Station Class C	Service Type Main
Facility Type Commercial			
Hours of Operation Unlimited			
Station Antenna Modes/Antenna Types Unlimited: Non-Directional			

Average Hours of Sunrise and Sunset

Local Standard Time (Non-Advanced)

Month	Sunrise	Sunset
January	7:45	17:45
February	7:15	18:15
March	6:45	18:30
April	6:00	19:00
May	5:30	19:30
June	5:15	19:45
July	5:15	19:45
August	5:45	19:15
September	6:15	18:45
October	6:30	18:00
November	7:00	17:15
December	7:30	17:15

Transmitter

Type Accepted. See Sections 73.1660, 73.1665, and 73.1670 of the Commission's Rules

Antenna Mode: Unlimited

Antenna Type: Non-Directional

Antenna Coordinates (NAD 83) Latitude 36° 32' 40.4" N Longitude 82° 31' 21.5" W				Nominal Power (kW) 1.000																
Antenna Structure Registration Number(s) <table border="1"><thead><tr><th>Tower No.</th><th>ASRN</th><th>Overall Height (m)</th></tr></thead><tbody><tr><td>1</td><td></td><td>44.2</td></tr></tbody></table>							Tower No.	ASRN	Overall Height (m)	1		44.2								
Tower No.	ASRN	Overall Height (m)																		
1		44.2																		
Radiator Height 42.7 meters 71.7 degrees				Theoretical Efficiency 293.9 mV/m/kw at 1 km																
Theoretical Parameters <table border="1"><thead><tr><th>Tower No.</th><th>Field Ratio</th><th>Phasing (deg.)</th><th>Spacing (deg.)</th><th>Orientation (deg.)</th><th>Tower Ref. Switch*</th><th>Height (deg.)</th></tr></thead><tbody><tr><td>1</td><td>1</td><td>0</td><td>0</td><td>0</td><td>0</td><td>71.7</td></tr></tbody></table> <p>* Tower Reference Switch 0 = Spacing and orientation from reference tower 1 = Spacing and orientation from previous tower</p>							Tower No.	Field Ratio	Phasing (deg.)	Spacing (deg.)	Orientation (deg.)	Tower Ref. Switch*	Height (deg.)	1	1	0	0	0	0	71.7
Tower No.	Field Ratio	Phasing (deg.)	Spacing (deg.)	Orientation (deg.)	Tower Ref. Switch*	Height (deg.)														
1	1	0	0	0	0	71.7														
Top-Loaded/Sectionalized Tower Parameters: (See 47 CFR 73.160) <table border="1"><thead><tr><th>Tower No.</th><th>Tower Type</th><th>A</th><th>B</th><th>C</th><th>D</th></tr></thead><tbody><tr><td>1</td><td>Neither</td><td></td><td></td><td></td><td></td></tr></tbody></table>							Tower No.	Tower Type	A	B	C	D	1	Neither						
Tower No.	Tower Type	A	B	C	D															
1	Neither																			

Special operating conditions or restrictions

The permittee /licensee in coordination with other users of the site must reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic fields in excess of FCC guidelines.

- The tower is a series feed, uniform cross section guyed steel tower 42.7 meters (44.2 meter overall) with a ground system that is 0.25 at 1400 kHz.
- Permittee shall install a FCC type accepted transmitter, and submit the make and model number of transmitter installed with the application for license.
- Permittee/Licensee shall accept such interference as may be imposed by other existing 250 watt Class C stations in the event that they are subsequently authorized to increase power to 1000 watts.
- The permittee/licensee must reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic fields in excess of FCC guidelines.
- Permittee shall submit a statement certifying that a fence has been constructed at least 2 meters from the base of the tower and in such a manner as to prevent the exposure of humans to radiofrequency electromagnetic fields in excess of the FCC Guidelines in OET bulletin No. 65, Edition 97-01 August 1997. The fence must be of a type which will preclude casual or inadvertent access, and must include warning signs at appropriate intervals which describe the nature of the hazard.

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

Pursuant to Section 73.3598, this Construction Permit will be subject to automatic forfeiture unless construction is complete and application for license is filed prior to expiration.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.