

United States of America FEDERAL COMMUNICATIONS COMMISSION FM BROADCAST STATION LICENSE AUXILIARY ANTENNA

Authorizing Official:

Supervisory Engineer

Grant Date: September 18, 2002

This license expires 3:00 a.m.

local time, June 01, 2006.

Brian J. Butler

Audio Division

Media Bureau

Official Mailing Address:

AUDACY LICENSE, LLC 2400 MARKET STREET

4TH FLOOR PHILADELPHIA PA 19103

Facility Id: 58579

Call Sign: WINS-FM

License File Number: BXLH-20020828AAB

This License Covers Permit No.: BXPH-20010419AAO

Subject to the provisions of the Communications Act of 1934, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this license, the licensee is hereby authorized to use and operate the radio transmitting apparatus herein described.

This license is issued on the licensee's representation that the statements contained in licensee's application are true and that the undertakings therein contained so far as they are consistent herewith, will be carried out in good faith. The licensee shall, during the term of this license, render such broadcasting service as will serve the public interest, convenience, or necessity to the full extent of the privileges herein conferred.

This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequency designated in the license beyond the term hereof, nor in any other manner than authorized herein. Neither the license nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This license is subject to the right of use or control by the Government of the United States conferred by Section 606 of the Communications Act of 1934.

```
License No.: BXLH-20020828AAB
Callsign: WINS-FM
    Name of Licensee: AUDACY LICENSE, LLC
     Station Location: NY-NEW YORK
     Frequency (MHz): 92.3
     Channel: 222
     Class: B
    Hours of Operation: Unlimited -- For auxiliary purposes only
     Transmitter: Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of
     the Commission's Rules.
    Transmitter output power: 10.0 kW
    Antenna type: Non-Directional
                       LPX-4AC-SP
    Description: ERI
    Antenna Coordinates: North Latitude:
                                              40 deg 45 min
                                                              28 sec
```

West Longitude: 73 deg 59 min 12 sec

	Horizontally Polarized Antenna	Vertically Polarized Antenna
Effective radiated power in the Horizontal Plane (kW) :	18.0	18.0
Height of radiation center above ground (Meters):	226	226
Height of radiation center above mean sea level (Meters):	241	241
Height of radiation center above average terrain (Meters)	: 224	224
Antenna structure registration number: Not Required		
Overall height of antenna structure above ground: 229 Meters		
Obstruction marking and lighting specifications for antenna structure:		
It is to be expressly understood that the issuance of these specifications		

It is to be expressly understood that the issuance of these specifications is in no way to be considered as precluding additional or modified marking or lighting as may hereafter be required under the provisions of Section 303(q) of the Communications Act of 1934, as amended.

None Required

Special operating conditions or restrictions:

- 1 Warning signs that describe the radiofrequency electromagnetic (RF) field hazard must be posted at each access point to the roof of the building. These access doors must be locked whenever authorized personnel are not present. Access must be restricted to prevent the exposure of humans to RF fields in excess of the FCC Guidelines (OET Bulletin No. 65, Edition 97-01, August 1997). A diagram must be maintained and posted near each access point showing those areas where the RF survey indicated time averaged readings in excess of 200 microwatts per square centimeter. Warning signs must be posted to mark all areas where the RF survey indicated time averaged readings of 1,000 microwatts per square centimeter, or more. The area in the vicinity of the antenna that was not measured must be so marked.
- 2 The permittee/licensee in coordination with other users of the site must reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic fields in excess of FCC guidelines.

*** END OF AUTHORIZATION ***