



United States of America
FEDERAL COMMUNICATIONS COMMISSION
AM BROADCAST STATION CONSTRUCTION PERMIT

Authorizing Official:

Official Mailing Address:

BEASLEY MEDIA GROUP LICENSES, LLC
3033 RIVIERA DRIVE
SUITE 200
NAPLES FL 34103

Son Nguyen
Supervisory Engineer
Audio Division
Media Bureau

Facility Id: 28626

Call Sign: WTEL

Permit File Number: BP-20100715AAG

Grant Date: January 13, 2011

This permit expires 3:00 a.m.
local time, 36 months after the
grant date specified above.

Authorization to correct the antenna center of array coordinates.

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

Commission rules which became effective on February 16, 1999, have a bearing on this construction permit. See Report & Order, Streamlining of Mass Media Applications, MM Docket No. 98-43, 13 FCC RCD 23056, Para. 77-90 (November 25, 1998); 63 Fed. Reg. 70039 (December 18, 1998). Pursuant to these rules, this construction permit will be subject to automatic forfeiture unless construction is complete and an application for license to cover is filed prior to expiration. See Section 73.3598.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.

Hours of Operation: Unlimited

Average hours of sunrise and sunset:
Local Standard Time (Non-Advanced)

Jan.	7:15 AM	5:00 PM	Jul.	4:45 AM	7:30 PM
Feb.	7:00 AM	5:30 PM	Aug.	5:15 AM	7:00 PM
Mar.	6:15 AM	6:00 PM	Sep.	5:45 AM	6:15 PM
Apr.	5:30 AM	6:45 PM	Oct.	6:15 AM	5:30 PM
May	4:45 AM	7:15 PM	Nov.	6:45 AM	4:45 PM
Jun.	4:30 AM	7:30 PM	Dec.	7:15 AM	4:30 PM

Callsign: WTEL

Permit No.: BP-20100715AAG

Name of Permittee: BEASLEY MEDIA GROUP LICENSES, LLC

Station Location: PHILADELPHIA, PA

Frequency (kHz): 610

Station Class: B

Antenna Coordinates:

Day

Latitude: N 39 Deg 51 Min 55 Sec

Longitude: W 75 Deg 06 Min 34 Sec

Night

Latitude: N 39 Deg 51 Min 55 Sec

Longitude: W 75 Deg 06 Min 34 Sec

Transmitter(s): Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Nominal Power (kW): Day: 5.0 Night: 5.0

Antenna Mode: Day: DA Night: DA

(DA=Directional Antenna, ND=Non-directional Antenna; CH=Critical Hours)

Antenna Registration Number(s):

Day:

Tower No.	ASRN	Overall Height (m)
1	1040104	
2	1040105	

Night:

Tower No.	ASRN	Overall Height (m)
1	1040104	
2	1040105	

DESCRIPTION OF DIRECTIONAL ANTENNA SYSTEM

Theoretical RMS (mV/m/km): Day: 772.5 Night: 772.5

Standard RMS (mV/m/km):

Augmented RMS (mV/m/km): Day: 812.058 Night: 812.058

Q Factor: Day: Night:

Theoretical Parameters:

Day Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	1.5400	0.000	0.0000	0.000	0	TL/S
2	1.0000	0.000	181.0000	50.000	0	TL/S

* Tower Reference Switch

0 = Spacing and orientation from reference tower

1 = Spacing and orientation from previous tower

Top-Loaded/Sectionalized Tower Parameters: (See 47 CFR 73.160)

Tower No.	A	B	C	D
1	61.4	6.70	.00	.00
2	61.4	6.70	.00	.00

Augmentation Parameters:

Aug No.	Central Azimuth (Deg. T)	Span (Deg.)	Radiation at Central Azimuth (mV/m @ 1 km)
1	230.0	26.0	321.87
2	243.0	26.0	289.68

Theoretical Parameters:

Night Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	1.5400	0.000	0.0000	0.000	0	TL/S
2	1.0000	0.000	181.0000	50.000	0	TL/S

* Tower Reference Switch

0 = Spacing and orientation from reference tower

1 = Spacing and orientation from previous tower

Top-Loaded/Sectionalized Tower Parameters: (See 47 CFR 73.160)

Tower No.	A	B	C	D
1	61.4	6.70	.00	.00
2	61.4	6.70	.00	.00

Augmentation Parameters:

Aug No.	Central Azimuth (Deg. T)	Span (Deg.)	Radiation at Central Azimuth (mV/m @ 1 km)
1	230.0	26.0	321.87
2	243.0	26.0	289.68

Inverse Distance Field Strength:

The inverse distance field strength at a distance of one kilometer from the above antenna in the directions specified shall not exceed the following values:

Day:

Azimuth:	Radiation:	
44	282.6	mV/m
218	285.2	mV/m
230	321.9	mV/m
242	289.2	mV/m

Night:

Azimuth:	Radiation:	
44	282.6	mV/m
218	285.2	mV/m
230	321.9	mV/m
242	289.2	mV/m

Special operating conditions or restrictions:

- 1 The permittee/licensee must reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic fields in excess of FCC guidelines.
- 2 A license application (FCC Form 302) to cover this construction permit must be filed with the Commission pursuant to Section 73.3536 of the Rules before the permit expires.

Special operating conditions or restrictions:

- 3 Ground system consists of 120 equally spaced, buried, copper radials about the base of each tower, each 122 meters in length except where terminated by property boundaries or where intersecting radials are shortened and bonded to a transverse copper strap midway between adjacent towers, plus a copper ground screen 12.2 meters square, about the base of each tower.

*** END OF AUTHORIZATION ***