



United States of America
FEDERAL COMMUNICATIONS COMMISSION
AM BROADCAST STATION LICENSE

Authorizing Official:

Official Mailing Address:

Good Karma Broadcasting, L.L.C.
301 W Wisconsin Avenue
Suite 200
Milwaukee WI 53203

Son Nguyen
Supervisory Engineer
Audio Division
Media Bureau

Facility Id: 73303

Call Sign: WMVP

Grant Date: June 06, 2007

This license expires 3:00 a.m.
local time, December 01, 2012.

License File Number: BL-20070118AFE

This license covers daytime permit BMP-20061219ACP. This authorization includes nighttime operating parameters of the simultaneously filed license application BL-20070118AFD.

Subject to the provisions of the Communications Act of 1934, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this license, the licensee is hereby authorized to use and operate the radio transmitting apparatus herein described.

This license is issued on the licensee's representation that the statements contained in licensee's application are true and that the undertakings therein contained so far as they are consistent herewith, will be carried out in good faith. The licensee shall, during the term of this license, render such broadcasting service as will serve the public interest, convenience, or necessity to the full extent of the privileges herein conferred.

This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequency designated in the license beyond the term hereof, nor in any other manner than authorized herein. Neither the license nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This license is subject to the right of use or control by the Government of the United States conferred by Section 606 of the Communications Act of 1934.

Hours of Operation: Unlimited

Average hours of sunrise and sunset:
Local Standard Time (Non-Advanced)

Jan.	7:15 AM	4:45 PM	Jul.	4:30 AM	7:30 PM
Feb.	6:45 AM	5:30 PM	Aug.	5:00 AM	7:00 PM
Mar.	6:00 AM	6:00 PM	Sep.	5:30 AM	6:00 PM
Apr.	5:15 AM	6:30 PM	Oct.	6:00 AM	5:15 PM
May	4:30 AM	7:00 PM	Nov.	6:45 AM	4:30 PM
Jun	4:15 AM	7:30 PM	Dec	7:15 AM	4:15 PM

Name of Licensee: Good Karma Broadcasting, L.L.C.

Station Location: CHICAGO, IL

Frequency (kHz): 1000

Station Class: A

Antenna Coordinates:

Day

Latitude: N 41 Deg 49 Min 05 Sec

Longitude: W 87 Deg 59 Min 18 Sec

Night

Latitude: N 41 Deg 49 Min 05 Sec

Longitude: W 87 Deg 59 Min 18 Sec

Transmitter(s): Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Nominal Power (kW): Day: 50.0 Night: 50.0

Antenna Input Power (kW): Day: 52.65 Night: 52.65

Antenna Mode: Day: DA Night: DA

(DA=Directional Antenna, ND=Non-directional Antenna; CH=Critical Hours)

Current (amperes): Day: 32.45 Night: 32.45

Resistance (ohms): Day: 50 Night: 50

Antenna Registration Number(s):

Day:

Tower No.	ASRN	Overall Height (m)
1	1252697	
2	1252698	

Night:

Tower No.	ASRN	Overall Height (m)
1	1252697	
2	1252698	
3	1252699	

DESCRIPTION OF DIRECTIONAL ANTENNA SYSTEM

Theoretical RMS (mV/m/km): Day: 2694.04 Night: 2612.32

Standard RMS (mV/m/km):

Augmented RMS (mV/m/km): Day: 2902.01 Night: 2743.95

Q Factor: Day: 72.07 Night: 70.7

Theoretical Parameters:

Day Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	1.0000	0.000	0.0000	0.000	0	179.0
2	0.3500	-133.000	107.3000	80.600	0	150.0

* Tower Reference Switch

0 = Spacing and orientation from reference tower

1 = Spacing and orientation from previous tower

Augmentation Parameters:

Aug No.	Central Azimuth (Deg. T)	Span (Deg.)	Radiation at Central Azimuth (mV/m @ 1 km)
1	10.0	91.0	3000.00
2	70.0	58.0	4300.00

Theoretical Parameters:

Night Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	1.0000	0.000	0.0000	0.000	0	179.0
2	0.5090	-72.400	107.3000	80.600	0	150.0
3	0.5370	107.100	58.7000	245.000	0	150.0

* Tower Reference Switch

0 = Spacing and orientation from reference tower

1 = Spacing and orientation from previous tower

Augmentation Parameters:

Aug No.	Central Azimuth (Deg. T)	Span (Deg.)	Radiation at Central Azimuth (mV/m @ 1 km)
1	227.5	85.0	138.00

Day Directional Operation:

Twr. No.	Phase (Deg.)	Antenna Monitor Sample Current Ratio
1	0	1

Day Directional Operation:

Twr. Phase No. (Deg.)	Antenna Monitor Sample Current Ratio
2 -133	0.59

Night Directional Operation:

Twr. Phase No. (Deg.)	Antenna Monitor Sample Current Ratio
1 0	1
2 -71	0.61
3 110	0.68

Antenna Monitor: POTOMAC INSTRUMENTS 1901 S/N 330

Sampling System Approved Under Section 73.68 of the Rules.

Monitoring Points:

Day Operation:

Radial (Deg. T)	Distance From Transmitter (kM)	Maximum Field Strength (mV/m)
196.5	4.47	329.74
324.5	4.37	360.09

Night Operation:

Radial (Deg. T)	Distance From Transmitter (kM)	Maximum Field Strength (mV/m)
227.5	3.84	32.4
292	4.93	97.6

Special operating conditions or restrictions:

- 1 Ground System consists of 120 equally spaced, #10 AWG copper radials, each 75 meters in length buried approximately 10 centimeters deep around each tower. These radials are truncated where they intersect a transverse copper strap running between adjacent towers or the property boundary.

Special operating conditions or restrictions:

2 DESCRIPTION OF AND FIELD INTENSITY MEASURED AT MONITORING POINTS:

Direction of 196.5 True North: The point is located in the center of the cul-du-sac in front of the driveway to 5917 Lyman Street. It lies 4.47 km from the antenna system.

Direction of 227.5 True North: The point is located on the south side of Gilbert Avenue beside the guard rail in the parking lot to Gilbert Park and across the street from a fire hydrant. It lies 3.84 km from the antenna system.

Direction of 292 True North: The point is located at the manhole cover on the northeast corner of the intersection of Gray Avenue and Audubon Road. It lies 4.93 km from the antenna system.

Direction of 324.5 True North: The point is located on the north edge of 17th Place, in the center of the driveway to 140 17th Place. It lies 4.37 km from the antenna system.

*** END OF AUTHORIZATION ***