

United States of America FEDERAL COMMUNICATIONS COMMISSION FM BROADCAST STATION LICENSE

Authorizing Official:

Official Mailing Address:

5670 GREENWOOD PLAZA BLVD.

ALWAYSMOUNTAINTIME, LLC

SUITE 506 GREENWOOD VILLAGE CO 80111

Facility Id: 57336

Call Sign: KSMT

License File Number: BLH-20070504ABR

This license covers permit no.: BPH-20061002BWT

Subject to the provisions of the Communications Act of 1934, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this license, the licensee is hereby authorized to use and operate the radio transmitting apparatus herein described.

This license is issued on the licensee's representation that the statements contained in licensee's application are true and that the undertakings therein contained so far as they are consistent herewith, will be carried out in good faith. The licensee shall, during the term of this license, render such broadcasting service as will serve the public interest, convenience, or necessity to the full extent of the privileges herein conferred.

This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequency designated in the license beyond the term hereof, nor in any other manner than authorized herein. Neither the license nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This license is subject to the right of use or control by the Government of the United States conferred by Section 606 of the Communications Act of 1934.

James D. Bradshaw
Deputy Chief
Audio Division
Media Bureau

Grant Date: May 14, 2007

This license expires 3:00 a.m. local time, April 01, 2013.

```
Callsign: KSMT
                                              License No.: BLH-20070504ABR
Name of Licensee: ALWAYSMOUNTAINTIME, LLC
Station Location: CO-BRECKENRIDGE
Frequency (MHz): 102.1
Channel: 271
Class: A
Hours of Operation: Unlimited
Transmitter: Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of
the Commission's Rules.
Transmitter output power: 6.4 kW
Antenna type: Directional
Description: ERI
                  MP-2E-DA-HW
Antenna Coordinates: North Latitude:
                                         39 deg 29 min
                                                         44 sec
                     West Longitude:
                                        106 deg
                                                01 min
                                                         44 sec
```

	Horizontally Polarized Antenna	Vertically Polarized Antenna	
Effective radiated power in the Horizontal Plane (kW) :	6.0	6.0	
Height of radiation center above ground (Meters):	56	56	
Height of radiation center above mean sea level (Meters):	3250	3250	
Height of radiation center above average terrain (Meters)	: -64	-64	
Antenna structure registration number: Not Required			
Overall height of antenna structure above ground: 60 Meters			
Obstruction marking and lighting specifications for antenna structure:			

It is to be expressly understood that the issuance of these specifications is in no way to be considered as precluding additional or modified marking or lighting as may hereafter be required under the provisions of Section 303(q) of the Communications Act of 1934, as amended.

None Required

Special operating conditions or restrictions:

1 The permittee/licensee in coordination with other users of the site must reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic fields in excess of FCC guidelines. Special operating conditions or restrictions:

- 3 The relative field strength of neither the measured horizontally nor vertically polarized radiation component shall exceed at any azimuth the value indicated on the composite radiation pattern authorized by this construction permit.

A relative field strength of 1.0 on the composite radiation pattern herein authorized corresponds to the following effective radiated power:

6.0 kilowatts.

Principal minima and their associated field strength limits:

30 degrees True: 0.73 kilowatts

*** END OF AUTHORIZATION ***