



**United States of America**  
**FEDERAL COMMUNICATIONS COMMISSION**  
**AM BROADCAST STATION CONSTRUCTION PERMIT**

Authorizing Official:

Official Mailing Address:

LAKE ERIE COLLEGE OF OSTEOPATHIC MEDICINE, II Son Nguyen  
1858 WEST GRANDVIEW BLVD. Supervisory Engineer  
ERIE PA 16509 Audio Division

Media Bureau

Facility Id: 27663

Call Sign: WSRQ

Permit File Number: BP-20060720AAL

Grant Date: December 16, 2008

This permit expires 3:00 a.m.  
local time, 36 months after the  
grant date specified above.

Permit to change site and patterns.

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

Commission rules which became effective on February 16, 1999, have a bearing on this construction permit. See Report & Order, Streamlining of Mass Media Applications, MM Docket No. 98-43, 13 FCC RCD 23056, Para. 77-90 (November 25, 1998); 63 Fed. Reg. 70039 (December 18, 1998). Pursuant to these rules, this construction permit will be subject to automatic forfeiture unless construction is complete and an application for license to cover is filed prior to expiration. See Section 73.3598.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.

Hours of Operation: Daytime with Secondary nighttime

Average hours of sunrise and sunset:  
Local Standard Time (Non-Advanced)

Jan.	7:15 AM	6:00 PM	Jul.	5:45 AM	7:30 PM
Feb.	7:15 AM	6:15 PM	Aug.	6:00 AM	7:15 PM
Mar.	6:45 AM	6:45 PM	Sep.	6:15 AM	6:30 PM
Apr.	6:00 AM	7:00 PM	Oct.	6:30 AM	6:00 PM
May	5:45 AM	7:15 PM	Nov.	6:45 AM	5:45 PM
Jun.	5:30 AM	7:30 PM	Dec.	7:15 AM	5:30 PM

Callsign: WSRQ

Permit No.: BP-20060720AAL

Name of Permittee: LAKE ERIE COLLEGE OF OSTEOPATHIC MEDICINE, INC.

Station Location: SARASOTA, FL

Frequency (kHz): 1220

Station Class: D

Antenna Coordinates:

Day

Latitude: N 27 Deg 19 Min 19 Sec

Longitude: W 82 Deg 24 Min 27 Sec

Night

Latitude: N 27 Deg 19 Min 19 Sec

Longitude: W 82 Deg 24 Min 27 Sec

Transmitter(s): Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Nominal Power (kW): Day: 1.0 Night: 0.039

Antenna Mode: Day: DA Night: DA

(DA=Directional Antenna, ND=Non-directional Antenna; CH=Critical Hours)

Antenna Registration Number(s):

Day:

Tower No.	ASRN	
1	None	45.1
2	None	45.1

Night:

Tower No.	ASRN	
1	None	45.1
2	None	45.1

DESCRIPTION OF DIRECTIONAL ANTENNA SYSTEM

Theoretical RMS (mV/m/km): Day: 302.7 Night: 59.8

Standard RMS (mV/m/km): Day: 318.1 Night: 63.6

Augmented RMS (mV/m/km):

Q Factor: Day: Night:

Theoretical Parameters:

Day Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	0.7090	-162.000	0.0000	0.000	0	64.7
2	1.0000	0.000	70.0000	120.000	0	64.7

\* Tower Reference Switch

0 = Spacing and orientation from reference tower

1 = Spacing and orientation from previous tower

Theoretical Parameters:

Night Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	0.7090	-162.000	0.0000	0.000	0	64.7
2	1.0000	0.000	70.0000	120.000	0	64.7

\* Tower Reference Switch

0 = Spacing and orientation from reference tower

1 = Spacing and orientation from previous tower

Inverse Distance Field Strength:

The inverse distance field strength at a distance of one kilometer from the above antenna in the directions specified shall not exceed the following values:

Day:

Azimuth:	Radiation:
45	118.9 mV/m
195	118.9 mV/m

## Special operating conditions or restrictions:

- 1 A complete nondirectional proof of performance, in addition to a complete proof on the (day) directional antenna system, shall be submitted before program tests are authorized. The nondirectional and directional field strength measurements must be made under similar environmental conditions.
- 2 Permittee shall install a type accepted transmitter, or submit application (FCC Form 301) along with data prescribed in Section 73.1660(b) should non-type accepted transmitter be proposed.
- 3 A license application (FCC Form 302) to cover this construction permit must be filed with the Commission pursuant to Section 73.3536 of the Rules before the permit expires.
- 4 Licensee shall be responsible for satisfying all reasonable complaints of blanketing interference within the 1 V/m contour as required by Section 73.88 of the Commission's rules.
- 5 Ground system consists of 120 equally spaced, buried, copper radials about the base of each tower, each 61.5 meters in length except where terminated by property boundaries or where intersecting radials are shortened and bonded to a transverse copper strap midway between adjacent towers.

\*\*\* END OF AUTHORIZATION \*\*\*