



United States of America
FEDERAL COMMUNICATIONS COMMISSION
FM BROADCAST STATION LICENSE

Authorizing Official:

Official Mailing Address:

LEHIGH VALLEY COMMUNITY BROADCASTERS
ASSOCIATION
301 BROADWAY
BETHLEHEM PA 18015

Robert D. Greenberg
Supervisory Engineer
Audio Division
Media Bureau

Facility Id: 36992

Call Sign: WDIY

License File Number: BLED-19941214KA

Grant Date: February 03, 1997

This license expires 3:00 a.m.
local time, August 01, 1998.

This License Covers Construction Permit No.: BPED-891019MF

Subject to the provisions of the Communications Act of 1934, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this license, the licensee is hereby authorized to use and operate the radio transmitting apparatus herein described.

This license is issued on the licensee's representation that the statements contained in licensee's application are true and that the undertakings therein contained so far as they are consistent herewith, will be carried out in good faith. The licensee shall, during the term of this license, render such broadcasting service as will serve the public interest, convenience, or necessity to the full extent of the privileges herein conferred.

This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequency designated in the license beyond the term hereof, nor in any other manner than authorized herein. Neither the license nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This license is subject to the right of use or control by the Government of the United States conferred by Section 606 of the Communications Act of 1934.

Callsign: WDIY

License No.: BLED-19941214KA

Name of Licensee: LEHIGH VALLEY COMMUNITY BROADCASTERS ASSOCIATION

Station Location: PA-ALLENTOWN

Frequency (MHz): 88.1

Channel: 201

Class: A

Hours of Operation: Unlimited

Transmitter: Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Transmitter output power:

Antenna type: Directional

Description: ODD ODD891019MF

Antenna Coordinates: North Latitude: 40 deg 33 min 54 sec
West Longitude: 75 deg 26 min 26 sec

	Horizontally Polarized Antenna	Vertically Polarized Antenna
--	--------------------------------------	------------------------------------

Effective radiated power in the Horizontal Plane (kW):		.100
Height of radiation center above ground (Meters):		125
Height of radiation center above mean sea level (Meters):		409
Height of radiation center above average terrain (Meters):		257

Antenna structure registration number: Not Required

Overall height of antenna structure above ground: 204 Meters

Obstruction marking and lighting specifications for antenna structure:

It is to be expressly understood that the issuance of these specifications is in no way to be considered as precluding additional or modified marking or lighting as may hereafter be required under the provisions of Section 303(q) of the Communications Act of 1934, as amended.

None Required

Special operating conditions or restrictions:

- 1 The relative field strength of neither the measured horizontally nor vertically polarized radiation component shall exceed at an azimuth the value indicated on the composite radiation pattern authorized by construction permit BPED-891019MF.

.
A relative field strength of 1.0 on the composite radiation pattern authorized by BPED-891019MF corresponds to the following effective radiated power:

.
0.100 kilowatts.

Principal minima and their associated field strength limits:

.
230 degrees True: 0.009 kilowatts
240 degrees True: 0.009 kilowatts
250 degrees True: 0.010 kilowatts.

- 2 The permittee/licensee in coordination with other users of the site must reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic fields in excess of FCC guidelines.

*** END OF AUTHORIZATION ***