



United States of America  
**FEDERAL COMMUNICATIONS COMMISSION**  
**AM BROADCAST STATION LICENSE**

Authorizing Official:

Official Mailing Address:

AUDACY LICENSE, LLC  
2400 MARKET STREET  
4TH FLOOR  
PHILADELPHIA PA 19103

Son Nguyen  
Supervisory Engineer  
Audio Division  
Media Bureau

Facility Id: 1243

Call Sign: KJCE

License File Number: BML-20090114AGN

Grant Date: June 02, 2009

This license expires 3:00 a.m.  
local time, August 01, 2013.

DM due to change in coordinates and resumption of normal nighttime  
operations after STA.

Subject to the provisions of the Communications Act of 1934, subsequent  
acts and treaties, and all regulations heretofore or hereafter made by  
this Commission, and further subject to the conditions set forth in this  
license, the licensee is hereby authorized to use and operate the radio  
transmitting apparatus herein described.

This license is issued on the licensee's representation that the  
statements contained in licensee's application are true and that the  
undertakings therein contained so far as they are consistent herewith,  
will be carried out in good faith. The licensee shall, during the term of  
this license, render such broadcasting service as will serve the public  
interest, convenience, or necessity to the full extent of the privileges  
herein conferred.

This license shall not vest in the licensee any right to operate the  
station nor any right in the use of the frequency designated in the  
license beyond the term hereof, nor in any other manner than authorized  
herein. Neither the license nor the right granted hereunder shall be  
assigned or otherwise transferred in violation of the Communications Act  
of 1934. This license is subject to the right of use or control by the  
Government of the United States conferred by Section 606 of the  
Communications Act of 1934.

Hours of Operation: Unlimited

Average hours of sunrise and sunset:  
Local Standard Time (Non-Advanced)

Jan.	7:30 AM	5:45 PM	Jul.	5:45 AM	7:30 PM
Feb.	7:15 AM	6:15 PM	Aug.	6:00 AM	7:15 PM
Mar.	6:45 AM	6:45 PM	Sep.	6:15 AM	6:30 PM
Apr.	6:00 AM	7:00 PM	Oct.	6:30 AM	6:00 PM
May	5:30 AM	7:15 PM	Nov.	7:00 AM	5:30 PM
Jun.	5:30 AM	7:30 PM	Dec.	7:15 AM	5:30 PM

Name of Licensee: AUDACY LICENSE, LLC

Station Location: ROLLINGWOOD, TX

Frequency (kHz): 1370

Station Class: B

Antenna Coordinates:

Day

Latitude: N 30 Deg 18 Min 15 Sec

Longitude: W 97 Deg 38 Min 51 Sec

Night

Latitude: N 30 Deg 18 Min 15 Sec

Longitude: W 97 Deg 38 Min 51 Sec

Transmitter(s): Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Nominal Power (kW): Day: 5.0 Night: 0.5

Antenna Input Power (kW): Day: 5.4 Night: 0.54

Antenna Mode: Day: DA Night: DA

(DA=Directional Antenna, ND=Non-directional Antenna; CH=Critical Hours)

Current (amperes): Day: 10.39 Night: 3.28

Resistance (ohms): Day: 50 Night: 50

Antenna Registration Number(s):

Day:

Tower No.	ASRN	Overall Height (m)
1	1061818	
2	1061816	

Night:

Tower No.	ASRN	Overall Height (m)
1	1061817	
2	1061818	
3	1061816	

DESCRIPTION OF DIRECTIONAL ANTENNA SYSTEM

Theoretical RMS (mV/m/km): Day: 720.78 Night: 210.84

Standard RMS (mV/m/km): Day: Night:

Augmented RMS (mV/m/km):

Q Factor: Day: 22.4 Night: 10

Theoretical Parameters:

Day Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	1.0000	0.000	0.0000	0.000	0	125.4
2	0.4700	-67.400	130.0000	355.000	0	125.4

\* Tower Reference Switch

0 = Spacing and orientation from reference tower

1 = Spacing and orientation from previous tower

Theoretical Parameters:

Night Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	1.0000	0.000	110.0000	37.000	0	125.4
2	0.3300	-83.000	0.0000	0.000	0	125.4
3	0.4200	-160.000	130.0000	355.000	0	125.4

\* Tower Reference Switch

0 = Spacing and orientation from reference tower

1 = Spacing and orientation from previous tower

Day Directional Operation:

Twr. No.	Phase (Deg.)	Antenna Monitor Sample Current Ratio
1	0	1
2	-71	0.74

Night Directional Operation:

Twr. No.	Phase (Deg.)	Antenna Monitor Sample Current Ratio
1	0	1
2	-86	0.325
3	-164	0.425

Antenna Monitor: POTOMAC INSTRUMENTS AM19 (204)

Sampling System Approved Under Section 73.68 of the Rules.

Special operating conditions or restrictions:

- 1 Ground system consists of 120 equally spaced, buried, copper radials about the base of each tower, each 78.9 meters in length except where intersecting radials are shortened and bonded to a transverse copper strap midway between adjacent towers, plus a copper ground screen 14.6 meters square, about the base of each tower.
- 2 Daytime towers consist of SW and NW in that sequence. Nighttime towers consist of E, SW, NW in that sequence.

3 MONITOR POINT DESCRIPTIONS

145° - From intersection of Webberville Road (Rt. 969) and Rt. 973, proceed left for 600 feet north by "Road Narrows" sign, point located in street, 6.28 km from site, max 59.3 mV/m daytime.

205° - From intersection of Technic Center and Tracor Lane, proceed right on Tracor Lane to parking lot entrance of building, point located at entrance in street, 3.35 km from site, max 110.0 mV/m daytime.

355° - Point located directly in front of 3610 Quietie Street in street, 3.22 km from site, max 214.0 mV/m daytime.

36.5° - From intersection of Giles Lane and E. Braker Road/Bleu Goose Road 6900 Block, just north of Applied Materials Bld 30, point located on north side of divided road, east of intersection, next to a concrete electric cover labeled BEC, near the Harris Branch red Brick entrance, 5.31 km from site, max 12.6 mV/m nighttime.

200.5° - From intersection of Technic Center and Tracor Lane, proceed right on Tracor Lane for 0.32 km to second paved intersection (McBee Road) past building 28 in middle of road. 3.30 km from site, max 45.3 mV/m nighttime.

\*\*\* END OF AUTHORIZATION \*\*\*