

United States of America FEDERAL COMMUNICATIONS COMMISSION FM BROADCAST STATION CONSTRUCTION PERMIT

Authorizing Official:

Official Mailing Address:

LOTUS BROADCASTING CORP. 3301 BARHAM BLVD., SUITE 200 LOS ANGELES CA 90068

Facility ID: 38451

Call Sign: KOMP

Permit File Number: BPH-19891017IE

Mary Houser Supr Applications Examiner Audio Division Media Bureau

Grant Date: July 18, 1990

This permit expires 3:00 a.m. local time, January 18, 1992.

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

Commission rules which became effective on February 16, 1999, have a bearing on this construction permit. See Report & Order, Streamlining of Mass Media Applications, MM Docket No. 98-43, 13 FCC RCD 23056, Para. 77-90 (November 25, 1998); 63 Fed. Reg. 70039 (December 18, 1998). Pursuant to these rules, this construction permit will be subject to automatic forfeiture unless construction is complete and an application for license to cover is filed prior to expiration. See Section 73.3598.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.

Name of Permittee: LOTUS BROADCASTING CORP. Station Location: NV-LAS VEGAS Frequency (MHz): 92.3 Channel: 222 Class: C Hours of Operation: Unlimited Callsign: KOMP Permit No.: BPH-19891017IE Transmitter: Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules. Transmitter output power: As required to achieve authorized ERP. Antenna type: Non-Directional Antenna Coordinates: North Latitude: 35 dea 58 min 02 sec West Longitude: 115 deg 30 min 06 sec Horizontally Vertically Polarized Polarized Antenna Antenna 23.0 23.0 Effective radiated power in the Horizontal Plane (kW): 56 Height of radiation center above ground (Meters): 56 Height of radiation center above mean sea level (Meters): 625 625 172 Height of radiation center above average terrain (Meters): 172 Antenna structure registration number: Not Required Overall height of antenna structure above ground: 61 Meters Obstruction marking and lighting specifications for antenna structure: It is to be expressly understood that the issuance of these specifications is in no way to be considered as precluding additional or modified marking or lighting as may hereafter be required under the provisions of Section 303(q) of the Communications Act of 1934, as amended.

None Required

Special operating conditions or restrictions:

1 SHARED ANTENNA

BEFORE PROGRAM TEST COMMENCE, SUFFICIENT MEASUREMENTS SHALL BE MADE TO ESTABLISH THAT THE OPERATION AUTHORIZED IN THIS CONSTRUCTION PERMIT IS IN COMPLIANCE WITH THE SPURIOUS EMISSIONS REQUIREMENTS OF SECTIONS 73.317(b) THROUGH 73.317(d) OF THE COMMISSIONS RULES. ALL MEASUREMENTS MUST BE MADE WITH STATIONS KEYV(FM), KJUL(FM), KUDA(FM) AND KOMP(FM) SIMULTANEOUSLY UTILIZING THE SHARED ANTENNA. THESE MEASUREMENTS SHALL BE SUBMITTED TO THE COMMISSION ALONG WITH THE FORM 302 APPLICATION FOR LICENSE.

RF CONDITION

BEFORE PROGRAM TEST AUTHORITY IS AUTHORIZED BY THE COMMISSION PERMITTEE SHALL SUBMIT DOCUMENTATION OF COMPLIANCE WITH THIS SPECIAL OPERATING CONDITION ALONG WITH THE FORM 302, APPLICATION FOR LICENSE, AND THE REQUEST FOR PROGRAM TEST AUTHORITY. THE PERMITTEE SHALL, UPON COMPLETION OF CONSTRUCTION AND DURING THE EQUIPMENT TEST PERIOD, MAKE PROPER RF FIELD STRENGTH MEASUREMENTS THROUGHOUT THE TOWER AREA TO DETERMINE IF THERE ARE ANY AREAS THAT EXCEED THE ANSI, EPA AND FCC SPECIFIED GUIDELINES FOR HUMAN EXPOSURE TO RADIOFREQUENCY RADIATION. IF NECESSARY, A FENCE MUST BE ERECTED AT SUCH DISTANCES AND IN SUCH A MANNER AS TO PREVENT THE EXPOSURE OF HUMANS TO RADIOFREQUENCY RADIATION IN EXCESS OF THE AMERICAN NATIONAL STANDARDS INSTITUTE GUIDELINES (OST BULLETIN NO. 65, OCTOBER 1985). THE FENCE MUST BE OF A TYPE WHICH WILL PRECLUDE CASUAL OR INADVERTENT ACCESS, AND MUST INCLUDE WARNING SIGNS AT APPROPRIATE INTERVALS WHICH DESCRIBE THE NATURE OF THE HAZARD. ANY AREAS WITHIN THE FENCE FOUND TO EXCEED THE RECOMMENDED GUIDELINES MUST BE CLEARLY MARKED WITH APPROPRIATE VISUAL WARNING SIGNS.

*** END OF AUTHORIZATION ***