## COMMUNIC STORY OF STO

## **United States of America**

## FEDERAL COMMUNICATIONS COMMISSION FM BROADCAST STATION CONSTRUCTION PERMIT

Authorizing Official:

Official Mailing Address:

IHM LICENSES, LLC
7136 S. YALE AVENUE
SUITE 501
TULSA OK 74136

Facility ID: 60706 Call Sign: WNRW

Permit File Number: BPH-20090615AEX

Dale E. Bickel Senior Engineer Audio Division Media Bureau

Grant Date: September 23, 2009

This permit expires 3:00 a.m. local time, September 23, 2012.

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

Commission rules which became effective on February 16, 1999, have a bearing on this construction permit. See Report & Order, Streamlining of Mass Media Applications, MM Docket No. 98-43, 13 FCC RCD 23056, Para. 77-90 (November 25, 1998); 63 Fed. Reg. 70039 (December 18, 1998). Pursuant to these rules, this construction permit will be subject to automatic forfeiture unless construction is complete and an application for license to cover is filed prior to expiration. See Section 73.3598.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.

Name of Permittee: IHM LICENSES, LLC

Station Location: KY-PROSPECT

Frequency (MHz): 98.9

Channel: 255

Class: C2

Hours of Operation: Unlimited

Transmitter: Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Transmitter output power: As required to achieve authorized ERP.

Antenna type: Directional

Antenna Coordinates: North Latitude: 38 deg 11 min 31 sec

West Longitude: 85 deg 31 min 11 sec

	Horizontally Polarized Antenna	Vertically Polarized Antenna
Effective radiated power in the Horizontal Plane (kW):	43	43
Height of radiation center above ground (Meters):	137	137
Height of radiation center above mean sea level (Meters):	353	353
Height of radiation center above average terrain (Meters)	: 157	157

Antenna structure registration number: 1045578

Overall height of antenna structure above ground (including obstruction lighting if any) see the registration for this antenna structure.

Special operating conditions or restrictions:

- The permittee/licensee in coordination with other users of the site must reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic fields in excess of FCC quidelines.
- Pursuant to the grant of this construction permit and the authority found in Sections 4(i), 5(c)(1), 303 and 307(b) of the Communications Act of 1934, as amended, and Sections 0.61, 0.204(b), 0.283, 1.420, 73.203(b), and 73.3573 of the Commission's Rules, the FM assignment IS MODIFIED as follows:

Community Channel No.
Prospect, KY Add 255C2, Delete 255B

Pursuant to Section 316(a) of the Communication Act of 1934, as amended, the license for WZKF, Prospect, KY IS MODIFIED to specify operation on Channel 255C2 in lieu of Channel 255B.

Special operating conditions or restrictions:

- During the installation of the antenna authorized herein, AM Station WKRD, Louisville, KY shall determine operating power by the indirect method and, if necessary, request temporary authority from the Commission in Washington to operate with parameters at variance in order to maintain monitoring point values within authorized limits. Upon completion of the installation, common point impedance measurements on the AM array shall be made and a partial proof of performance, as defined by Section 73.154(a) of the Commission's Rules, shall be conducted to establish that the AM array has not been adversely affected and, prior to or simultaneous with the filing of the application for license to cover this permit, the results submitted to the Commission (along with a tower sketch of the installation) in an FCC Form 302-AM application for the AM station to return to the direct method of power determination. (Revised January 28, 1983)
- BEFORE PROGRAM TESTS ARE AUTHORIZED, permittee shall submit the results of a complete proof-of-performance to establish the horizontal plane radiation patterns for both the horizontally and vertically polarized radiation components. This proof-of-performance may be accomplished using the complete full size antenna, or individual bays therefrom, mounted on a supporting structure of identical dimensions and configuration as the proposed structure, including all braces, ladders, conduits, coaxial lines, and other appurtenances; or using a carefully manufactured scale model of the entire antenna, or individual bays therefrom, mounted on an equally scaled model of the proposed supporting structure, including all appurtenances. Engineering exhibits should include a description of the antenna testing facilities and equipment employed, including appropriate photographs or sketches and a description of the testing procedures, including scale factor, measurements frequency, and equipment calibration.
- 6 BEFORE PROGRAM TESTS ARE AUTHORIZED, permittee shall submit an affidavit from a licensed surveyor to establish that the directional antenna has been oriented at the proper azimuth.
- BEFORE PROGRAM TESTS ARE AUTHORIZED, permittee/licensee shall submit an affidavit that the installation of the directional antenna system was overseen by a qualified engineer. This affidavit shall include a certification by the engineer that the antenna was installed pursuant to the manufacturer's instructions and list the qualifications of the certifying engineer.

Permit No.: BPH-20090615AEX

Special operating conditions or restrictions:

8 The relative field strength of neither the measured horizontally nor vertically polarized radiation component shall exceed at any azimuth the value indicated on the composite radiation pattern authorized by this construction permit.

A relative field strength of 1.0 on the composite radiation pattern herein authorized corresponds to the following effective radiated power:

42.5 kilowatts.

Principal minima and their associated field strength limits:

110 degrees True: 14.00 kilowatts 140 degrees True: 17.84 kilowatts

\*\*\* END OF AUTHORIZATION \*\*\*