

United States of America

FEDERAL COMMUNICATIONS COMMISSION FM BROADCAST TRANSLATOR/BOOSTER STATION CONSTRUCTION PERMIT

Authorizing Official:

Official Mailing Address:

ALWAYSMOUNTAINTIME, LLC

5670 GREENWOOD PLAZA BLVD.

SUITE 506

GREENWOOD VILLAGE CO 80111

Facility Id: 165719

Call Sign: KZMV-FM5

Permit File Number: BNPFTB-20051205ADK

James D. Bradshaw

Deputy Chief

Audio Division

Media Bureau

Grant Date: February 15, 2006

This permit expires 3:00 a.m. local time, 36 months after the grant date specified above.

Commission rules which became effective on February 16, 1999, have a bearing on this construction permit. See Report & Order, Streamlining of Mass Media Applications, MM Docket No. 98-43, 13 FCC RCD 23056, Para. 77-90 (November 25, 1998); 63 Fed. Reg. 70039 (December 18, 1998). Pursuant to these rules, this construction permit will be subject to automatic forfeiture unless construction is complete and an application for license to cover is filed prior to expiration. See Section 73.3598.

Name of Permittee: ALWAYSMOUNTAINTIME, LLC

Principal community to be served: CO-DILLON

Primary Station: KIFT (FM) , Channel 292, KREMMLING, CO

Via: Microwave

Frequency (MHz): 106.3

Channel: 292

Hours of Operation: Unlimited

Callsign: KZMV-FM5 Permit No.: BNPFTB-20051205ADK

Antenna Coordinates: North Latitude: 39 deg 37 min 51 sec

West Longitude: 106 deg 02 min 47 sec

Transmitter: Type Accepted. See Sections 73.1660, 74.1250 of the Commission

Antenna type: (directional or non-directional): Directional

Major lobe directions 290 (degrees true):

Horizontally Vertically
Polarized Polarized
Antenna: Antenna:

Effective radiated power in the Horizontal Plane (kw): 1.7

Height of radiation center above ground (Meters):

Height of radiation center above mean sea level (Meters): 2786

Antenna structure registration number: Not Required

Overall height of antenna structure above ground: 16 Meters

Obstruction marking and lighting specifications for antenna structure:

It is to be expressly understood that the issuance of these specifications is in no way to be considered as precluding additional or modified marking or lighting as may hereafter be required under the provisions of Section 303(g) of the Communications Act of 1934, as amended.

None Required

Special operating conditions or restrictions:

THE AUTOMATIC PROGRAM TEST PROVISIONS OF 47 C.F.R. SECTION 73.1620 DO NOT APPLY IN THIS CASE. A FORMAL REQUEST FOR PROGRAM TEST AUTHORITY MUST BE FILED IN CONJUNCTION WITH FCC FORM 302-FM, APPLICATION FOR LICENSE, BEFORE PROGRAM TESTS WILL BE AUTHORIZED. This request should be submitted at least 10 days prior to the date on which program tests are desired to commence. This request must contain documentation which demonstrates compliance with the following special operating condition(s):

Special operating conditions or restrictions:

- The permittee/licensee shall, upon completion of construction and during the equipment test period, make proper radiofrequency electromagnetic (RF) field strength measurements throughout the transmitter site area to determine if there are any areas that exceed the FCC guidelines for human exposure to RF fields. If necessary, a fence must be erected at such distances and in such a manner as to prevent the exposure of humans to RF fields in excess of the FCC Guidelines (OET Bulletin No. 65, Edition 97-01, August 1997). The fence must be a type which will preclude casual or inadvertent access, and must include warning signs at appropriate intervals which describe the nature of the hazard. Any areas within the fence found to exceed the recommended guidelines must be clearly marked with appropriate visual warning signs.
- Documentation demonstrating compliance with the special operating condition(s) may be submitted in advance of the filing of FCC Form 350-FM. The Commission's staff will review it for compliance and respond by letter stating whether automatic PTA has been reinstated.
- The permittee/licensee in coordination with other users of the site must reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic fields in excess of FCC quidelines.

*** END OF AUTHORIZATION ***