



United States of America
FEDERAL COMMUNICATIONS COMMISSION
AM BROADCAST STATION CONSTRUCTION PERMIT

Authorizing Official:

Official Mailing Address:

IHM LICENSES, LLC
7136 S. YALE AVENUE
TULSA OK 74136

Son Nguyen
Supervisory Engineer
Audio Division
Media Bureau

Grant Date: September 30, 2005

Facility Id: 23463

Call Sign: WTKT

Permit File Number: BMP-20050503AAC

The authority granted herein has no effect on the expiration date of the underlying construction permit.

This permit modifies permit no.: BP-20040109ACP

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

Commission rules which became effective on February 16, 1999, have a bearing on this construction permit. See Report & Order, Streamlining of Mass Media Applications, MM Docket No. 98-43, 13 FCC RCD 23056, Para. 77-90 (November 25, 1998); 63 Fed. Reg. 70039 (December 18, 1998). Pursuant to these rules, this construction permit will be subject to automatic forfeiture unless construction is complete and an application for license to cover is filed prior to expiration. See Section 73.3598.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.

Hours of Operation: Unlimited

Average hours of sunrise and sunset:
Local Standard Time (Non-Advanced)

Jan.	7:30 AM	5:00 PM	Jul.	4:45 AM	7:30 PM
Feb.	7:00 AM	5:45 PM	Aug.	5:15 AM	7:00 PM
Mar.	6:15 AM	6:15 PM	Sep.	5:45 AM	6:15 PM
Apr.	5:30 AM	6:45 PM	Oct.	6:15 AM	5:30 PM
May	5:00 AM	7:15 PM	Nov.	7:00 AM	4:45 PM
Jun.	4:30 AM	7:45 PM	Dec.	7:30 AM	4:45 PM

Name of Permittee: IHM LICENSES, LLC

Station Location: HARRISBURG, PA

Frequency (kHz): 1460

Station Class: B

Antenna Coordinates:

Day

Latitude: N 40 Deg 18 Min 32 Sec

Longitude: W 76 Deg 56 Min 13 Sec

Night

Latitude: N 40 Deg 18 Min 32 Sec

Longitude: W 76 Deg 56 Min 13 Sec

Transmitter(s): Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Nominal Power (kW): Day: 5.0 Night: 4.2

Antenna Mode: Day: ND Night: DA

(DA=Directional Antenna, ND=Non-directional Antenna; CH=Critical Hours)

Antenna Registration Number(s):

Day:

Tower No.	ASRN	
1	None	57.9

Night:

Tower No.	ASRN	
1	None	57.9
2	None	57.9
3	None	57.9

DESCRIPTION OF DIRECTIONAL ANTENNA SYSTEM

Theoretical RMS (mV/m/km): Night: 702.8
 Standard RMS (mV/m/km): Night: 738.7
 Augmented RMS (mV/m/km):
 Q Factor: Night:

Theoretical Parameters:

Night Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	1.0000	0.000	0.0000	0.000	0	98.9
2	1.6190	-152.400	88.9000	130.200	0	98.9
3	0.9860	55.400	175.8000	130.200	0	98.9

* Tower Reference Switch

0 = Spacing and orientation from reference tower

1 = Spacing and orientation from previous tower

Non-Directional Antenna: Day

Radiator Height: 56.4 meters; 98.9 deg

Theoretical Efficiency: 311.5 mV/m/kw at 1km

Inverse Distance Field Strength:

The inverse distance field strength at a distance of one kilometer from the above antenna in the directions specified shall not exceed the following values:

Night:

Azimuth:	Radiation:
45	32.9 mV/m
215	32.9 mV/m
266	37.7 mV/m
354.5	37.7 mV/m

Special operating conditions or restrictions:

- 1 A complete nondirectional proof of performance, in addition to a complete proof on the night directional antenna system, shall be submitted before program tests are authorized. The nondirectional and directional field strength measurements must be made under similar environmental conditions.

Special operating conditions or restrictions:

- 2 Permittee shall install a type accepted transmitter, or submit application (FCC Form 301) along with data prescribed in Section 73.1660(b) should non-type accepted transmitter be proposed.
- 3 Licensee shall be responsible for satisfying all reasonable complaints of blanketing interference within the 1 V/m contour as required by Section 73.88 of the Commission's rules.
- 4 The permittee/licensee must reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic fields in excess of FCC guidelines.
- 5 The permittee/licensee shall install RF warning signs around the towers.
- 6 Ground system consists of 120 equally spaced, buried, copper radials about the base of each tower, each 51.4 meters in length except where intersecting radials are shortened and bonded to a transverse copper strap midway between adjacent towers.
- 7 Prior to construction of the tower authorized herein, permittee shall notify AM Station WHP, Harrisburg, PA so that, if necessary that AM station: may determine operating power by a method described in Section 73.51(a)(1) or (d), and/or request temporary authority from the Commission in Washington, D.C. to operate with parameters at variance in order to maintain monitoring point field strengths within authorized limits.
Permittee shall be responsible for installation and continued maintenance of detuning apparatus necessary to prevent adverse effects upon the radiation pattern of the AM station. Both prior to construction of the tower and subsequent to the installation of all appurtenances thereon, a partial proof of performance, as defined by Section 73.154(a) of the Commission's Rules, shall be conducted to establish that the AM array has not been adversely affected and prior to or simultaneous with the filing of the application for license to cover this permit, the results submitted to the Commission.

*** END OF AUTHORIZATION ***