

## **United States of America**

## FEDERAL COMMUNICATIONS COMMISSION FM BROADCAST TRANSLATOR/BOOSTER STATION CONSTRUCTION PERMIT

Authorizing Official:

Official Mailing Address:

CSN INTERNATIONAL

P.O. BOX 391

4002 N. 3300 E.

TWIN FALLS ID 83303

Facility Id: 86506

Call Sign: K207CS

Permit File Number: BPFT-20040120AET

James D. Bradshaw

Deputy Chief

Audio Division

Media Bureau

Grant Date: April 14, 2004

This permit expires 3:00 a.m. local time, 36 months after the grant date specified above.

Commission rules which became effective on February 16, 1999, have a bearing on this construction permit. See Report & Order, Streamlining of Mass Media Applications, MM Docket No. 98-43, 13 FCC RCD 23056, Para. 77-90 (November 25, 1998); 63 Fed. Reg. 70039 (December 18, 1998). Pursuant to these rules, this construction permit will be subject to automatic forfeiture unless construction is complete and an application for license to cover is filed prior to expiration. See Section 73.3598.

Name of Permittee: CSN INTERNATIONAL

Principal community to be served: WA-WENATCHEE

Primary Station: KAWZ (FM) , Channel 210, TWIN FALLS, ID

Via: Satellite

Frequency (MHz): 89.3

Channel: 207

Hours of Operation: Unlimited

Callsign: K207CS Permit No.: BPFT-20040120AET

Antenna Coordinates: North Latitude: 47 deg 27 min 44 sec

West Longitude: 120 deg 21 min 28 sec

Transmitter: Type Accepted. See Sections 73.1660, 74.1250 of the Commission

Antenna type: (directional or non-directional): Non-Directional

Major lobe directions (degrees true): Not Applicable

	Horizontally	Vertically
	Polarized	Polarized
	Antenna:	Antenna:
Effective radiated power in the Horizontal Plane (kw):	0.1	0.1
Height of radiation center above ground (Meters):	74	74
Height of radiation center above mean sea level (Meters	): 403	403

Antenna structure registration number: 1031821

Overall height of antenna structure above ground (including obstruction lighting if any) see the registration for this antenna structure.

Special operating conditions or restrictions:

- The permittee/licensee must reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic fields in excess of FCC quidelines.
- Prior to commencing program test operations, FM Translator or FM Booster permittee must have on file at the Commission, FCC Form 350, Application for an FM Translator or FM Booster Station License, pursuant to 47 C.F.R. Section 74.14.

Special operating conditions or restrictions:

- Prior to construction of the tower authorized herein, permittee shall notify AM Station(s) listed below so that, if necessary, the AM station(s) may determine operating power by the indirect method and request temporary authority from the Commission in Washington, D.C. to operate with parameters at variance in order to maintain monitoring point field strengths within authorized limits. Permittee shall be responsible for the installation and continued maintenance of detuning apparatus necessary to prevent adverse effects upon the radiation pattern of the AM station(s). Both prior to construction of the tower and subsequent to the installation of all appurtenances thereon, a partial proof of performance, as defined by Section 73.154(a) of the Commission's Rules, shall be conducted to establish that the AM array has not been adversely affected and, prior to or simultaneous with the filing of the application for license to cover this permit, the results submitted to the Commission. (Revised March 14, 1983)
  - .KPQ(AM), Wenatchee, WA 560 kHz
- During installation of the antenna authorized herein, AM Station(s) listed below shall determine operating power by the indirect method. Upon completion of the installation, antenna impedance measurements on the AM antenna shall be made and, prior to or simultaneous with the filing of the application for license to cover this permit, the results submitted to the Commission (along with a tower sketch of the installation) in an application for the AM station to return to the direct method of power determination. (Revised January 28, 1983)
  - .KKRT(AM), Wenatchee, WA 900 kHz.
- During the installation of the antenna authorized herein, AM Station (s)listed below shall determine operating power by the indirect method and, if necessary, request temporary authority from the Commission in Washington to operate with parameters at variance in order to maintain monitoring point values within authorized limits. Upon completion of the installation, common point impedance measurements on the AM array shall be made and a partial proof of performance, as defined by Section 73.154(a) of the Commission's Rules, shall be conducted to establish that the AM array has not been adversely affected and, prior to or simultaneous with the filing of the application for license to cover this permit, the results submitted to the Commission (along with a tower sketch of the installation) in an application for the AM station to return to the direct method of power determination. (Revised January 28, 1983)
  - .NEW(AM), Cashmere, WA 1110 kHz (BNP20001020AAX).
    - \*\*\* END OF AUTHORIZATION \*\*\*