

United States of America

FEDERAL COMMUNICATIONS COMMISSION AM BROADCAST STATION CONSTRUCTION PERMIT

Authorizing Official:

Official Mailing Address:

JNE INVESTMENTS, INC.

P.O. BOX 60991

PALO ALTO CA 94306

Facility Id: 128845

Call Sign: DKKBM

Permit File Number: BMP-20020403AAB

Son Nguyen

Supervisory Engineer Audio Division

Media Bureau

Grant Date: March 25, 2003

The authority granted herein has no effect on the expiration date of the underlying construction

permit.

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

Commission rules which became effective on February 16, 1999, have a bearing on this construction permit. See Report & Order, Streamlining of Mass Media Applications, MM Docket No. 98-43, 13 FCC RCD 23056, Para. 77-90 (November 25, 1998); 63 Fed. Reg. 70039 (December 18, 1998). Pursuant to these rules, this construction permit will be subject to automatic forfeiture unless construction is complete and an application for license to cover is filed prior to expiration. See Section 73.3598.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.

Hours of Operation: Daytime with Secondary nighttime

Average hours of sunrise and sunset: Local Standard Time (Non-Advanced)

Jan.	7:30	AM	5:45	PM	Jul.	5:30	AM	7:30	PM
Feb.	7:15	AM	6:15	PM	Aug.	5:45	AM	7:15	PM
Mar.	6:30	AM	6:30	PM	Sep.	6:00	AM	6:30	PM
Apr.	6:00	AM	7:00	PM	Oct.	6:30	AM	5:45	PM
May	5:30	AM	7:15	PM	Nov.	7:00	AM	5:30	PM
Jun.	5:15	AM	7:30	PM	Dec.	7:15	AM	5:15	PM

Callsign: DKKBM Permit No.: BMP-20020403AAB

Name of Permittee: JNE INVESTMENTS, INC.

Station Location: FRANKSTON, TX

Frequency (kHz): 890

Station Class: D

Antenna Coordinates:

Day

Latitude: N 32 Deg 15 Min 54 Sec Longitude: W 96 Deg 03 Min 00 Sec

Night

Latitude: N 32 Deg 15 Min 54 Sec Longitude: W 96 Deg 03 Min 00 Sec

Transmitter(s): Type Accepted. See Sections 73.1660, 73.1665 and

73.1670 of the Commission's Rules.

Nominal Power (kW): Day: 2.0 Night: 0.008

Antenna Mode: Day: DA Night: DA

(DA=Directional Antenna, ND=Non-directional Antenna; CH=Critical Hours)

Antenna Registration Number(s):

Day:

Tower	No.	ASRN	
	1	None	60.5
	2	None	60.5
	3	None	60.5
	4	None	60.5
	5	None	60.5
	6	None	60.5

Night:

Tower No. ASRN

1	None	60.5
2	None	60.5
3	None	60.5
4	None	60.5
5	None	60.5
6	None	60.5

Callsign: DKKBM Permit No.: BMP-20020403AAB

DESCRIPTION OF DIRECTIONAL ANTENNA SYSTEM

Theoretical RMS (mV/m/km): Day: 401.32 Night: 25.15 Standard RMS (mV/m/km): Day: 421.67 Night: 28.42

Augmented RMS (mV/m/km):

Q Factor: Day: Night:

Theoretical Parameters:

Day Directional Antenna:

Tower	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	1.0000	0.000	0.0000	0.000	0	63.5
2	0.4000	12.000	255.0000	24.000	0	63.5
3	0.2800	136.000	254.4000	4.800	0	63.5
4	0.7000	124.000	85.0000	284.000	0	63.5
5	0.4200	131.000	273.3000	225.600	0	63.5
6	0.6000	7.000	240.0000	208.000	0	63.5

^{*} Tower Reference Switch

Theoretical Parameters:

Night Directional Antenna:

Tower	Field	Phasing	Spacing	Orientation	Tower Ref	Height
No.	Ratio	(Deg.)	(Deg.)	(Deg.)	Switch *	(Deg.)
1	1.0000	0.000	0.0000	0.000	0	63.5
2	0.4000	12.000	255.0000	24.000	0	63.5
3	0.2800	136.000	254.4000	4.800	0	63.5
4	0.7000	124.000	85.0000	284.000	0	63.5
5	0.4200	131.000	273.3000	225.600	0	63.5
6	0.6000	7.000	240.0000	208.000	0	63.5

^{*} Tower Reference Switch

^{0 =} Spacing and orientation from reference tower

^{1 =} Spacing and orientation from previous tower

^{0 =} Spacing and orientation from reference tower

^{1 =} Spacing and orientation from previous tower

Inverse Distance Field Strength:

The inverse distance field strength at a distance of one kilometer from the above antenna in the directions specified shall not exceed the following values:

Day:

Azimuth:	Radiation:	
63	73.6	mV/m
166	16.1	mV/m
254.5	26.2	mV/m
349	50.9	mV/m

Night:

Azimuth:	Radiation:	
63	11.4	mV/m
166	10.5	mV/m
254.5	10.6	mV/m
349	10.9	mV/m

Special operating conditions or restrictions:

- Permittee shall install a type accepted transmitter, or submit application (FCC Form 301) along with data prescribed in Section 73.1660(b) should non-type accepted transmitter be proposed.
- A complete nondirectional proof of performance, in addition to a complete proof on the day directional antenna system, shall be submitted before program tests are authorized. The nondirectional and directional field strength measurements must be made under similar environmental conditions.

*** END OF AUTHORIZATION ***