



United States of America
FEDERAL COMMUNICATIONS COMMISSION
AM BROADCAST STATION LICENSE

Authorizing Official:

Official Mailing Address:

NEW AGE COMMUNICATIONS, LTD.
 3012 HIGHWOODS BLVD STE 201
 RALEIGH NC 27604

Son Nguyen
 Supervisory Engineer
 Audio Division
 Media Bureau

Facility Id: 48370

Call Sign: WGBR

License File Number: BL-20040809ACG

Grant Date: November 18, 2004

This license expires 3:00 a.m.
 local time, December 01, 2011.

License to cover BP-20000504AAH as modified by BMP-20040806AAG to add two night augmentations.

Subject to the provisions of the Communications Act of 1934, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this license, the licensee is hereby authorized to use and operate the radio transmitting apparatus herein described.

This license is issued on the licensee's representation that the statements contained in licensee's application are true and that the undertakings therein contained so far as they are consistent herewith, will be carried out in good faith. The licensee shall, during the term of this license, render such broadcasting service as will serve the public interest, convenience, or necessity to the full extent of the privileges herein conferred.

This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequency designated in the license beyond the term hereof, nor in any other manner than authorized herein. Neither the license nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This license is subject to the right of use or control by the Government of the United States conferred by Section 606 of the Communications Act of 1934.

Hours of Operation: Unlimited

Average hours of sunrise and sunset:
 Local Standard Time (Non-Advanced)

Jan.	7:15 AM	5:15 PM	Jul.	5:00 AM	7:30 PM
Feb.	7:00 AM	6:00 PM	Aug.	5:30 AM	7:00 PM
Mar.	6:30 AM	6:15 PM	Sep.	6:00 AM	6:15 PM
Apr.	5:45 AM	6:45 PM	Oct.	6:15 AM	5:45 PM
May	5:15 AM	7:15 PM	Nov.	6:45 AM	5:00 PM
Jun.	5:00 AM	7:30 PM	Dec.	7:15 AM	5:00 PM

Name of Licensee: NEW AGE COMMUNICATIONS, LTD.

Station Location: GOLDSBORO, NC

Frequency (kHz): 1150

Station Class: B

Antenna Coordinates:

Day

Latitude: N 35 Deg 22 Min 26 Sec

Longitude: W 78 Deg 00 Min 42 Sec

Night

Latitude: N 35 Deg 22 Min 26 Sec

Longitude: W 78 Deg 00 Min 42 Sec

Transmitter(s): Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Nominal Power (kW): Day: 5.0 Night: 0.8

Antenna Input Power (kW): Day: 5.4 Night: 0.864

Antenna Mode: Day: DA Night: DA

(DA=Directional Antenna, ND=Non-directional Antenna; CH=Critical Hours)

Current (amperes): Day: 10 Night: 4

Resistance (ohms): Day: 54 Night: 54

Antenna Registration Number(s):

Day:

Tower No.	ASRN	Overall Height (m)
1	1007841	
2	1225214	

Night:

Tower No.	ASRN	Overall Height (m)
1	1007841	
2	1225214	

DESCRIPTION OF DIRECTIONAL ANTENNA SYSTEM

Theoretical RMS (mV/m/km): Day: 745.45 Night: 305.74
 Standard RMS (mV/m/km): Day: 783.07
 Augmented RMS (mV/m/km): Night: 321.31
 Q Factor: Day: Night:

Theoretical Parameters:

Day Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	0.6800	-110.000	0.0000	0.000	0	134.6
2	1.0000	0.000	81.0000	325.000	0	126.3

* Tower Reference Switch

0 = Spacing and orientation from reference tower
 1 = Spacing and orientation from previous tower

Theoretical Parameters:

Night Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	1.0000	-134.000	0.0000	0.000	0	134.6
2	1.0000	0.000	81.0000	325.000	0	126.3

* Tower Reference Switch

0 = Spacing and orientation from reference tower
 1 = Spacing and orientation from previous tower

Augmentation Parameters:

Aug No.	Central Azimuth (Deg. T)	Span (Deg.)	Radiation at Central Azimuth (mV/m @ 1 km)
1	20.4	30.0	20.22
2	269.6	30.0	24.48

Day Directional Operation:

Twr. No.	Phase (Deg.)	Antenna Monitor Sample Current Ratio
1	-114.7	1.194
2	0	1

Night Directional Operation:

Twr. No.	Phase (Deg.)	Antenna Monitor Sample Current Ratio
1	-136.3	1.758
2	0	1

Antenna Monitor: POTOMAC INSTRUMENTS AM 1901

Sampling System Approved Under Section 73.68 of the Rules.

Special operating conditions or restrictions:

- 1 Licensee shall be responsible for satisfying all reasonable complaints of blanketing interference within the 1 V/m contour as required by Section 73.88 of the Commission's rules.

- 2 MONITOR POINT DESCRIPTIONS

294.8°- Point located on north side of road in driveway of 1162 Old Smithfield Road, 5.73 km from site, max 13.8 mV/m daytime.

355.2°- From intersection of Highway 70 and Highway 1326 (Claridge Nursery Road), proceed north on Highway 1326 for 1.37 km to dirt access road on right, then east on dirt road for 0.35 km to point located in center of road, 4.44 km from site, max 24.4 mV/m daytime.

20.4°- Point located on south side of road at driveway entrance to 210 Fedelon Trail, 4.86 km from site, max 3.6 mV/m nighttime.

269.6°- From intersection of Highway 581 and Highway 1008 (Stevens Mill Road), proceed on Highway 1008 for 2.66 km to point located on east side of road, 3.22 km from site, max 4.8 mV/m nighttime.

*** END OF AUTHORIZATION ***