

## **United States of America**

## FEDERAL COMMUNICATIONS COMMISSION FM BROADCAST TRANSLATOR/BOOSTER STATION CONSTRUCTION PERMIT

Authorizing Official:

Official Mailing Address:

IHM LICENSES, LLC 7136 S. YALE AVENUE SUITE 501

TULSA OK 74136

Facility Id: 6544

Call Sign: K256AE

Permit File Number: BPFT-20171219ACA

James D. Bradshaw

Deputy Chief

Audio Division

Media Bureau

Grant Date: January 04, 2018

This permit expires 3:00 a.m. local time, 36 months after the grant date specified above.

Commission rules which became effective on February 16, 1999, have a bearing on this construction permit. See Report & Order, Streamlining of Mass Media Applications, MM Docket No. 98-43, 13 FCC RCD 23056, Para. 77-90 (November 25, 1998); 63 Fed. Reg. 70039 (December 18, 1998). Pursuant to these rules, this construction permit will be subject to automatic forfeiture unless construction is complete and an application for license to cover is filed prior to expiration. See Section 73.3598.

Name of Permittee: IHM LICENSES, LLC

Principal community to be served: UT-SALT LAKE CITY

Primary Station: KJMY (FM) , Channel 258, BOUNTIFUL, UT

Via:Other

Frequency (MHz): 99.1

Channel: 256

Hours of Operation: Unlimited

Callsign: K256AE Permit No.: BPFT-20171219ACA

Antenna Coordinates: North Latitude: 40 deg 45 min 29 sec

West Longitude: 111 deg 51 min 09 sec

Transmitter: Type Accepted. See Sections 73.1660, 74.1250 of the Commission

Antenna type: (directional or non-directional): Non-Directional

Major lobe directions (degrees true): Not Applicable

	Horizontally	Vertically
	Polarized	Polarized
	Antenna:	Antenna:
Effective radiated power in the Horizontal Plane (kw):	0.235	0.235
Height of radiation center above ground (Meters):	48	48
Height of radiation center above mean sea level (Meters	): 1432	1432

Antenna structure registration number: Not Required

Overall height of antenna structure above ground: 50 Meters

Obstruction marking and lighting specifications for antenna structure:

It is to be expressly understood that the issuance of these specifications is in no way to be considered as precluding additional or modified marking or lighting as may hereafter be required under the provisions of Section 303(q) of the Communications Act of 1934, as amended.

None Required

Special operating conditions or restrictions:

- The permittee/licensee in coordination with other users of the site must reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic fields in excess of FCC guidelines.
- Prior to commencing program test operations, FM Translator or FM Booster permittee must have on file at the Commission, FCC Form 350, Application for an FM Translator or FM Booster Station License, pursuant to 47 C.F.R. Section 74.14.

Special operating conditions or restrictions:

## 3 \*\*\*NOTE TO PERMITTEE\*\*\*

Notwithstanding the grant of this construction permit or the expiration date specified herein, your station's license will automatically expire as a matter of law on December 20, 2018 if the station has not resumed broadcasting before that time. See Pub. Law No. 104-104, 110 Stat. 56, Section 403(1) (1996) and Order, Silent Station Authorizations, FCC 96-218 (released May 17, 1996). See also Public Notice, Expedited Processing of Applications Filed By Silent Stations, DA 96-818 (May 22, 1996). Upon resumption of broadcasting, the licensee must notify the Commission. This notice will be in addition to an application for a license to cover this permit.

The permittee/licensee shall, upon completion of construction and during the equipment test period, make proper radiofrequency electromagnetic (RF) field strength measurements on the roof and throughout the building to determine if there are any areas that exceed the FCC guidelines for human exposure to RF fields. Access must be restricted to prevent the exposure of humans to RF fields in excess of the FCC Guidelines (OET Bulletin No. 65, Edition 97-01, August 1997). Furthermore, any areas found to exceed the recommended guidelines must be clearly marked with appropriate visual warning signs which describe the nature of the hazard.

\*\*\* END OF AUTHORIZATION \*\*\*