

United States of America

FEDERAL COMMUNICATIONS COMMISSION FM BROADCAST TRANSLATOR/BOOSTER STATION CONSTRUCTION PERMIT

Authorizing Official:

Official Mailing Address:

BROADWAY MEDIA LS, LLC

595 S. RIVERWOODS PARKWAY

SUITE 400

LOGAN UT 84321

Facility Id: 166359

Call Sign: KYMV-FM2

Permit File Number: BPFTB-20081006AHM

James D. Bradshaw

Deputy Chief

Audio Division

Media Bureau

Grant Date: October 22, 2008

This permit expires 3:00 a.m. local time, 36 months after the grant date specified above.

Commission rules which became effective on February 16, 1999, have a bearing on this construction permit. See Report & Order, Streamlining of Mass Media Applications, MM Docket No. 98-43, 13 FCC RCD 23056, Para. 77-90 (November 25, 1998); 63 Fed. Reg. 70039 (December 18, 1998). Pursuant to these rules, this construction permit will be subject to automatic forfeiture unless construction is complete and an application for license to cover is filed prior to expiration. See Section 73.3598.

Name of Permittee: BROADWAY MEDIA LS, LLC

Principal community to be served: UT-SALT LAKE CITY

Primary Station: KYMV (FM) , Channel 264, WOODRUFF, UT

Via: Microwave

Frequency (MHz): 100.7

Channel: 264

Hours of Operation: Unlimited

Antenna Coordinates: North Latitude: 40 deg 48 min 29 sec

West Longitude: 111 deg 53 min 23 sec

Transmitter: Type Accepted. See Sections 73.1660, 74.1250 of the Commission

Antenna type: (directional or non-directional): Directional

Major lobe directions 130 (degrees true):

	Horizontally	Vertically
	Polarized	Polarized
	Antenna:	Antenna:
Effective radiated power in the Horizontal Plane (kw):	2.05	2.05
Height of radiation center above ground (Meters):	17	17
Height of radiation center above mean sea level (Meters): 1827	1827

Antenna structure registration number: 1265542

Overall height of antenna structure above ground (including obstruction lighting if any) see the registration for this antenna structure.

Special operating conditions or restrictions:

- BEFORE PROGRAM TESTS COMMENCE, sufficient measurements shall be made to establish that the operation authorized in this construction permit is in compliance with the spurious emissions requirements of 47 C.F.R. Sections 73.317(b) through 73.317(d). All measurements must be made with all stations simultaneously utilizing the shared antenna. These measurements shall be submitted to the Commission along with the FCC Form 350-FM application for license.
- 2 Documentation demonstrating compliance with the FCC radiofrequency electromagnetic field exposure guidelines may be submitted in advance of the filing of FCC Form 350-FM. The Commission's staff will review it for compliance and respond by letter stating whether automatic PTA has been reinstated.

Special operating conditions or restrictions:

- The permittee/licensee shall, upon completion of construction and during the equipment test period, make proper radiofrequency electromagnetic (RF) field strength measurements throughout the transmitter site area to determine if there are any areas that exceed the FCC guidelines for human exposure to RF fields. If necessary, a fence must be erected at such distances and in such a manner as to prevent the exposure of humans to RF fields in excess of the FCC Guidelines (OET Bulletin No. 65, Edition 97-01, August 1997). The fence must be a type which will preclude casual or inadvertent access, and must include warning signs at appropriate intervals which describe the nature of the hazard. Any areas within the fence found to exceed the recommended guidelines must be clearly marked with appropriate visual warning signs.
- BEFORE PROGRAM TESTS COMMENCE, sufficient measurements shall be made to establish that the operation authorized in this construction permit is in compliance with the spurious emissions requirements of 47 C.F.R. Sections 73.317(b) through 73.317(d). All measurements must be made with all stations simultaneously utilizing the shared antenna. These measurements shall be submitted to the Commission along with the FCC Form 350-FM application for license.

*** END OF AUTHORIZATION ***