

## United States of America FEDERAL COMMUNICATIONS COMMISSION AM BROADCAST STATION CONSTRUCTION PERMIT

Authorizing Official:

Official Mailing Address:

VCY AMERICA, INC. 3434 W. KILBOURN AVE. MILWAUKEE WI 53208 Son Nguyen Supervisory Engineer Audio Division

Media Bureau

Grant Date: March 31, 2015

This permit expires 3:00 a.m. local time, 36 months after the

grant date specified above.

Facility Id: 74191

Call Sign: WQRM

Permit File Number: BP-20141218ACV

This Permit Modifies Permit No.: BML-20140203AUE

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

Commission rules which became effective on February 16, 1999, have a bearing on this construction permit. See Report & Order, Streamlining of Mass Media Applications, MM Docket No. 98-43, 13 FCC RCD 23056, Para. 77-90 (November 25, 1998); 63 Fed. Reg. 70039 (December 18, 1998). Pursuant to these rules, this construction permit will be subject to automatic forfeiture unless construction is complete and an application for license to cover is filed prior to expiration. See Section 73.3598.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.

Hours of Operation: Daytime

Average hours of sunrise and sunset: Local Standard Time (Non-Advanced)

Jan.	7:45 AM	4:45 PM	Jul. 4:30 AM	8:00 PM
Feb.	7:15 AM	5:30 PM	Aug. 5:00 AM	7:15 PM
Mar.	6:30 AM	6:15 PM	Sep. 5:45 AM	6:30 PM
Apr.	5:30 AM	7:00 PM	Oct. 6:30 AM	5:30 PM
Мау	4:30 AM	7:30 PM	Nov. 7:15 AM	4:30 PM
Jun.	4:15 AM	8:00 PM	Dec. 7:45 AM	4:15 PM

Callsign: WQRM Permit No.: BP-20141218ACV Name of Permittee: VCY AMERICA, INC. Station Location: DULUTH, MN Frequency (kHz): 850 Station Class: D Antenna Coordinates: Day Latitude: 46 Deg 39 Min Ν 19 Sec Longitude: W 92 Deg 12 Min 40 Sec Critical Latitude: Ν 46 Deg 39 Min 19 Sec 92 Deg 12 Min 40 Sec Longitude: W Transmitter(s): Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules. Nominal Power (kW): Day: 50.0 Critical: 14.0 Antenna Mode: Critical: ND Day: ND (DA=Directional Antenna, ND=Non-directional Antenna; CH=Critical Hours) Antenna Registration Number(s): Day: Tower No. ASRN Overall Height (m) 1 1023530 Critical: Tower No. ASRN Overall Height (m) 1023530 1 Non-Directional Antenna: Day Radiator Height: 73 meters; 74.7 deg Theoretical Efficiency: 296.12 mV/m/kw at 1km Non-Directional Antenna: Critical Radiator Height: 73 meters; 74.7 deg

Theoretical Efficiency: 296.12 mV/m/kw at 1km

Special operating conditions or restrictions:

- 1 The permittee/licensee must reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic fields in excess of FCC guidelines.
- 2 Permittee shall install a type accepted transmitter, or submit application (FCC Form 301) along with data prescribed in Section 73.1660(b) should non-type accepted transmitter be proposed.
- 3 A license application (FCC Form 302) to cover this construction permit must be filed with the Commission pursuant to Section 73.3536 of the Rules before the permit expires.
- 4 Licensee shall be responsible for satisfying all reasonable complaints of blanketing interference within the 1 V/m contour as required by Section 73.88 of the Commission's rules.
- 5 Ground system consists of 120-290' equally spaced, buried, copper radials with a ground screen consisting of 240 No. 10 copper wire radials, 30' in length the outer ends bonded to gauge 00 copper wire.

\*\*\* END OF AUTHORIZATION \*\*\*