



United States of America
FEDERAL COMMUNICATIONS COMMISSION
FM BROADCAST TRANSLATOR/BOOSTER STATION
CONSTRUCTION PERMIT

Authorizing Official:

Official Mailing Address:

UNIVERSITY OF WYOMING
1000 EAST UNIVERSITY
DEPT. 3984
LARAMIE WY 82071

James D. Bradshaw
Deputy Chief
Audio Division
Media Bureau

Facility Id: 158303

Call Sign: K240EK

Permit File Number: BNPFT-20130829AHD

Grant Date: January 03, 2014

This permit expires 3:00 a.m.
local time, 36 months after the
grant date specified above.

Commission rules which became effective on February 16, 1999, have a bearing on this construction permit. See Report & Order, Streamlining of Mass Media Applications, MM Docket No. 98-43, 13 FCC RCD 23056, Para. 77-90 (November 25, 1998); 63 Fed. Reg. 70039 (December 18, 1998). Pursuant to these rules, this construction permit will be subject to automatic forfeiture unless construction is complete and an application for license to cover is filed prior to expiration. See Section 73.3598.

Name of Permittee: UNIVERSITY OF WYOMING

Principal community to be served: WY-JACKSON

Primary Station: KUWJ (FM) , Channel 212, JACKSON, WY

Via: Direct - off-air

Frequency (MHz): 95.9

Channel: 240

Hours of Operation: Unlimited

Antenna Coordinates: North Latitude: 43 deg 27 min 45 sec
 West Longitude: 110 deg 45 min 03 sec

Transmitter: Type Accepted. See Sections 73.1660, 74.1250 of the Commission's Rules

Antenna type: (directional or non-directional): Non-Directional

Major lobe directions (degrees true): Not Applicable

	Horizontally Polarized Antenna:	Vertically Polarized Antenna:
Effective radiated power in the Horizontal Plane (kw):	0.013	0.013
Height of radiation center above ground (Meters):	3	3
Height of radiation center above mean sea level (Meters):	2380	2380

Antenna structure registration number: Not Required

Overall height of antenna structure above ground: 6 Meters

Obstruction marking and lighting specifications for antenna structure:

It is to be expressly understood that the issuance of these specifications is in no way to be considered as precluding additional or modified marking or lighting as may hereafter be required under the provisions of Section 303(q) of the Communications Act of 1934, as amended.

None Required

Special operating conditions or restrictions:

- 1 The permittee/licensee shall, upon completion of construction and during the equipment test period, make proper radiofrequency electromagnetic (RF) field strength measurements throughout the transmitter site area to determine if there are any areas that exceed the FCC guidelines for human exposure to RF fields. If necessary, a fence must be erected at such distances and in such a manner as to prevent the exposure of humans to RF fields in excess of the FCC Guidelines (OET Bulletin No. 65, Edition 97-01, August 1997). The fence must be a type which will preclude casual or inadvertent access, and must include warning signs at appropriate intervals which describe the nature of the hazard. Any areas within the fence found to exceed the recommended guidelines must be clearly marked with appropriate visual warning signs.

Special operating conditions or restrictions:

- 2 Prior to commencing operation, permittee must submit documentation to the Commission demonstrating that the translator is able to receive the signal of the primary station specified in this permit directly off-air, pursuant to 47 CFR Section 74.1231(b). The documentation should include, at a minimum, the signal strength of the primary station at the translator receive/transmit site, the type of receive antenna utilized, and any other details necessary to definitively show that the signal can be received directly off-air.
- 3 The permittee/licensee in coordination with other users of the site must reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic fields in excess of FCC guidelines.

*** END OF AUTHORIZATION ***