



United States of America
FEDERAL COMMUNICATIONS COMMISSION
AM BROADCAST STATION LICENSE

Authorizing Official:

Official Mailing Address:

AUDACY LICENSE, LLC
 2400 MARKET STREET
 4TH FLOOR
 PHILADELPHIA PA 19103

Son Nguyen
 Supervisory Engineer
 Audio Division
 Media Bureau

Facility Id: 25451

Call Sign: WINS

License File Number: BL-19990401DC

Grant Date: March 24, 2000

This license expires 3:00 a.m.
 local time, June 01, 2006.

This authorization re-issued to reflect corrected antenna structure registration numbers. Reissued 7/27/2005.

Subject to the provisions of the Communications Act of 1934, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this license, the licensee is hereby authorized to use and operate the radio transmitting apparatus herein described.

This license is issued on the licensee's representation that the statements contained in licensee's application are true and that the undertakings therein contained so far as they are consistent herewith, will be carried out in good faith. The licensee shall, during the term of this license, render such broadcasting service as will serve the public interest, convenience, or necessity to the full extent of the privileges herein conferred.

This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequency designated in the license beyond the term hereof, nor in any other manner than authorized herein. Neither the license nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This license is subject to the right of use or control by the Government of the United States conferred by Section 606 of the Communications Act of 1934.

Hours of Operation: Unlimited

Average hours of sunrise and sunset:
 Local Standard Time (Non-Advanced)

Jan.	7:15 AM	5:00 PM	Jul.	4:30 AM	7:30 PM
Feb.	6:45 AM	5:30 PM	Aug.	5:00 AM	7:00 PM
Mar.	6:15 AM	6:00 PM	Sep.	5:30 AM	6:00 PM
Apr.	5:15 AM	6:30 PM	Oct.	6:00 AM	5:15 PM
May	4:45 AM	7:00 PM	Nov.	6:45 AM	4:45 PM
Jun	4:30 AM	7:30 PM	Dec	7:15 AM	4:30 PM

Name of Licensee: AUDACY LICENSE, LLC

Station Location: NEW YORK, NY

Frequency (kHz): 1010

Station Class: B

Antenna Coordinates:

Day

Latitude: N 40 Deg 48 Min 14 Sec
Longitude: W 74 Deg 06 Min 24 Sec

Night

Latitude: N 40 Deg 48 Min 14 Sec
Longitude: W 74 Deg 06 Min 24 Sec

Transmitter(s): Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Nominal Power (kW): Day: 50.0 Night: 50.0

Antenna Input Power (kW): Day: 52.7 Night: 52.7

Antenna Mode: Day: DA Night: DA

(DA=Directional Antenna, ND=Non-directional Antenna; CH=Critical Hours)

Current (amperes): Day: 32.45 Night: 32.45

Resistance (ohms): Day: 50 Night: 50

Antenna Registration Number(s):

Day:

Table with 3 columns: Tower No., ASRN, Overall Height (m). Rows 1-4 with ASRN values 1042782, 1042783, 1042784, 1042785.

Night:

Table with 3 columns: Tower No., ASRN, Overall Height (m). Rows 1-4 with ASRN values 1042782, 1042783, 1042784, 1042785.

DESCRIPTION OF DIRECTIONAL ANTENNA SYSTEM

Theoretical RMS (mV/m/km): Day: 2496.96 Night: 2439.47

Standard RMS (mV/m/km):

Augmented RMS (mV/m/km): Day: 2628.03 Night: 2565.96

Q Factor: Day: 77.17 Night: 70.71

Theoretical Parameters:

Day Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	1.0000	0.000	0.0000	0.000	0	147.9
2	1.4000	131.500	90.0000	317.000	0	147.9
3	1.0400	112.700	100.0000	234.000	0	147.9
4	1.1300	-120.700	142.5000	272.800	0	147.9

* Tower Reference Switch

- 0 = Spacing and orientation from reference tower
- 1 = Spacing and orientation from previous tower

Augmentation Parameters:

Aug No.	Central Azimuth (Deg. T)	Span (Deg.)	Radiation at Central Azimuth (mV/m @ 1 km)
1	10.0	30.0	900.00
2	194.5	24.0	400.00
3	241.5	42.5	350.00
4	294.0	30.0	450.00

Theoretical Parameters:

Night Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	1.0000	0.000	0.0000	0.000	0	147.9
2	1.0700	95.400	90.0000	317.000	0	147.9
3	1.2000	86.600	100.0000	234.000	0	147.9
4	1.2800	182.000	142.5000	272.800	0	147.9

* Tower Reference Switch

- 0 = Spacing and orientation from reference tower
- 1 = Spacing and orientation from previous tower

Augmentation Parameters:

Aug No.	Central Azimuth (Deg. T)	Span (Deg.)	Radiation at Central Azimuth (mV/m @ 1 km)
1	194.0	10.0	1132.34

Augmentation Parameters:

Aug No.	Central Azimuth (Deg. T)	Span (Deg.)	Radiation at Central Azimuth (mV/m @ 1 km)
2	215.0	10.0	468.03
3	264.0	8.0	732.00
4	296.0	30.0	150.00
5	336.0	28.0	200.00

Day Directional Operation:

Twr. No.	Phase (Deg.)	Antenna Monitor Sample Current Ratio
1	-131.9	0.803
2	0	1
3	-9.8	0.85
4	114.9	0.665

Night Directional Operation:

Twr. No.	Phase (Deg.)	Antenna Monitor Sample Current Ratio
1	-85.2	1.051
2	20.4	0.789
3	0	1
4	93.8	0.599

Day Operation:

Radial (Deg. T)	Distance From Transmitter (kM)	Maximum Field Strength (mV/m)
10.5	3.81	159.9
194	4.65	199.5
242	3.45	133.8
295	5.6	84.3

Night Operation:

Radial (Deg. T)	Distance From Transmitter (kM)	Maximum Field Strength (mV/m)
264	3.3	189.6
295	5.6	50
336.5	6.35	23.7

*** END OF AUTHORIZATION ***