



United States of America
FEDERAL COMMUNICATIONS COMMISSION
AM BROADCAST STATION LICENSE

Authorizing Official:

Official Mailing Address:

IHM LICENSES, LLC
7136 S. YALE AVENUE
SUITE 501
TULSA OK 74136

Son Nguyen
Supervisory Engineer
Audio Division
Media Bureau

Facility Id: 19625

Call Sign: WENE

License File Number: BMML-20180227ABL

Grant Date: November 06, 2018

This license expires 3:00 a.m.
local time, June 01, 2022.

This license covers Permit No.: BZ-20000615AEV

Subject to the provisions of the Communications Act of 1934, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this license, the licensee is hereby authorized to use and operate the radio transmitting apparatus herein described.

This license is issued on the licensee's representation that the statements contained in licensee's application are true and that the undertakings therein contained so far as they are consistent herewith, will be carried out in good faith. The licensee shall, during the term of this license, render such broadcasting service as will serve the public interest, convenience, or necessity to the full extent of the privileges herein conferred.

This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequency designated in the license beyond the term hereof, nor in any other manner than authorized herein. Neither the license nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This license is subject to the right of use or control by the Government of the United States conferred by Section 606 of the Communications Act of 1934.

Hours of Operation: Unlimited

Average hours of sunrise and sunset:
Local Standard Time (Non-Advanced)

| | | | | | |
|------|---------|---------|------|---------|---------|
| Jan. | 7:30 AM | 5:00 PM | Jul. | 4:45 AM | 7:45 PM |
| Feb. | 7:00 AM | 5:30 PM | Aug. | 5:15 AM | 7:00 PM |
| Mar. | 6:15 AM | 6:15 PM | Sep. | 5:45 AM | 6:15 PM |
| Apr. | 5:30 AM | 6:45 PM | Oct. | 6:15 AM | 5:30 PM |
| May | 4:45 AM | 7:15 PM | Nov. | 7:00 AM | 4:45 PM |
| Jun. | 4:30 AM | 7:45 PM | Dec. | 7:30 AM | 4:30 PM |

Callsign: WENE

License No.: BMML-20180227ABL

Name of Licensee: IHM LICENSES, LLC

Station Location: ENDICOTT, NY

Frequency (kHz): 1430

Station Class: B

Antenna Coordinates:

Day

Latitude: N 42 Deg 04 Min 56 Sec

Longitude: W 76 Deg 01 Min 53 Sec

Night

Latitude: N 42 Deg 04 Min 56 Sec

Longitude: W 76 Deg 01 Min 53 Sec

Transmitter(s): Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Nominal Power (kW): Day: 5.0 Night: 5.0

Antenna Input Power (kW): Day: 5.0 Night: 5.4

Antenna Mode: Day: ND Night: DA

(DA=Directional Antenna, ND=Non-directional Antenna; CH=Critical Hours)

Current (amperes): Day: 7.38 Night: 10.39

Resistance (ohms): Day: 91.7 Night: 50

Non-Directional Antenna: Day

Radiator Height: 61 meters; 104.5 deg

Theoretical Efficiency: 315.43 mV/m/kw at 1km

Antenna Registration Number(s):

Day:

| Tower No. | ASRN | Overall Height (m) |
|-----------|---------|--------------------|
| 1 | 1003211 | |

Night:

| Tower No. | ASRN | Overall Height (m) |
|-----------|---------|--------------------|
| 1 | 1003210 | |
| 2 | 1003209 | |
| 3 | 1003211 | |
| 4 | 1003213 | |
| 5 | 1003212 | |

DESCRIPTION OF DIRECTIONAL ANTENNA SYSTEM

Theoretical RMS (mV/m/km): Night: 780.53
 Standard RMS (mV/m/km):
 Augmented RMS (mV/m/km): Night: 820.89
 Q Factor: Night: 36.19

Theoretical Parameters:

Night Directional Antenna:

| Tower No. | Field Ratio | Phasing (Deg.) | Spacing (Deg.) | Orientation (Deg.) | Tower Ref Switch * | Height (Deg.) |
|-----------|-------------|----------------|----------------|--------------------|--------------------|---------------|
| 1 | 0.6850 | -140.000 | 90.0000 | 50.000 | 0 | 104.5 |
| 2 | 0.2600 | 80.000 | 180.0000 | 52.000 | 0 | 104.5 |
| 3 | 1.0000 | 4.000 | 6.0000 | 345.000 | 0 | 104.5 |
| 4 | 0.2600 | -80.000 | 180.0000 | 232.000 | 0 | 104.5 |
| 5 | 0.6850 | 140.000 | 90.0000 | 230.000 | 0 | 104.5 |

* Tower Reference Switch

0 = Spacing and orientation from reference tower

1 = Spacing and orientation from previous tower

Augmentation Parameters:

| Aug No. | Central Azimuth (Deg. T) | Span (Deg.) | Radiation at Central Azimuth (mV/m @ 1 km) |
|---------|--------------------------|-------------|--|
| 1 | 128.0 | 16.0 | 45.38 |
| 2 | 128.0 | 10.0 | 51.50 |
| 3 | 136.0 | 12.0 | 64.37 |
| 4 | 142.0 | 10.0 | 54.72 |
| 5 | 147.0 | 10.0 | 75.64 |
| 6 | 187.0 | 10.0 | 141.62 |
| 7 | 212.0 | 34.0 | 69.20 |
| 8 | 245.0 | 30.0 | 69.20 |
| 9 | 260.0 | 20.0 | 98.17 |
| 10 | 300.0 | 20.0 | 225.31 |
| 11 | 311.0 | 22.0 | 217.26 |
| 12 | 323.0 | 16.0 | 209.21 |
| 13 | 331.0 | 16.0 | 231.75 |

Night Directional Operation:

| Twr. No. | Phase (Deg.) | Antenna Monitor Sample Current Ratio |
|----------|--------------|--------------------------------------|
| 1 | -149 | 0.605 |
| 2 | 53.7 | 0.224 |
| 3 | 0 | 1 |
| 4 | -84.4 | 0.264 |

Night Directional Operation:

| | |
|------------|----------------------|
| Twr. Phase | Antenna Monitor |
| No. (Deg.) | Sample Current Ratio |
| 5 135.2 | 0.674 |

Antenna Monitor: POTOMAC INSTRUMENTS AM-19D

Sampling System Approved Under Section 73.68 of the Rules.

Special operating conditions or restrictions:

- 1 The permittee/licensee must reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic fields in excess of FCC guidelines.
- 2 Licensee shall be responsible for satisfying all reasonable complaints of blanketing interference within the 1 V/m contour as required by Section 73.88 of the Commission's rules.
- 3 Ground system consists of 120 equally spaced, buried, copper radials 172' in length, plus a 32 by 32 foot ground screen about the base of each tower. Intersection radials shortened and bonded to transverse copper straps midway between adjacent towers.

*** END OF AUTHORIZATION ***