



United States of America  
**FEDERAL COMMUNICATIONS COMMISSION**  
**AM BROADCAST STATION CONSTRUCTION PERMIT**

Authorizing Official:

Official Mailing Address:

GO AND TELL, INC.  
670 MASON WAY  
MEDFORD OR 16025

Son Nguyen  
Supervisory Engineer  
Audio Division  
Media Bureau

Facility Id: 160256

Call Sign: KFJL

Permit File Number: BMP-20110726AJN

Grant Date: December 14, 2011

The authority granted herein has no effect on the expiration date of the underlying construction permit.

Permit to modify BMP-20091118AGY to reduce efficiency and change antenna system.

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

Commission rules which became effective on February 16, 1999, have a bearing on this construction permit. See Report & Order, Streamlining of Mass Media Applications, MM Docket No. 98-43, 13 FCC RCD 23056, Para. 77-90 (November 25, 1998); 63 Fed. Reg. 70039 (December 18, 1998). Pursuant to these rules, this construction permit will be subject to automatic forfeiture unless construction is complete and an application for license to cover is filed prior to expiration. See Section 73.3598.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.

Hours of Operation: Unlimited

Average hours of sunrise and sunset:  
Local Standard Time (Non-Advanced)

Jan.	7:45 AM	5:00 PM	Jul.	4:45 AM	7:45 PM
Feb.	7:15 AM	5:45 PM	Aug.	5:15 AM	7:15 PM
Mar.	6:30 AM	6:15 PM	Sep.	5:45 AM	6:30 PM
Apr.	5:30 AM	6:45 PM	Oct.	6:30 AM	5:30 PM
May	4:45 AM	7:30 PM	Nov.	7:00 AM	4:45 PM
Jun	4:30 AM	7:45 PM	Dec	7:30 AM	4:45 PM

Name of Permittee: GO AND TELL, INC.

Station Location: CENTRAL POINT, OR

Frequency (kHz): 1400

Station Class: C

Antenna Coordinates:

Day

Latitude: N 42 Deg 20 Min 55 Sec

Longitude: W 122 Deg 54 Min 51 Sec

Night

Latitude: N 42 Deg 20 Min 55 Sec

Longitude: W 122 Deg 54 Min 51 Sec

Transmitter(s): Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Nominal Power (kW): Day: 1.0 Night: 1.0

Antenna Mode: Day: ND Night: ND

(DA=Directional Antenna, ND=Non-directional Antenna; CH=Critical Hours)

Antenna Registration Number(s):

Day:

Tower No.	ASRN	
1	None	18.9

Night:

Tower No.	ASRN	
1	None	18.9

Non-Directional Antenna: Day

Radiator Height: 18.9 meters;

Top-Loaded/Sectionalized Tower Parameters: (See 47 CFR 73

Tower No.	A	B
1	28.8	62.10

Theoretical Efficiency: 300 mV/m/kw at 1km

Non-Directional Antenna: Night

Radiator Height: 18.9 meters;

Top-Loaded/Sectionalized Tower Parameters: (See 47 CFR 73

Tower No.	A	B
1	28.8	62.10

Theoretical Efficiency: 300 mV/m/kw at 1km

Special operating conditions or restrictions:

- 1 Permittee shall install a type accepted transmitter, or submit application (FCC Form 301) along with data prescribed in Section 73.1660(b) should non-type accepted transmitter be proposed.
- 2 Licensee shall be responsible for satisfying all reasonable complaints of blanketing interference within the 1 V/m contour as required by Section 73.88 of the Commission's rules.
- 3 A license application (FCC Form 302) to cover this construction permit must be filed with the Commission pursuant to Section 73.3536 of the Rules before the permit expires on 2/18/2012.
- 4 KINSTAR non-directional antenna system consists of five wooden poles, with a central pole and four poles at 90° perpendicular angles (N, S, E, W). Radiating elements consist of a 28.8° folded unipole four wire skirt mounted on the central tower, and 61.2° top-loaded wires running to each of the four other towers. Each pole is 18.9 meters above ground (ground elevation 405.4 meters AMSL). Proposed ground system will consist of 120 buried copper radials, extending 53.6 meters in length about the base of the central tower.

Special operating conditions or restrictions:

- 5 Permittee/Licensee shall accept such interference as may be imposed by other existing 250 watt Class C stations in the event that they are subsequently authorized to increase power to 1000 watts.

\*\*\* END OF AUTHORIZATION \*\*\*