## COMMUNICATION S

## **United States of America**

## FEDERAL COMMUNICATIONS COMMISSION FM BROADCAST STATION CONSTRUCTION PERMIT

Authorizing Official:

Official Mailing Address:

DODGE CITY COMMUNITY COLLEGE
2501 NORTH 14TH STREET
DODGE CITY KS 67801

Facility ID: 17053

Call Sign: KONQ

Permit File Number: BPED-19920504MI

Dale E. Bickel
Senior Engineer
Audio Division
Media Bureau

Grant Date: February 10, 1994

This permit expires 3:00 a.m. local time, August 10, 1995.

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

Commission rules which became effective on February 16, 1999, have a bearing on this construction permit. See Report & Order, Streamlining of Mass Media Applications, MM Docket No. 98-43, 13 FCC RCD 23056, Para. 77-90 (November 25, 1998); 63 Fed. Reg. 70039 (December 18, 1998). Pursuant to these rules, this construction permit will be subject to automatic forfeiture unless construction is complete and an application for license to cover is filed prior to expiration. See Section 73.3598.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.

Name of Permittee: DODGE CITY COMMUNITY COLLEGE

Station Location: KS-DODGE CITY

Frequency (MHz): 91.9

Channel: 220

Class: A

Hours of Operation: Unlimited

Callsign: KONQ Permit No.: BPED-19920504MI

Transmitter: Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Transmitter output power: As required to achieve authorized ERP.

Antenna type: Non-Directional

Antenna Coordinates: North Latitude: 37 deg 47 min 14 sec

West Longitude: 100 deg 01 min 55 sec

	Horizontally Polarized Antenna	Vertically Polarized Antenna
Effective radiated power in the Horizontal Plane (kW):	2.60	0
Height of radiation center above ground (Meters):	44	44
Height of radiation center above mean sea level (Meters):	840	840
Height of radiation center above average terrain (Meters):	: 68	68

Antenna structure registration number: Not Required

Overall height of antenna structure above ground: 50 Meters

Obstruction marking and lighting specifications for antenna structure:

It is to be expressly understood that the issuance of these specifications is in no way to be considered as precluding additional or modified marking or lighting as may hereafter be required under the provisions of Section 303(q) of the Communications Act of 1934, as amended.

None Required

Special operating conditions or restrictions:

- During the installation of the antenna authorized herein, AM Station (s)listed below shall determine operating power by the indirect method and, if necessary, request temporary authority from the Commission in Washington to operate with parameters at variance in order to maintain monitoring point values within authorized limits. Upon completion of the installation, common point impedance measurements on the AM array shall be made and a partial proof of performance, as defined by Section 73.154(a) of the Commission's Rules, shall be conducted to establish that the AM array has not been adversely affected and, prior to or simultaneous with the filing of the application for license to cover this permit, the results submitted to the Commission (along with a tower sketch of the installation) in an application for the AM station to return to the direct method of power determination. (Revised January 28, 1983) KDCC(AM)
- The permittee/licensee in coordination with other users of the site must reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic fields in excess of FCC quidelines.

Special operating conditions or restrictions:

In accordance with 47 CFR Section 73.525(b)(2), the permittee shall effectively install 556 filters on television receivers located within the predicted interference area within 90 days after commencing program tests and, no later than 45 days thereafter, provide TV Channel Six Station KBSD-TV with a certification containing sufficient information to permit verification of such installations. (The number of filters to be installed within the area predicted to receive new interference shall be 278.)

\*\*\* END OF AUTHORIZATION \*\*\*