



United States of America
FEDERAL COMMUNICATIONS COMMISSION
FM BROADCAST STATION CONSTRUCTION PERMIT
AUXILIARY ANTENNA

Authorizing Official:

Official Mailing Address:

WESTERN NEW YORK PUBLIC BROADCASTING ASSOCI
HORIZONS PLAZA
P.O. BOX 1263
BUFFALO NY 14240

Brian J. Butler
Supervisory Engineer
Audio Division
Media Bureau

Facility ID: 63113

Grant Date: April 17, 2000

Call Sign: WBFO

This permit expires 3:00 a.m.
local time, 36 months after the
grant date specified above.

Permit File Number: BXPED-19990504AAA

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

Commission rules which became effective on February 16, 1999, have a bearing on this construction permit. See Report & Order, Streamlining of Mass Media Applications, MM Docket No. 98-43, 13 FCC RCD 23056, Para. 77-90 (November 25, 1998); 63 Fed. Reg. 70039 (December 18, 1998). Pursuant to these rules, this construction permit will be subject to automatic forfeiture unless construction is complete and an application for license to cover is filed prior to expiration. See Section 73.3598.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.

Name of Permittee: WESTERN NEW YORK PUBLIC BROADCASTING ASSOCIATION

Station Location: NY-BUFFALO

Frequency (MHz): 88.7

Channel: 204

Class: A

Hours of Operation: Unlimited -- For auxiliary purposes only

Transmitter: Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Transmitter output power: As required to achieve authorized ERP.

Antenna type: Non-Directional

Antenna Coordinates: North Latitude: 42 deg 57 min 20 sec
 West Longitude: 78 deg 48 min 57 sec

	Horizontally Polarized Antenna	Vertically Polarized Antenna
Effective radiated power in the Horizontal Plane (kW):	2.50	2.50
Height of radiation center above ground (Meters):	51	51
Height of radiation center above mean sea level (Meters):	261	261
Height of radiation center above average terrain (Meters):	75	75

Antenna structure registration number: Not Required

Overall height of antenna structure above ground: 59 Meters

Obstruction marking and lighting specifications for antenna structure:

It is to be expressly understood that the issuance of these specifications is in no way to be considered as precluding additional or modified marking or lighting as may hereafter be required under the provisions of Section 303(q) of the Communications Act of 1934, as amended.

None Required

Special operating conditions or restrictions:

- 1 Permittee has specified use of the antenna listed below to demonstrate compliance with the FCC radiofrequency electromagnetic field exposure guidelines. If any other type or size of antenna is to be used with the facilities authorized herein, THE AUTOMATIC PROGRAM TEST PROVISIONS OF 47 C.F.R. SECTION 73.1620 WILL NOT APPLY. In this case, a FORMAL REQUEST FOR PROGRAM TEST AUTHORITY must be filed in conjunction with FCC Form 302-FM, application for license, BEFORE program tests will be authorized. This request should be made at least 10 days prior to the date on which program tests are desired to commence. The request must include a revised RF field showing to demonstrate continued compliance with the FCC guidelines.

Any manufacturer's five section dipole.

Documentation demonstrating compliance with the FCC radiofrequency field exposure guidelines may be submitted in advance of the filing of FCC Form 302-FM. The Commission's staff will review it for compliance and respond by letter stating whether automatic PTA has been reinstated.

Special operating conditions or restrictions:

- 2 The specified antenna exceeds the FCC's radiofrequency electromagnetic field strength guidelines at the base of the tower (roof of the mechanical penthouse) and on the roof of the main building. The permittee/licensee is required to ensure that locked doors will restrict access to the roof and to the penthouse. RF hazard warning signs will be affixed to all access doors.

- 3 The permittee/licensee must reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic fields in excess of FCC guidelines.

*** END OF AUTHORIZATION ***