



United States of America
FEDERAL COMMUNICATIONS COMMISSION
AM BROADCAST STATION LICENSE

Authorizing Official:

Official Mailing Address:

FORSYTHE BROADCASTING, LLC
123 EGG HARBOR ROAD, SUITE 302
SEWELL NJ 08080

Son Nguyen
Supervisory Engineer
Audio Division
Media Bureau

Grant Date: November 02, 2000

Facility Id: 22058

Call Sign: WNJC

This license expires 3:00 a.m.
local time, June 01, 2006.

License File Number: BL-19990525DC

This supersedes authorization of same date to correct station location
from Vineland, New Jersey to Washington Township, New Jersey. 11/8/08

Subject to the provisions of the Communications Act of 1934, subsequent
acts and treaties, and all regulations heretofore or hereafter made by
this Commission, and further subject to the conditions set forth in this
license, the licensee is hereby authorized to use and operate the radio
transmitting apparatus herein described.

This license is issued on the licensee's representation that the
statements contained in licensee's application are true and that the
undertakings therein contained so far as they are consistent herewith,
will be carried out in good faith. The licensee shall, during the term of
this license, render such broadcasting service as will serve the public
interest, convenience, or necessity to the full extent of the privileges
herein conferred.

This license shall not vest in the licensee any right to operate the
station nor any right in the use of the frequency designated in the
license beyond the term hereof, nor in any other manner than authorized
herein. Neither the license nor the right granted hereunder shall be
assigned or otherwise transferred in violation of the Communications Act
of 1934. This license is subject to the right of use or control by the
Government of the United States conferred by Section 606 of the
Communications Act of 1934.

Hours of Operation: Unlimited

Average hours of sunrise and sunset:
Local Standard Time (Non-Advanced)

Jan.	7:15 AM	5:00 PM	Jul.	4:45 AM	7:30 PM
Feb.	7:00 AM	5:30 PM	Aug.	5:15 AM	7:00 PM
Mar.	6:15 AM	6:00 PM	Sep.	5:45 AM	6:15 PM
Apr.	5:30 AM	6:45 PM	Oct.	6:15 AM	5:30 PM
May	4:45 AM	7:15 PM	Nov.	6:45 AM	4:45 PM
Jun.	4:30 AM	7:30 PM	Dec.	7:15 AM	4:30 PM

Name of Licensee: FORSYTHE BROADCASTING, LLC

Station Location: WASHINGTON TOWNSHIP, NJ

Frequency (kHz): 1360

Station Class: B

Antenna Coordinates:

Day

Latitude: N 39 Deg 47 Min 23 Sec

Longitude: W 75 Deg 06 Min 11 Sec

Night

Latitude: N 39 Deg 47 Min 23 Sec

Longitude: W 75 Deg 06 Min 11 Sec

Transmitter(s): Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Nominal Power (kW): Day: 5.0 Night: 0.80

Antenna Input Power (kW): Day: 5.4 Night: 1.1

Antenna Mode: Day: DA Night: DA

(DA=Directional Antenna, ND=Non-directional Antenna; CH=Critical Hours)

Current (amperes): Day: 10.4 Night: 4.69

Resistance (ohms): Day: 50 Night: 50

Antenna Registration Number(s):

Day:

Tower No.	ASRN	Overall Height (m)
1	1205565	
2	1201226	
3	None	46
4	None	46

Night:

Tower No.	ASRN	Overall Height (m)
1	1205565	
2	1201226	

DESCRIPTION OF DIRECTIONAL ANTENNA SYSTEM

Theoretical RMS (mV/m/km): Day: 809 Night: 383.8

Standard RMS (mV/m/km): Day: 849.9 Night: 403.3

Augmented RMS (mV/m/km):

Q Factor: Day: 28.1 Night: 16.1

Theoretical Parameters:

Day Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	1.0000	0.000	0.0000	0.000	0	TL/S
2	0.8100	-123.000	60.0000	158.300	0	216.0
3	0.6900	28.000	175.0000	55.000	0	TL/S
4	0.6800	-95.000	171.4000	74.900	0	TL/S

* Tower Reference Switch

0 = Spacing and orientation from reference tower

1 = Spacing and orientation from previous tower

Top-Loaded/Sectionalized Tower Parameters: (See 47 CFR 73.160)

Tower No.	A	B	C	D
1	199.0	11.00	.00	.00
3	74.0	8.00	.00	.00
4	74.0	8.00	.00	.00

Theoretical Parameters:

Night Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	0.8800	151.100	0.0000	0.000	0	TL/S
2	1.0000	0.000	60.0000	158.300	0	216.0

* Tower Reference Switch

0 = Spacing and orientation from reference tower

1 = Spacing and orientation from previous tower

Top-Loaded/Sectionalized Tower Parameters: (See 47 CFR 73.160)

Tower No.	A	B	C	D
1	199.0	11.00	.00	.00

Day Directional Operation:

Twr. No.	Phase (Deg.)	Antenna Monitor Sample Current Ratio
1	0	1
2	-143.7	1.04
3	-11.7	0.338

Day Directional Operation:

Twr. Phase	Antenna Monitor
No. (Deg.)	Sample Current Ratio
4 -133.6	0.569

Night Directional Operation:

Twr. Phase	Antenna Monitor
No. (Deg.)	Sample Current Ratio
1 160.7	0.748
2 0	1

Antenna Monitor: Delta DAM-1

Sampling System Approved Under Section 73.68 of the Rules.

Monitoring Points:

Day Operation:

Radial (Deg. T)	Distance From Transmitter (kM)	Maximum Field Strength (mV/m)
39.5	5.65	7.8
254.5	4.65	16.8
310	3.03	15.3
330	5.2	11.8

Night Operation:

Radial (Deg. T)	Distance From Transmitter (kM)	Maximum Field Strength (mV/m)
39.5	5.65	3.3
277	4.4	2.9
310	3.03	27.6

*** END OF AUTHORIZATION ***