

## United States of America FEDERAL COMMUNICATIONS COMMISSION FM BROADCAST STATION CONSTRUCTION PERMIT

Authorizing Official:

Official Mailing Address:

IHM LICENSES, LLC 7136 S. YALE AVENUE SUITE 501 TULSA OK74136

Facility ID: 43863

Call Sign: WKDD

Permit File Number: BPH-20090220AAV

Rodolfo F. Bonacci Assistant Chief Audio Division Media Bureau

Grant Date: May 18, 2009

This permit expires 3:00 a.m. local time, 36 months after the grant date specified above.

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

Commission rules which became effective on February 16, 1999, have a bearing on this construction permit. See Report & Order, Streamlining of Mass Media Applications, MM Docket No. 98-43, 13 FCC RCD 23056, Para. 77-90 (November 25, 1998); 63 Fed. Reg. 70039 (December 18, 1998). Pursuant to these rules, this construction permit will be subject to automatic forfeiture unless construction is complete and an application for license to cover is filed prior to expiration. See Section 73.3598.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.

Name of Permittee: IHM LICENSES, LLC Station Location: OH-MUNROE FALLS Frequency (MHz): 98.1 Channel: 251 Class: B

Hours of Operation: Unlimited

Callsign: WKDD Permit No.: BPH-20090220AAV Transmitter: Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules. Transmitter output power: As required to achieve authorized ERP. Antenna type: Directional Antenna Coordinates: North Latitude: 41 deg 12 min 00 sec West Longitude: 81 deg 31 min 23 sec Horizontally Vertically Polarized Polarized Antenna Antenna 50 50 Effective radiated power in the Horizontal Plane (kW): Height of radiation center above ground (Meters): 143 143 Height of radiation center above mean sea level (Meters): 445 445 138 Height of radiation center above average terrain (Meters): 138

Antenna structure registration number: 1014567

Overall height of antenna structure above ground (including obstruction lighting if any) see the registration for this antenna structure.

Special operating conditions or restrictions:

- 1 The permittee/licensee in coordination with other users of the site must reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic fields in excess of FCC guidelines.

Special operating conditions or restrictions:

3 If the antenna is mounted on an existing tower that is not base-insulated or detuned at the AM frequency, the permittee shall submit a certification to this effect.

If the antenna is mounted on an existing tower that is base-insulated or detuned at the frequency of AM station WCUE, Cuyahoga Falls, OH (FAC. ID #20674), the applicant shall notify the AM station. If necessary, the AM station may determine operating power by a method described in Section 73.51(a)(1) or (d), and/or request temporary authority from the Commission in Washington, D.C. to operate with parameters at variance in order to maintain monitoring point field strengths within authorized limits. Permittee shall be responsible for readjustment and continued maintenance of any detuning apparatus necessary to prevent adverse effects upon the radiation pattern of the AM station. Both before and after the installation of the antenna and transmission line on the tower, a partial proof of performance, as defined by Section 73.154(a) of the Commission's Rules, shall be conducted to establish that the AM array has not been adversely affected. The results of the partial proofs shall be submitted to the Commission with the application for license to cover this permit.

- BEFORE PROGRAM TESTS ARE AUTHORIZED, permittee shall submit the 4 results of a complete proof-of-performance to establish the horizontal plane radiation patterns for both the horizontally and vertically polarized radiation components. This proof-of-performance may be accomplished using the complete full size antenna, or individual bays therefrom, mounted on a supporting structure of identical dimensions and configuration as the proposed structure, including all braces, ladders, conduits, coaxial lines, and other appurtenances; or using a carefully manufactured scale model of the entire antenna, or individual bays therefrom, mounted on an equally scaled model of the proposed supporting structure, including all appurtenances. Engineering exhibits should include a description of the antenna testing facilities and equipment employed, including appropriate photographs or sketches and a description of the testing procedures, including scale factor, measurements frequency, and equipment calibration.
- 5 BEFORE PROGRAM TESTS ARE AUTHORIZED, permittee shall submit an affidavit from a licensed surveyor to establish that the directional antenna has been oriented at the proper azimuth.
- 6 BEFORE PROGRAM TESTS ARE AUTHORIZED, permittee/licensee shall submit an affidavit that the installation of the directional antenna system was overseen by a qualified engineer. This affidavit shall include a certification by the engineer that the antenna was installed pursuant to the manufacturer's instructions and list the qualifications of the certifying engineer.

Special operating conditions or restrictions:

7 The relative field strength of neither the measured horizontally nor vertically polarized radiation component shall exceed at any azimuth the value indicated on the composite radiation pattern authorized by this construction permit.

A relative field strength of 1.0 on the composite radiation pattern herein authorized corresponds to the following effective radiated power:

50.0 kilowatts.

Principal minima and their associated field strength limits:

355 degrees True: 12.50 kilowatts

8 Upon commencement of program tests in accordance with Section 73.1620, the licensee must cease use of the auxiliary facility authorized by BXMLH-20020321AAB due to a violation of Section 73.1675(a)(1). The licensee may seek modification of license for the auxiliary in accordance with Section 73.1675(c)(1) to bring the auxiliary facility into compliance with Section 73.1675(a)(1).

\*\*\* END OF AUTHORIZATION \*\*\*