



**United States of America**  
**FEDERAL COMMUNICATIONS COMMISSION**  
**AM BROADCAST STATION LICENSE**

Authorizing Official:

Official Mailing Address:

RADIO VISION CRISTIANA MANAGEMENT CORP.  
 419 BROADWAY  
 PATERSON NJ 07501

Son Nguyen  
 Supervisory Engineer  
 Audio Division  
 Media Bureau

Grant Date: April 24, 2009

This license expires 3:00 a.m.  
 local time, June 01, 2014.

Facility Id: 54874

Call Sign: WWRV

License File Number: BL-20080902AEL

License to Cover BP-20090113ABC

Subject to the provisions of the Communications Act of 1934, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this license, the licensee is hereby authorized to use and operate the radio transmitting apparatus herein described.

This license is issued on the licensee's representation that the statements contained in licensee's application are true and that the undertakings therein contained so far as they are consistent herewith, will be carried out in good faith. The licensee shall, during the term of this license, render such broadcasting service as will serve the public interest, convenience, or necessity to the full extent of the privileges herein conferred.

This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequency designated in the license beyond the term hereof, nor in any other manner than authorized herein. Neither the license nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This license is subject to the right of use or control by the Government of the United States conferred by Section 606 of the Communications Act of 1934.

Hours of Operation: Unlimited

Average hours of sunrise and sunset:  
 Local Standard Time (Non-Advanced)

Jan.	7:15 AM	4:45 PM	Jul.	4:30 AM	7:30 PM
Feb.	6:45 AM	5:30 PM	Aug.	5:00 AM	7:00 PM
Mar.	6:15 AM	6:00 PM	Sep.	5:30 AM	6:00 PM
Apr.	5:15 AM	6:30 PM	Oct.	6:00 AM	5:15 PM
May	4:45 AM	7:00 PM	Nov.	6:45 AM	4:45 PM
Jun.	4:30 AM	7:30 PM	Dec.	7:15 AM	4:30 PM

Callsign: WWRV

License No.: BL-20080902AEL

Name of Licensee: RADIO VISION CRISTIANA MANAGEMENT CORP.

Station Location: NEW YORK, NY

Frequency (kHz): 1330

Station Class: B

Antenna Coordinates:

Day

Latitude: N 40 Deg 54 Min 40 Sec

Longitude: W 74 Deg 01 Min 42 Sec

Night

Latitude: N 40 Deg 54 Min 40 Sec

Longitude: W 74 Deg 01 Min 42 Sec

Transmitter(s): Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Nominal Power (kW): Day: 10.0 Night: 5.0

Antenna Input Power (kW): Day: 10.53 Night: 5.4

Antenna Mode: Day: DA Night: DA

(DA=Directional Antenna, ND=Non-directional Antenna; CH=Critical Hours)

Current (amperes): Day: 14.51 Night: 10.4

Resistance (ohms): Day: 50 Night: 50

Antenna Registration Number(s):

Day:

Tower No.	ASRN	Overall Height (m)
1	1039504	
2	1039505	
3	1039506	

Night:

Tower No.	ASRN	Overall Height (m)
1	1039504	
2	1039505	
3	1039506	

DESCRIPTION OF DIRECTIONAL ANTENNA SYSTEM

Theoretical RMS (mV/m/km): Day: 1104.6 Night: 781.1

Standard RMS (mV/m/km):

Augmented RMS (mV/m/km): Day: 1167.4 Night: 825.5

Q Factor: Day: Night:

Theoretical Parameters:

Day Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	0.9710	138.000	123.2000	326.000	0	122.0
2	1.0000	0.000	0.0000	0.000	0	122.0
3	0.6800	-138.000	123.2000	146.000	0	122.0

\* Tower Reference Switch

0 = Spacing and orientation from reference tower

1 = Spacing and orientation from previous tower

Augmentation Parameters:

Aug No.	Central Azimuth (Deg. T)	Span (Deg.)	Radiation at Central Azimuth (mV/m @ 1 km)
1	146.0	10.0	2386.50

Theoretical Parameters:

Night Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	0.9710	138.000	123.2000	326.000	0	122.0
2	1.0000	0.000	0.0000	0.000	0	122.0
3	0.6800	-138.000	123.2000	146.000	0	122.0

\* Tower Reference Switch

0 = Spacing and orientation from reference tower

1 = Spacing and orientation from previous tower

Augmentation Parameters:

Aug No.	Central Azimuth (Deg. T)	Span (Deg.)	Radiation at Central Azimuth (mV/m @ 1 km)
1	146.0	10.0	1687.50

Day Directional Operation:

Twr. No.	Phase (Deg.)	Antenna Monitor Sample Current Ratio
1	116.2	1.022
2	0	1

Day Directional Operation:

Twr. Phase No. (Deg.)	Antenna Monitor Sample Current Ratio
3 -102.1	0.697

Night Directional Operation:

Twr. Phase No. (Deg.)	Antenna Monitor Sample Current Ratio
1 116.2	1.022
2 0	1
3 -102.1	0.697

Antenna Monitor: POTOMAC INSTRUMENTS AM-1901

Sampling System Approved Under Section 73.68 of the Rules.

Monitoring Points:

Day Operation:

Radial (Deg. T)	Distance From Transmitter (kM)	Maximum Field Strength (mV/m)
7	5.04	21.4
60.5	5.97	16.7
231.5	8.05	7.6
285	6.32	12.6

Night Operation:

Radial (Deg. T)	Distance From Transmitter (kM)	Maximum Field Strength (mV/m)
7	5.04	15.2
60.5	5.97	11.8
231.5	8.05	5.4
285	6.32	9

Special operating conditions or restrictions:

- 1 The permittee/licensee in coordination with other users of the site must reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic fields in excess of FCC guidelines.

## Special operating conditions or restrictions:

## 2 Description of Monitor Points:

Direction of 7° true North. The point is measured at walk and sidewalk of 459 Third Street. This is point number 26, and it is located 3.13 miles (5.04 km) from the station.

Direction of 60.5° true North. The point is measured in the large parking lot, 80 paces from the corner of the fence, in the center of a large painted yellow arrow. This is point number 21, and it is located 3.71 miles (5.97 km) from the station.

Direction of 231.5° true North. The point is measured in the center of the bank parking lot on the southeast corner of Passaic Avenue and Lincoln Place. This is point number 28, and it is located 5.0 miles (8.05 km) from the station.

Direction of 285° true North. The point is measured on the sidewalk in front of 122/126 37th Street. This is point number 26, and it is located 3.93 miles (6.32 km) from the station.

3 Ground System Description: Ground system consists of 120 equally-spaced buried copper radials between 61m and 77 m in length except where shortened and bonded, plus 14.6 m square ground screen about the base of each tower.

\*\*\* END OF AUTHORIZATION \*\*\*