



United States of America
FEDERAL COMMUNICATIONS COMMISSION
FM BROADCAST STATION CONSTRUCTION PERMIT
AUXILIARY ANTENNA

Authorizing Official:

Official Mailing Address:

TOWNSQUARE MEDIA LICENSEE OF ST. CLOUD, INC
1 MANHATTANVILLE ROAD
SUITE 202
PURCHASE NY 10577

Rodolfo F. Bonacci
Assistant Chief
Audio Division
Media Bureau

Facility ID: 73146

Grant Date: January 31, 2005

Call Sign: KMXK

This permit expires 3:00 a.m.
local time, 36 months after the
grant date specified above.

Permit File Number: BXPB-20041119ACB

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

Commission rules which became effective on February 16, 1999, have a bearing on this construction permit. See Report & Order, Streamlining of Mass Media Applications, MM Docket No. 98-43, 13 FCC RCD 23056, Para. 77-90 (November 25, 1998); 63 Fed. Reg. 70039 (December 18, 1998). Pursuant to these rules, this construction permit will be subject to automatic forfeiture unless construction is complete and an application for license to cover is filed prior to expiration. See Section 73.3598.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.

Name of Permittee: TOWNSQUARE MEDIA LICENSEE OF ST. CLOUD, INC.

Station Location: MN-COLD SPRING

Frequency (MHz): 94.9

Channel: 235

Class: C2

Hours of Operation: Unlimited -- For auxiliary purposes only

Transmitter: Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Transmitter output power: As required to achieve authorized ERP.

Antenna type: Non-Directional

Antenna Coordinates: North Latitude: 45 deg 33 min 36 sec
West Longitude: 94 deg 08 min 20 sec

	Horizontally Polarized Antenna	Vertically Polarized Antenna
Effective radiated power in the Horizontal Plane (kW):	1.00	1.00
Height of radiation center above ground (Meters):	140	140
Height of radiation center above mean sea level (Meters):	453	453
Height of radiation center above average terrain (Meters):	133	133

Antenna structure registration number: 1023850

Overall height of antenna structure above ground (including obstruction lighting if any) see the registration for this antenna structure.

Special operating conditions or restrictions:

- 1 The permittee/licensee in coordination with other users of the site must reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic fields in excess of FCC guidelines.
- 2 Prior to construction of the tower authorized herein, permittee shall notify AM Station(s) listed below so that the station(s) may commence determining operating power by the indirect method. Permittee shall be responsible for the installation and continued maintenance of detuning apparatus necessary to prevent adverse effects upon the radiation pattern of the AM station(s). Both prior to construction of the tower and subsequent to the installation of all appurtenances thereon, antenna impedance measurements of the AM station(s) shall be made and sufficient field strength measurements, taken at 8 locations along each of six equally spaced radials, shall be made to establish that the AM radiation pattern is essentially omnidirectional. Prior to or simultaneous with the filing of application for license to cover this permit, the results of the field strength measurements and the impedance measurements shall be submitted to the Commission in an application for the AM station(s) to return to the direct method of power determination.
(Revised March 14, 1983)

WJON(AM), St. Cloud, MN

Special operating conditions or restrictions:

- 3 Permittee shall submit a statement certifying that a fence has been constructed at least 1 meter from the base of the tower and in such a manner as to prevent the exposure of humans to radiofrequency electromagnetic fields in excess of the FCC Guidelines in OET bulletin No. 65, Edition 97-01 August 1997. The fence must be of a type which will preclude casual or inadvertent access, and must include warning signs at appropriate intervals which describe the nature of the hazard.

*** END OF AUTHORIZATION ***