



United States of America  
**FEDERAL COMMUNICATIONS COMMISSION**  
**AM BROADCAST STATION LICENSE**

Authorizing Official:

Official Mailing Address:

SALEM MEDIA OF NEW YORK, LLC  
4880 SANTA ROSA ROAD, SUITE 300  
CAMARILLO CA 93012

Son Nguyen  
Supervisory Engineer  
Audio Division  
Media Bureau

Grant Date:

Facility Id: 58635

Call Sign: WNYM

This license expires 3:00 a.m.  
local time, June 01, 2006.

License File Number: BL-11672

This authorization reissued to reflect a change in the antenna monitor and operating parameters as of 6/2/00.

Subject to the provisions of the Communications Act of 1934, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this license, the licensee is hereby authorized to use and operate the radio transmitting apparatus herein described.

This license is issued on the licensee's representation that the statements contained in licensee's application are true and that the undertakings therein contained so far as they are consistent herewith, will be carried out in good faith. The licensee shall, during the term of this license, render such broadcasting service as will serve the public interest, convenience, or necessity to the full extent of the privileges herein conferred.

This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequency designated in the license beyond the term hereof, nor in any other manner than authorized herein. Neither the license nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This license is subject to the right of use or control by the Government of the United States conferred by Section 606 of the Communications Act of 1934.

Hours of Operation: Unlimited

Average hours of sunrise and sunset:  
Local Standard Time (Non-Advanced)

Jan.	7:15 AM	4:45 PM	Jul.	4:30 AM	7:30 PM
Feb.	6:45 AM	5:30 PM	Aug.	5:00 AM	7:00 PM
Mar.	6:15 AM	6:00 PM	Sep.	5:30 AM	6:00 PM
Apr.	5:15 AM	6:30 PM	Oct.	6:00 AM	5:15 PM
May	4:45 AM	7:00 PM	Nov.	6:45 AM	4:45 PM
Jun.	4:30 AM	7:30 PM	Dec.	7:15 AM	4:30 PM

Name of Licensee: SALEM MEDIA OF NEW YORK, LLC

Station Location: HACKENSACK, NJ

Frequency (kHz): 970

Station Class: B

Antenna Coordinates:

Day

Latitude: N 40 Deg 54 Min 40 Sec

Longitude: W 74 Deg 01 Min 42 Sec

Night

Latitude: N 40 Deg 54 Min 40 Sec

Longitude: W 74 Deg 01 Min 42 Sec

Transmitter(s): Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Nominal Power (kW): Day: 5.0 Night: 5.0

Antenna Input Power (kW): Day: Night:

Antenna Mode: Day: DA Night: DA

(DA=Directional Antenna, ND=Non-directional Antenna; CH=Critical Hours)

Current (amperes): Day: Night:

Resistance (ohms): Day: Night:

Antenna Registration Number(s):

Day:

Tower No. ASRN

1 None

2 None

3 None

Night:

Tower No. ASRN

1 None

2 None

3 None

## DESCRIPTION OF DIRECTIONAL ANTENNA SYSTEM

Theoretical RMS (mV/m/km): Day: 643.74 Night: 643.74

Standard RMS (mV/m/km):

Augmented RMS (mV/m/km): Day: Night:

Q Factor: Day: Night:

## Theoretical Parameters:

## Day Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	1.0000	135.200	0.0000	0.000	0	89.0
2	1.7700	36.600	90.0000	146.000	0	89.0
3	1.0000	-135.200	180.0000	146.000	0	89.0

## \* Tower Reference Switch

0 = Spacing and orientation from reference tower

1 = Spacing and orientation from previous tower

## Augmentation Parameters:

Aug No.	Central Azimuth (Deg. T)	Span (Deg.)	Radiation at Central Azimuth (mV/m @ 1 km)
1	0.0	28.0	445.26
2	14.0	28.0	480.12
3	29.5	31.0	480.12
4	45.0	11.0	463.93
5	50.5	11.0	445.26
6	56.0	11.0	438.47
7	79.5	47.0	593.99
8	103.0	14.0	901.23
9	110.0	14.0	981.15
10	183.5	15.0	970.03
11	191.0	15.0	882.61
12	213.5	45.0	585.93
13	236.0	27.0	438.47
14	249.5	27.0	455.83
15	263.0	27.0	482.80
16	284.5	43.0	455.83
17	306.0	20.0	438.42
18	316.0	20.0	445.26
19	326.0	20.0	450.62
20	336.0	20.0	441.88
21	346.0	20.0	439.83

Theoretical Parameters:

Night Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	1.0000	140.100	0.0000	0.000	0	89.0
2	1.8470	2.900	90.0000	146.000	0	89.0
3	1.0000	-140.100	180.0000	146.000	0	89.0

\* Tower Reference Switch

0 = Spacing and orientation from reference tower

1 = Spacing and orientation from previous tower

Augmentation Parameters:

Aug No.	Central Azimuth (Deg. T)	Span (Deg.)	Radiation at Central Azimuth (mV/m @ 1 km)
1	0.0	28.0	107.83
2	14.0	28.0	57.94
3	45.0	11.0	56.33
4	50.5	11.0	93.34
5	56.0	10.0	160.93
6	229.0	14.0	249.45
7	236.0	14.0	160.93
8	249.5	27.0	56.33
9	284.5	43.0	64.37
10	346.0	20.0	185.07

Antenna Monitor: Potomac Instruments 1901-3

Sampling System Approved Under Section 73.68 of the Rules.

Special operating conditions or restrictions:

- 1 The permittee/licensee must reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic fields in excess of FCC guidelines.

\*\*\* END OF AUTHORIZATION \*\*\*