COMMUNICATIONS STATES

United States of America

FEDERAL COMMUNICATIONS COMMISSION FM BROADCAST STATION CONSTRUCTION PERMIT

Authorizing Official:

Official Mailing Address:

BROADSOUTH COMMUNICATIONS, INC.

505 LAUDERDALE STREET

PO BOX 1055

SELMA AL 36702

Facility ID: 27455

Call Sign: WDXX

Permit File Number: BPH-19900214IE

Edward P. De La Hunt

Associate Chief

Audio Division

Media Bureau

Grant Date: June 06, 1990

This permit expires 3:00 a.m. local time, December 06, 1991.

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

Commission rules which became effective on February 16, 1999, have a bearing on this construction permit. See Report & Order, Streamlining of Mass Media Applications, MM Docket No. 98-43, 13 FCC RCD 23056, Para. 77-90 (November 25, 1998); 63 Fed. Reg. 70039 (December 18, 1998). Pursuant to these rules, this construction permit will be subject to automatic forfeiture unless construction is complete and an application for license to cover is filed prior to expiration. See Section 73.3598.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.

Name of Permittee: BROADSOUTH COMMUNICATIONS, INC.

Station Location: AL-SELMA

Frequency (MHz): 100.1

Channel: 261

Class: C2

Hours of Operation: Unlimited

Callsign: WDXX Permit No.: BPH-19900214IE

Transmitter: Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Transmitter output power: As required to achieve authorized ERP.

Antenna type: Non-Directional

Antenna Coordinates: North Latitude: 32 deg 26 min 02 sec

West Longitude: 87 deg 00 min 40 sec

| | Horizontally Polarized Antenna | Vertically Polarized Antenna |
|--|--------------------------------------|------------------------------------|
| Effective radiated power in the Horizontal Plane (kW): | 50 | 50 |
| Height of radiation center above ground (Meters): | 100 | 100 |
| Height of radiation center above mean sea level (Meters): | 139 | 139 |
| Height of radiation center above average terrain (Meters): | : 88 | 88 |

Antenna structure registration number: Not Required

Overall height of antenna structure above ground: 118 Meters

Obstruction marking and lighting specifications for antenna structure:

It is to be expressly understood that the issuance of these specifications is in no way to be considered as precluding additional or modified marking or lighting as may hereafter be required under the provisions of Section 303(q) of the Communications Act of 1934, as amended.

None Required

WHBB

Special operating conditions or restrictions:

During installation of the antenna authorized herein, AM Station(s) listed below shall determine operating power by the indirect method. Upon completion of the installation, antenna impedance measurements on the AM antenna shall be made and, prior to or simultaneous with the filing of the application for license to cover this permit, the results submitted to the Commission (along with a tower sketch of the installation) in an application for the AM station to return to the direct method of power determination. (Revised January 28, 1983)

Callsign: WDXX Permit No.: BPH-19900214IE

Special operating conditions or restrictions:

BEFORE PROGRAM TEST AUTHORITY IS AUTHORIZED BY THE COMMISSION A FENCE MUST BE ERECTED AT A DISTANCE OF FIVE METERS FROM THE BASE OF THE TOWER AND IN SUCH A MANNER AS TO PREVENT THE EXPOSURE OF HUMANS TO RADIOFREQUENCY RADIATION IN EXCESS OF THE AMERICAN NATIONAL STANDARDS INSTITUTE GUIDELINES (OST BULLETIN NO. 65, OCTOBER 1985). THE FENCE MUST BE OF A TYPE WHICH WILL PRECLUDE CASUAL OR INADVERTENT ACCESS, AND MUST INCLUDE WARNING SIGNS AT APPROPRIATE INTERVALS WHICH DESCRIBE THE NATURE OF THE HAZARD. PERMITTEE SHALL SUBMIT DOCUMENTATION OF COMPLIANCE WITH THIS SPECIAL OPERATING CONDITION ALONG WITH THE FORM 302, APPLICATION FOR LICENSE, AND THE REQUEST FOR PROGRAM TEST AUTHORITY.

*** END OF AUTHORIZATION ***