



United States of America
FEDERAL COMMUNICATIONS COMMISSION
FM BROADCAST STATION LICENSE
AUXILIARY ANTENNA

Authorizing Official:

Official Mailing Address:

JACKSON HOLE COMMUNITY RADIO, INCORPORATED
P.O. BOX 8639
JACKSON WY 83002

Arthur E. Doak
Senior Engineer
Audio Division
Media Bureau

Facility Id: 92620

Call Sign: KHOL

License File Number: BXLED-20110407ACI

This license covers Permit No.: BXPED-20101026AAI

Grant Date: August 09, 2011

This license expires 3:00 a.m.
local time, October 01, 2013.

Subject to the provisions of the Communications Act of 1934, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this license, the licensee is hereby authorized to use and operate the radio transmitting apparatus herein described.

This license is issued on the licensee's representation that the statements contained in licensee's application are true and that the undertakings therein contained so far as they are consistent herewith, will be carried out in good faith. The licensee shall, during the term of this license, render such broadcasting service as will serve the public interest, convenience, or necessity to the full extent of the privileges herein conferred.

This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequency designated in the license beyond the term hereof, nor in any other manner than authorized herein. Neither the license nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This license is subject to the right of use or control by the Government of the United States conferred by Section 606 of the Communications Act of 1934.

Callsign: KHOL

License No.: BXLED-20110407ACI

Name of Licensee: JACKSON HOLE COMMUNITY RADIO, INCORPORATED

Station Location: WY-JACKSON

Frequency (MHz): 89.1

Channel: 206

Class: C3

Hours of Operation: Unlimited -- For auxiliary purposes only

Transmitter: Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Transmitter output power: .34 kW

Antenna type: Directional

Description: Scala Yagi CLFM, 2 section, 0.5 wavelength spaced

Antenna Coordinates: North Latitude: 43 deg 35 min 50 sec

West Longitude: 110 deg 52 min 12 sec

	Horizontally Polarized Antenna	Vertically Polarized Antenna
Effective radiated power in the Horizontal Plane (kW):	.60	.60
Height of radiation center above ground (Meters):	12	10
Height of radiation center above mean sea level (Meters):	3183	3181
Height of radiation center above average terrain (Meters):	811	809

Antenna structure registration number: Not Required

Overall height of antenna structure above ground: 20 Meters

Obstruction marking and lighting specifications for antenna structure:

It is to be expressly understood that the issuance of these specifications is in no way to be considered as precluding additional or modified marking or lighting as may hereafter be required under the provisions of Section 303(q) of the Communications Act of 1934, as amended.

None Required

Special operating conditions or restrictions:

- 1 The permittee/licensee, in coordination with other users of the site, must reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic fields in excess of the FCC guidelines.

Special operating conditions or restrictions:

- 2 The licensee has demonstrated compliance with the FCC radiofrequency electromagnetic field exposure guidelines based on the use of the antenna specified herein. If the licensee makes any changes in the facilities via modification of license application in accordance with 47 C.F.R. Section 73.1690(c), the subsequent FCC Form 302-FM, application for license, must include a revised RF field showing to demonstrate continued compliance with the FCC guidelines.
- 3 The relative field strength of neither the measured horizontally nor vertically polarized radiation component shall exceed at any azimuth the value indicated on the composite radiation pattern authorized by Construction Permit BXPED-20101026AAI.

A relative field strength of 1.0 on the composite radiation pattern authorized by Construction Permit BXPED-20101026AAI corresponds to the following effective radiated power:

0.600 kilowatt

Principal minima and their associated field strength limits:

110 degrees True: 0.000015 kilowatt

300 degrees True: 0.000015 kilowatt

*** END OF AUTHORIZATION ***