

## United States of America FEDERAL COMMUNICATIONS COMMISSION AM BROADCAST STATION CONSTRUCTION PERMIT

Authorizing Official:

Official Mailing Address:

AUDACY LICENSE, LLC 2400 MARKET STREET 4TH FLOOR PHILADELPHIA PA 19103

Facility Id: 67848

Call Sign: KIFM

Permit File Number: BP-20070119ACI

Son Nguyen Supervisory Engineer Audio Division

Media Bureau

Grant Date: January 25, 2008

This permit expires 3:00 a.m. local time, 36 months after the grant date specified above.

Permit to change city of license and nighttime pattern.

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

Commission rules which became effective on February 16, 1999, have a bearing on this construction permit. See Report & Order, Streamlining of Mass Media Applications, MM Docket No. 98-43, 13 FCC RCD 23056, Para. 77-90 (November 25, 1998); 63 Fed. Reg. 70039 (December 18, 1998). Pursuant to these rules, this construction permit will be subject to automatic forfeiture unless construction is complete and an application for license to cover is filed prior to expiration. See Section 73.3598.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.

Hours of Operation: Unlimited

Average hours of sunrise and sunset: Local Standard Time (Non-Advanced)

Jan.	7:30 AM	5:15 PM	Jul. 5:00 AM	7:30 PM
Feb.	7:00 AM	5:45 PM	Aug. 5:15 AM	7:00 PM
Mar.	6:15 AM	6:15 PM	Sep. 5:45 AM	6:15 PM
Apr.	5:30 AM	6:45 PM	Oct. 6:15 AM	5:30 PM
Мау	5:00 AM	7:15 PM	Nov. 6:45 AM	5:00 PM
Jun.	4:45 AM	7:30 PM	Dec. 7:15 AM	4:45 PM

Permit No.: BP-20070119ACI Callsign: KIFM Name of Permittee: AUDACY LICENSE, LLC Station Location: WEST SACRAMENTO, CA Frequency (kHz): 1320 Station Class: B Antenna Coordinates: Day Latitude: Ν 38 Deg 38 Min 11 Sec 121 Deg 33 Min Longitude: W 09 Sec Night Latitude: Ν 38 Deg 38 Min 11 Sec W 121 Deg 33 Min 09 Sec Longitude: Transmitter(s): Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules. Nominal Power (kW): Day: 5.0 Night: 0.50 Antenna Mode: Day: DA Night: DA (DA=Directional Antenna, ND=Non-directional Antenna; CH=Critical Hours) Antenna Registration Number(s): Day: Tower No. ASRN Overall Height (m) 1 1015865 2 1015866 3 1015867 Night: Tower No. ASRN Overall Height (m) 1015865 1 2 1015866

3 1015867

Callsign: KIFM				P	ermit No.:	BP-20070119ACI
DESCRIPTIO	DESCRIPTION OF DIRECTIONAL ANTENNA SYSTEM					
Theoretica	Theoretical RMS (mV/m/km): Day: 745.8 Night: 250.6					
Standard RMS (mV/m/km): Night: 263.4						
Augmented RMS (mV/m/km): Day:809						
Q Factor:		Da	ay:	Night:		
Theoretical Parameters:						
Day Directional Antenna:						
Tower No.	Field Ratio	Phasing (Deg.)		Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	1.0000	0.000	0.0000	0.000	0	181.2
2	0.4900	12.500	214.5000	27.500	0	196.6
3	0.8470	-58.600	125.5000	61.800	0	90.8
<ul> <li>* Tower Reference Switch</li> <li>0 = Spacing and orientation from reference tower</li> </ul>						

1 = Spacing and orientation from previous tower

Augmentation Parameters:

Aug No.	Central Azimuth (Deg. T)	Span (Deg.)	Radiation at Central Azimuth (mV/m @ 1 km)
1	7.0	50.0	875.00
2	90.0	50.0	1130.00
3	122.0	50.0	1535.00

Theoretical Parameters:

Night Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	1.0000	0.000	0.0000	0.000	0	181.2
2	0.4600	22.000	214.5000	27.500	0	196.6
3	0.6000	101.000	125.5000	61.800	0	90.8

\* Tower Reference Switch

0 = Spacing and orientation from reference tower

1 = Spacing and orientation from previous tower

## Inverse Distance Field Strength:

The inverse distance field strength at a distance of one kilometer from the above antenna in the directions specified shall not exceed the following values:

Night:

Azimuth:	Radiation:	
84	44.7	mV/m
152.5	197.8	mV/m
225.5	268.5	mV/m
358.5	15.2	mV/m

Special operating conditions or restrictions:

- 1 A complete nondirectional proof of performance, in addition to a complete proof on the (night) directional antenna system, shall be submitted before program tests are authorized. The nondirectional and directional field strength measurements must be made under similar environmental conditions.
- 2 Permittee shall install a type accepted transmitter, or submit application (FCC Form 301) along with data prescribed in Section 73.1660(b) should non-type accepted transmitter be proposed.
- 3 A license application (FCC Form 302) to cover this construction permit must be filed with the Commission pursuant to Section 73.3536 of the Rules before the permit expires.
- 4 Licensee shall be responsible for satisfying all reasonable complaints of blanketing interference within the 1 V/m contour as required by Section 73.88 of the Commission's rules.

\*\*\* END OF AUTHORIZATION \*\*\*