

United States of America FEDERAL COMMUNICATIONS COMMISSION FM BROADCAST STATION CONSTRUCTION PERMIT

Authorizing Official:

Mary Houser

Official Mailing Address:

UNIVISION RADIO STATIONS GROUP, INC. 5999 CENTER DRIVE LOS ANGELES CA 90045

Supr Applications Examiner Audio Division Media Bureau

Facility ID: 51515

Call Sign: KLNV

Permit File Number: BMPH-19861106IB

Grant Date: June 17, 1988

The authority granted herein has no effect on the expiration date of the underlying construction permit.

This Permit Modifies Permit No.: BPH-19831017AM

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

Commission rules which became effective on February 16, 1999, have a bearing on this construction permit. See Report & Order, Streamlining of Mass Media Applications, MM Docket No. 98-43, 13 FCC RCD 23056, Para. 77-90 (November 25, 1998); 63 Fed. Reg. 70039 (December 18, 1998). Pursuant to these rules, this construction permit will be subject to automatic forfeiture unless construction is complete and an application for license to cover is filed prior to expiration. See Section 73.3598.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.

Name of Permittee: UNIVISION RADIO STATIONS GROUP, INC. Station Location: CA-SAN DIEGO Frequency (MHz): 106.5

Channel: 293

Class: B

Hours of Operation: Unlimited

Transmitter: Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Transmitter output power: As required to achieve authorized ERP.

Antenna type:Not Reported

Antenna Coordinates: North Latitude: 32 deg 48 min 45 sec West Longitude: 117 deg 01 min 52 sec

| | Horizontally Polarized Antenna | Vertically Polarized Antenna |
|----------------------------------------------------------------------------|--------------------------------------|------------------------------------|
| Effective radiated power in the Horizontal Plane (kW) : | 7.4 | 7.4 |
| Height of radiation center above ground (Meters): | 21 | 21 |
| Height of radiation center above mean sea level (Meters): | 499 | 499 |
| Height of radiation center above average terrain (Meters) | : 327 | 327 |
| Antenna structure registration number: Not Required | | |
| Overall height of antenna structure above ground: 32 Meters | | |
| Obstruction marking and lighting specifications for antenna structure: | | |
| It is to be expressly understood that the issuance of these specifications | | |

is in no way to be considered as precluding additional or modified marking or lighting as may hereafter be required under the provisions of Section 303(q) of the Communications Act of 1934, as amended.

None Required

Callsign: KLNV

. .

Special operating conditions or restrictions:

BEFORE PROGRAM TEST AUTHORITY IS AUTHORIZED BY THE 1 COMMISSION PERMITTEE SHALL SUBMIT DOCUMENTATION OF COMPLIANCE WITH THIS SPECIAL OPERATING CONDITION ALONG WITH THE FORM 302, APPLICATION FOR LICENSE, AND THE REQUEST FOR PROGRAM TEST AUTHORITY. THE PERMITTEE SHALL, UPON COMPLETION OF CONSTRUCTION AND DURING THE EQUIPEMENT TEST PERIOD, MAKE RF FIELD STRENGTH MEASUREMENTS THROUGHOUT THE TRANSMITTER SITE AREA TO DETERMINE IF THERE ARE ANY AREAS THAT EXCEED THE ANSI, EPA AND FCC SPECIFIED GUIDLINES FOR HUMAN EXPOSURE TO RADIOFREQUENCY RADIATION. IF NECESSARY, A FENCE MUST BE ERECTED AT SUCH DISTANCES AND IN SUCH A MANNER AS TO PREVENT THE EXPOSURE OF HUMANS TO RADIOFREQUENCY RADIATION IN EXCESS OF THE AMERICAN NATIONAL STANDARDS INSTITUTE GUIDLINES (OST BULLETIN NO. 65, OCTOBER 1985). THE FENCE MUST BE OF A TYPE WHICH WILL PRECLUDE CASUAL OR INADVERTENT ACCESS, AND MUST INCLUDE WARNING SIGNS AT APPROPRIATE INTERVALS WHICH DESCRIBE THE NATURE OF THE HAZARD. ANY AREAS WITHIN THE FENCE FOUND TO EXCEED THE RECOMMENDED GUIDLINES MUST BE CLEARLY MARKED WITH APPROPRIATE VISUAL WARNING SIGNS.

BEFORE PROGRAM TEST COMMENCE, SUFFICIENT MEASUREMENTS SHALL BE MADE TO ESTABLISH THAT THE OPERATION AUTHORIZED IN THIS CONSTRUCTION PERMIT IS IN COMPLIANCE WITH THE SPURIOUS EMISSIONS REQUIREMENTS OF 47 C.F.R. SECTION 73.317(B) THROUGH 73.317(D). ALL MEASUREMENTS MUST BE MADE WITH STATIONS KKLQ-FM, KPBS-FM AND KGB-FM SIMULTANEOUSLY UTILIZING THE SHARED ANTENNA. THESE MEASUREMENTS SHALL BE SUBMITTED TO THE COMMISSION ALONG WITH THE FORM 302 APPLICATION FOR LICENSE.

*** END OF AUTHORIZATION ***