

## **United States of America**

## FEDERAL COMMUNICATIONS COMMISSION FM BROADCAST TRANSLATOR/BOOSTER STATION CONSTRUCTION PERMIT

Authorizing Official:

Official Mailing Address:

TULSA OK 74136

Facility Id: 146875

Call Sign: K243AT

Permit File Number: BPFT-20091112ABF

James D. Bradshaw

Deputy Chief

Audio Division

Media Bureau

Grant Date: November 18, 2009

This permit expires 3:00 a.m. local time, 36 months after the grant date specified above.

This Permit Modifies Permit No.: BLFT-20070517AIN

Commission rules which became effective on February 16, 1999, have a bearing on this construction permit. See Report & Order, Streamlining of Mass Media Applications, MM Docket No. 98-43, 13 FCC RCD 23056, Para. 77-90 (November 25, 1998); 63 Fed. Reg. 70039 (December 18, 1998). Pursuant to these rules, this construction permit will be subject to automatic forfeiture unless construction is complete and an application for license to cover is filed prior to expiration. See Section 73.3598.

Name of Permittee: IHM LICENSES, LLC

Principal community to be served: LA-MERAUX

Primary Station: WRNO-FM (FM) , Channel 258, NEW ORLEANS, LA

Via: Microwave

Frequency (MHz): 96.5

Channel: 243

Hours of Operation: Unlimited

Callsign: K243AT Permit No.: BPFT-20091112ABF

Antenna Coordinates: North Latitude: 29 deg 56 min 46 sec

West Longitude: 90 deg 04 min 35 sec

Transmitter: Type Accepted. See Sections 73.1660, 74.1250 of the Commission

Antenna type: (directional or non-directional): Non-Directional

Major lobe directions (degrees true): Not Applicable

	Horizontally	Vertically
	Polarized	Polarized
	Antenna:	Antenna:
Effective radiated power in the Horizontal Plane (kw):	0.215	0.215
Height of radiation center above ground (Meters):	164	164
Height of radiation center above mean sea level (Meters	): 164	164

Antenna structure registration number: 1021737

Overall height of antenna structure above ground (including obstruction lighting if any) see the registration for this antenna structure.

Special operating conditions or restrictions:

- Prior to commencing program test operations, FM Translator or FM Booster permittee must have on file at the Commission, FCC Form 350, Application for an FM Translator or FM Booster Station License, pursuant to 47 C.F.R. Section 74.14.
- The permittee/licensee in coordination with other users of the site must reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic fields in excess of FCC guidelines.

Special operating conditions or restrictions:

3 \*\*\*NOTE TO PERMITTEE\*\*\*

Notwithstanding the grant of this construction permit or the expiration date specified herein, your station's license will automatically expire as a matter of law on 09/21/2010 if the station has not resumed broadcasting before that time. See Pub. Law No. 104-104, 110 Stat. 56, Section 403(1) (1996) and Order, Silent Station Authorizations, FCC 96-218 (released May 17, 1996). See also Public Notice, Expedited Processing of Applications Filed By Silent Stations, DA 96-818 (May 22, 1996).

Upon resumption of broadcasting, the licensee must notify the Commission by letter addressed to:

Office of the Secretary Federal Communications Commission 445 12th Street, SW, Washington, DC 20554 ATTN: Chief, Audio Division, Media Bureau

This notice will be in addition to an application for a license to cover this permit.

The permittee/licensee shall, upon completion of construction and during the equipment test period, make proper radiofrequency electromagnetic (RF) field strength measurements throughout the transmitter site area to determine if there are any areas that exceed the FCC guidelines for human exposure to RF fields. If necessary, a fence must be erected at such distances and in such a manner as to prevent the exposure of humans to RF fields in excess of the FCC Guidelines (OET Bulletin No. 65, Edition 97-01, August 1997). The fence must be a type which will preclude casual or inadvertent access, and must include warning signs at appropriate intervals which describe the nature of the hazard. Any areas within the fence found to exceed the recommended guidelines must be clearly marked with appropriate visual warning signs.

\*\*\* END OF AUTHORIZATION \*\*\*