



United States of America
FEDERAL COMMUNICATIONS COMMISSION
AM BROADCAST STATION CONSTRUCTION PERMIT

Authorizing Official:

Official Mailing Address:

LARRY LANGFORD, JR.
 6040 SOUTH BISHOP STREET
 CHICAGO IL 60636

Son Nguyen
 Supervisory Engineer
 Audio Division
 Media Bureau

Grant Date: March 13, 2013

Facility Id: 36612

Call Sign: WGTO

Permit File Number: BP-20121127AFW

This permit expires 3:00 a.m.
 local time, 36 months after the
 grant date specified above.

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

Commission rules which became effective on February 16, 1999, have a bearing on this construction permit. See Report & Order, Streamlining of Mass Media Applications, MM Docket No. 98-43, 13 FCC RCD 23056, Para. 77-90 (November 25, 1998); 63 Fed. Reg. 70039 (December 18, 1998). Pursuant to these rules, this construction permit will be subject to automatic forfeiture unless construction is complete and an application for license to cover is filed prior to expiration. See Section 73.3598.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.

Hours of Operation: Daytime with Secondary nighttime

Average hours of sunrise and sunset:
 Local Standard Time (Non-Advanced)

Jan.	8:15 AM	5:30 PM	Jul.	5:15 AM	8:15 PM
Feb.	7:45 AM	6:15 PM	Aug.	5:45 AM	7:45 PM
Mar.	7:00 AM	6:45 PM	Sep.	6:30 AM	7:00 PM
Apr.	6:00 AM	7:30 PM	Oct.	7:00 AM	6:00 PM
May	5:30 AM	8:00 PM	Nov.	7:30 AM	5:30 PM
Jun.	5:00 AM	8:15 PM	Dec.	8:00 AM	5:15 PM

Callsign: WGTO

Permit No.: BP-20121127AFW

Name of Permittee: LARRY LANGFORD, JR.

Station Location: CASSOPOLIS, MI

Frequency (kHz): 910

Station Class: D

Antenna Coordinates:

Day

Latitude: N 41 Deg 57 Min 14 Sec

Longitude: W 86 Deg 00 Min 59 Sec

Night

Latitude: N 41 Deg 57 Min 14 Sec

Longitude: W 86 Deg 00 Min 59 Sec

Transmitter(s): Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Nominal Power (kW): Day: 3.0 Night: 0.026

Antenna Mode: Day: DA Night: DA

(DA=Directional Antenna, ND=Non-directional Antenna; CH=Critical Hours)

Antenna Registration Number(s):

Day:

Tower No.	ASRN	Overall Height (m)
1	1204670	
2	1204671	

Night:

Tower No.	ASRN	Overall Height (m)
1	1204670	
2	1204671	

DESCRIPTION OF DIRECTIONAL ANTENNA SYSTEM

Theoretical RMS (mV/m/km): Day: 544.4 Night: 50.68

Standard RMS (mV/m/km): Day: 571.91 Night: 54.24

Augmented RMS (mV/m/km):

Q Factor: Day: Night:

Theoretical Parameters:

Day Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	1.0000	0.000	0.0000	0.000	0	90.0
2	0.6000	114.000	90.0000	88.000	0	90.0

* Tower Reference Switch

0 = Spacing and orientation from reference tower

1 = Spacing and orientation from previous tower

Theoretical Parameters:

Night Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	1.0000	0.000	0.0000	0.000	0	90.0
2	0.6000	114.000	90.0000	88.000	0	90.0

* Tower Reference Switch

0 = Spacing and orientation from reference tower

1 = Spacing and orientation from previous tower

Inverse Distance Field Strength:

The inverse distance field strength at a distance of one kilometer from the above antenna in the directions specified shall not exceed the following values:

Day:

Azimuth:	Radiation:	
45	215.9	mV/m
131	215.9	mV/m

Night:

Azimuth:	Radiation:	
45	22.6	mV/m
131	22.6	mV/m

Special operating conditions or restrictions:

- 1 The permittee must submit a proof of performance as set forth in either Section 73.151(a) or 73.151(c) of the rules before program tests are authorized.
A proof of performance based on field strength measurements, per Section 73.151(a), shall include a complete nondirectional proof of performance, in addition to a complete proof on the (day) and (night) directional antenna system. The nondirectional and directional field strength measurements must be made under similar environmental conditions. The proof(s) of performance submitted to the Commission must contain all of the data specified in Section 73.186 of the rules.
Permittees who elect to submit a moment method proof of performance, as set forth in Section 73.151(c), must use series-fed radiators. In addition, the sampling system must be constructed as described in Section 73.151(c) (2) (i).
- 2 Permittee shall install a type accepted transmitter, or submit application (FCC Form 301) along with data prescribed in Section 73.1660(b) should non-type accepted transmitter be proposed.
- 3 Ground system consists of 120 equally spaced, buried, copper radials about the base of each tower, each 82.4 meters in length except where terminated by property boundaries or where intersecting radials are shortened and bonded to a transverse copper strap midway between adjacent towers.
- 4 The permittee/licensee in coordination with other users of the site must reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic fields in excess of FCC guidelines.

*** END OF AUTHORIZATION ***