



United States of America
FEDERAL COMMUNICATIONS COMMISSION
FM BROADCAST TRANSLATOR/BOOSTER STATION
CONSTRUCTION PERMIT

Authorizing Official:

Official Mailing Address:

FORT MYERS BROADCASTING COMPANY
2824 PALM BEACH BOULEVARD
FORT MYERS FL 33916

James D. Bradshaw
Deputy Chief
Audio Division
Media Bureau

Facility Id: 139116

Call Sign: W291CE

Permit File Number: BMPFT-20080804AAI

Grant Date: August 11, 2008

The authority granted herein has no effect on the expiration date of the underlying construction permit.

This permit modifies permit no.: BPFT-20080424AAA

Commission rules which became effective on February 16, 1999, have a bearing on this construction permit. See Report & Order, Streamlining of Mass Media Applications, MM Docket No. 98-43, 13 FCC RCD 23056, Para. 77-90 (November 25, 1998); 63 Fed. Reg. 70039 (December 18, 1998). Pursuant to these rules, this construction permit will be subject to automatic forfeiture unless construction is complete and an application for license to cover is filed prior to expiration. See Section 73.3598.

Name of Permittee: FORT MYERS BROADCASTING COMPANY

Principal community to be served: FL-MARATHON

Primary Station: DWNPL (AM) , Frequency 1460 kHz, GOLDEN GATE, FL

Via: Direct - off-air

Frequency (MHz): 106.1

Channel: 291

Hours of Operation: Unlimited

Antenna Coordinates: North Latitude: 24 deg 42 min 37 sec
 West Longitude: 81 deg 05 min 51 sec

Transmitter: Type Accepted. See Sections 73.1660, 74.1250 of the Commission's Rules

Antenna type: (directional or non-directional): Non-Directional

Major lobe directions (degrees true): Not Applicable

| | Horizontally Polarized Antenna: | Vertically Polarized Antenna: |
|---|---------------------------------------|-------------------------------------|
| Effective radiated power in the Horizontal Plane (kw): | 0.25 | 0.25 |
| Height of radiation center above ground (Meters): | 14 | 14 |
| Height of radiation center above mean sea level (Meters): | 15 | 15 |

Antenna structure registration number: Not Required

Overall height of antenna structure above ground: 14 Meters

Obstruction marking and lighting specifications for antenna structure:

It is to be expressly understood that the issuance of these specifications is in no way to be considered as precluding additional or modified marking or lighting as may hereafter be required under the provisions of Section 303(q) of the Communications Act of 1934, as amended.

None Required

Special operating conditions or restrictions:

- 1 Prior to commencing program test operations, FM Translator or FM Booster permittee must have on file at the Commission, FCC Form 350, Application for an FM Translator or FM Booster Station License, pursuant to 47 C.F.R. Section 74.14.
- 2 The permittee/licensee in coordination with other users of the site must reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic fields in excess of FCC guidelines.

Special operating conditions or restrictions:

- 3 If the antenna is mounted on an existing tower that is not base-insulated or detuned at the AM frequency, the permittee shall submit certification to this effect.

If the antenna is mounted on an existing tower that is base-insulated or detuned at the frequency of AM station WFFG, Marathon, FL, the applicant shall notify the AM station. If necessary, the AM station may determine operating power by a method described in Section 73.51(a)(1) or (d), and/or request temporary authority from the Commission in Washington, D.C. to operate with parameters at variance in order to maintain monitoring point field strengths within authorized limits. Permittee shall be responsible for readjustment and continued maintenance of any detuning apparatus necessary to prevent adverse effects upon the radiation pattern of the AM station. Both before and after the installation of the antenna and transmission line on the tower, a partial proof of performance, as defined by Section 73.154(a) of the Commission's Rules, shall be conducted to establish that the AM array has not been adversely affected. The results of the partial proofs shall be submitted to the Commission with the application for license to cover this permit.

- 4 Warning signs which describe the radiofrequency electromagnetic field must be posted at appropriate intervals. Access must be restricted to prevent the exposure of humans to RF emissions in excess of the FCC guidelines (OET Bulletin No. 65, Edition 97-01, released August 1997). Permittee shall submit documentation of compliance with this special operating condition when filing FCC Form 350, application for license.

*** END OF AUTHORIZATION ***