

Official Mailing Address:

United States of America FEDERAL COMMUNICATIONS COMMISSION FM BROADCAST TRANSLATOR/BOOSTER STATION CONSTRUCTION PERMIT

Authorizing Official:

| CARL WATKINS | James D. Bradshaw | |
|---------------------------------------|---|--|
| 566 NICOLE DRIVE | Deputy Chief | |
| BLACKFOOT ID 83221 | Audio Division | |
| | Media Bureau | |
| Facility Id: 145719 | Grant Date: February 12, 2008 | |
| Call Sign: K237FA | This permit expires 3:00 a.m. local time, 36 months after the | |
| Permit File Number: BNPFT-20030829AKA | grant date specified above. | |

Commission rules which became effective on February 16, 1999, have a bearing on this construction permit. See Report & Order, Streamlining of Mass Media Applications, MM Docket No. 98-43, 13 FCC RCD 23056, Para. 77-90 (November 25, 1998); 63 Fed. Reg. 70039 (December 18, 1998). Pursuant to these rules, this construction permit will be subject to automatic forfeiture unless construction is complete and an application for license to cover is filed prior to expiration. See Section 73.3598.

Name of Permittee: CARL WATKINS Principal community to be served: ID-POCATELLO Primary Station: KWIK (AM) , Frequency 1240 kHz, POCATELLO, ID Via: Direct - off-air Frequency (MHz): 95.3 Channel: 237 Hours of Operation: Unlimited Antenna Coordinates: North Latitude: 42 deg 52 min 26 sec West Longitude: 112 deg 30 min 47 sec Transmitter: Type Accepted. See Sections 73.1660, 74.1250 of the Commission

Antenna type: (directional or non-directional): Directional

Major lobe directions 77 (degrees true):

| | Horizontally | Vertically |
|---|--------------|------------|
| | Polarized | Polarized |
| | Antenna: | Antenna: |
| Effective radiated power in the Horizontal Plane (kw): | 0.041 | 0.041 |
| Height of radiation center above ground (Meters): | 8 | 8 |
| Height of radiation center above mean sea level (Meters |): 1787 | 1787 |

Antenna structure registration number: Not Required

Overall height of antenna structure above ground: 12 Meters

Obstruction marking and lighting specifications for antenna structure:

It is to be expressly understood that the issuance of these specifications is in no way to be considered as precluding additional or modified marking or lighting as may hereafter be required under the provisions of Section 303(q) of the Communications Act of 1934, as amended.

None Required

Special operating conditions or restrictions:

- 1 Prior to commencing program test operations, FM Translator or FM Booster permittee must have on file at the Commission, FCC Form 350, Application for an FM Translator or FM Booster Station License, pursuant to 47 C.F.R. Section 74.14.
- 2 The permittee/licensee in coordination with other users of the site must reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic fields in excess of FCC guidelines.

Special operating conditions or restrictions:

- 3 THE AUTOMATIC PROGRAM TEST PROVISIONS OF 47 C.F.R. SECTION 73.1620 DO NOT APPLY IN THIS CASE. A FORMAL REQUEST FOR PROGRAM TEST AUTHORITY MUST BE FILED IN CONJUNCTION WITH FCC FORM 350, APPLICATION FOR LICENSE, BEFORE PROGRAM TESTS WILL BE AUTHORIZED. This request should be submitted at least 10 days prior to the date on which program tests are desired to commence. This request must contain documentation which demonstrates compliance with the following special operating condition(s):
- 4 The permittee/licensee shall, upon completion of construction and during the equipment test period, make proper radiofrequency electromagnetic (RF) field strength measurements throughout the transmitter site area to determine if there are any areas that exceed the FCC guidelines for human exposure to RF fields. If necessary, a fence must be erected at such distances and in such a manner as to prevent the exposure of humans to RF fields in excess of the FCC Guidelines (OET Bulletin No. 65, Edition 97-01, August 1997). The fence must be a type which will preclude casual or inadvertent access, and must include warning signs at appropriate intervals which describe the nature of the hazard. Any areas within the fence found to exceed the recommended guidelines must be clearly marked with appropriate visual warning signs.
- 5 Documentation demonstrating compliance with the special operating condition(s) may be submitted in advance of the filing of FCC Form 350. The Commission's staff will review it for compliance and respond by letter stating whether automatic PTA has been reinstated.

*** END OF AUTHORIZATION ***