



United States of America
FEDERAL COMMUNICATIONS COMMISSION
AM BROADCAST STATION LICENSE

Authorizing Official:

Official Mailing Address:

SALEM COMMUNICATIONS HOLDING CORPORATION
4880 SANTA ROSA ROAD
CAMARILLO CA 93012

Son Nguyen
Supervisory Engineer
Audio Division
Media Bureau

Grant Date: March 18, 2004

Facility Id: 42081

Call Sign: WLQV

This license expires 3:00 a.m.
local time, October 01, 2004.

License File Number: BL-20020909ABR

License to cover BP-19881031AE.

Subject to the provisions of the Communications Act of 1934, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this license, the licensee is hereby authorized to use and operate the radio transmitting apparatus herein described.

This license is issued on the licensee's representation that the statements contained in licensee's application are true and that the undertakings therein contained so far as they are consistent herewith, will be carried out in good faith. The licensee shall, during the term of this license, render such broadcasting service as will serve the public interest, convenience, or necessity to the full extent of the privileges herein conferred.

This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequency designated in the license beyond the term hereof, nor in any other manner than authorized herein. Neither the license nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This license is subject to the right of use or control by the Government of the United States conferred by Section 606 of the Communications Act of 1934.

Hours of Operation: Unlimited

Average hours of sunrise and sunset:
Local Standard Time (Non-Advanced)

Jan.	8:00 AM	5:30 PM	Jul.	5:15 AM	8:15 PM
Feb.	7:30 AM	6:00 PM	Aug.	5:45 AM	7:30 PM
Mar.	6:45 AM	6:45 PM	Sep.	6:15 AM	6:45 PM
Apr.	6:00 AM	7:15 PM	Oct.	6:45 AM	6:00 PM
May	5:15 AM	7:45 PM	Nov.	7:30 AM	5:15 PM
Jun.	5:00 AM	8:15 PM	Dec.	8:00 AM	5:00 PM

Callsign: WLQV

License No.: BL-20020909ABR

Name of Licensee: SALEM COMMUNICATIONS HOLDING CORPORATION

Station Location: DETROIT, MI

Frequency (kHz): 1500

Station Class: B

Antenna Coordinates:

Day

Latitude: N 42 Deg 13 Min 52 Sec

Longitude: W 83 Deg 11 Min 58 Sec

Night

Latitude: N 42 Deg 13 Min 52 Sec

Longitude: W 83 Deg 11 Min 58 Sec

Transmitter(s): Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Nominal Power (kW): Day: 50.0 Night: 10.0

Antenna Input Power (kW): Day: 52.65 Night: 10.53

Antenna Mode: Day: DA Night: DA

(DA=Directional Antenna, ND=Non-directional Antenna; CH=Critical Hours)

Current (amperes): Day: 32.45 Night: 14.51

Resistance (ohms): Day: 50 Night: 50

Antenna Registration Number(s):

Day:

Tower No.	ASRN	Overall Height (m)
1	1007332	
2	1007333	
3	1007334	
4	1007335	
5	1007336	
6	1007337	
7	1007338	
8	1007339	
9	1007340	

Night:

Tower No.	ASRN	Overall Height (m)
1	1007332	
2	1007333	
3	1007334	
4	1007335	
5	1007336	
6	1007337	
7	1007338	
8	1007339	
9	1007340	

DESCRIPTION OF DIRECTIONAL ANTENNA SYSTEM

Theoretical RMS (mV/m/km): Day: 2273 Night: 1005

Standard RMS (mV/m/km):

Augmented RMS (mV/m/km): Day: 2416 Night: 1056

Q Factor: Day: Night:

Theoretical Parameters:

Day Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	0.3750	134.000	0.0000	0.000	0	131.8
2	0.5140	152.600	215.0000	107.000	0	131.8
3	0.1760	166.000	430.0000	107.000	0	131.8
4	1.1850	-109.000	95.0000	167.000	0	131.8
5	1.6250	-90.400	275.1000	124.400	0	131.8
6	0.5550	-77.000	484.5000	116.800	0	131.8
7	1.0000	0.000	190.0000	167.000	0	131.8
8	1.3710	18.600	351.0000	135.000	0	131.8
9	0.4680	32.000	550.2000	124.400	0	131.8

* Tower Reference Switch

0 = Spacing and orientation from reference tower

1 = Spacing and orientation from previous tower

Augmentation Parameters:

Aug No.	Central Azimuth (Deg. T)	Span (Deg.)	Radiation at Central Azimuth (mV/m @ 1 km)
1	31.0	20.0	5150.00
2	63.0	20.0	258.00
3	78.0	30.0	346.00
4	92.0	30.0	351.00
5	107.0	30.0	240.00
6	122.0	30.0	174.00
7	142.0	40.0	145.00
8	162.0	40.0	241.00
9	177.0	30.0	370.00
10	242.0	56.0	322.00
11	255.0	26.0	209.00
12	272.0	36.0	180.00
13	287.0	30.0	241.00
14	304.0	26.0	241.00

Theoretical Parameters:

Night Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	0.2940	-89.700	0.0000	0.000	0	131.8
2	0.6350	-82.000	215.0000	107.000	0	131.8
3	0.3660	-66.600	430.0000	107.000	0	131.8
4	0.4530	-11.400	95.0000	167.000	0	131.8
5	1.0000	0.000	275.1000	124.400	0	131.8
6	0.5640	10.500	484.5000	116.800	0	131.8
7	0.2390	79.000	190.0000	167.000	0	131.8
8	0.5210	96.000	351.0000	135.000	0	131.8
9	0.3030	110.200	550.2000	124.400	0	131.8

* Tower Reference Switch

0 = Spacing and orientation from reference tower

1 = Spacing and orientation from previous tower

Augmentation Parameters:

Aug No.	Central Azimuth (Deg. T)	Span (Deg.)	Radiation at Central Azimuth (mV/m @ 1 km)
1	61.7	27.0	100.00
2	79.1	10.0	50.00
3	107.1	30.0	55.00
4	137.3	20.0	53.00
5	161.1	30.0	58.00
6	248.1	24.0	90.00
7	260.5	22.0	74.00
8	273.6	22.0	71.00
9	289.0	8.0	80.00
10	303.9	24.0	58.00
11	317.8	20.0	64.00

Day Directional Operation:

Twr. No.	Phase (Deg.)	Antenna Monitor Sample Current Ratio
1	-143	0.265
2	-118.5	0.29
3	-104	0.12
4	-25	0.81
5	0	1
6	12	0.44
7	102	0.6
8	101	0.575

Callsign: WLQV

License No.: BL-20020909ABR

Day Directional Operation:

Twr. Phase No. (Deg.)	Antenna Monitor Sample Current Ratio
9 114	0.16

Night Directional Operation:

Twr. Phase No. (Deg.)	Antenna Monitor Sample Current Ratio
1 -118	0.16
2 -130	0.68
3 -134	0.42
4 -17	0.53
5 0	1
6 5	0.66
7 121	0.42
8 88	0.66
9 96	0.4

Antenna Monitor: POTOMAC INSTRUMENTS AM-19 (204)

Sampling System Approved Under Section 73.68 of the Rules.

Special operating conditions or restrictions:

1 MONITOR POINT DESCRIPTIONS

DAYTIME

63 - 807 Garfield Street, south side at pavement edge with driveway, 3.12 km from site, max 48.7 mV/m daytime.

92 - 685 Riverbank Street, south side of street at sidewalk pavement edge, 3 meters west of driveway, 3.15 km from site, max 101.3 mV/m daytime.

142 - 1528 Chestnut Street, at road pavement edge, in line with house north side of street, 3.66 km from site, max 32.8 mV/m daytime.

214 - Waverly Street north side of street, 4 meters east of intersection with Reeck Road on Waverly Street sidewalk, 2.93 km from site, max 181.2 mV/m daytime.

272 - 10240 Mortonview Drive, west side of street in line with house west, 3.39 km from site, max 53.6 mV/m daytime.

287 - 264 Mortenvue Drive, east side of street in driveway to house 4 meters east of Mortenvue Drive pavement edge, 3.81 km from site, max 68.9 mV/m daytime.

NIGHTTIME

61.7 - West Outer Drive, Ecorse Public School Driveway, north sidewalk of driveway in line with building west, 4.61 km from site, max 35.0 mV/m nighttime.

79.1 - 3106 River Road, west side of road in front of house, 3.02 km from site, max 16.8 mV/m nighttime.

107.1 - 1212 Fifth Street, on west sidewalk, in line with doorway west side of street, 3.7 km from site, max 12.4 mV/m nighttime.

137.3 - Vineland Street School parking lot, on sidewalk in line with fence opening to playground, 3.66 km from site, max 11.6 mV/m nighttime.

161.1 - 13484 Walnut Street, in front of doorway, on sidewalk south side of street, 2.61 km from site, max 20.1 mV/m nighttime.

199.1 - Leroy Street, south side of sidewalk 10 meters west of fire plug, future home of Southgate Nature Center sign south of point, 4.64 km from site, max 50.8 mV/m nighttime.

248.1 - Church of God parking lot near walkway in line with large tree north, Pardee Road west side, 4.86 km from site, max 14.4 mV/m nighttime.

273.6 - 10140 Monroe Avenue at driveway, 4.15 km from site, max 15.1 mV/m nighttime.

303.9 - 8339 Zigler Street, in line with doorway on sidewalk, 3.2 km from site, max 16.8 mV/m nighttime.

317.8 - 8107 Winona Avenue, third house north, east side of road in line with doorway to house on sidewalk, 2.91 km from site, max 18.9 mV/m nighttime.

*** END OF AUTHORIZATION ***