



United States of America
FEDERAL COMMUNICATIONS COMMISSION
AM BROADCAST STATION CONSTRUCTION PERMIT

Authorizing Official:

Official Mailing Address:

KLZ RADIO, INC.
P.O. BOX 3003
BLUE BELL PA 19422

Son Nguyen
Supervisory Engineer
Audio Division
Media Bureau

Facility Id: 35089

Call Sign: KLVZ

Permit File Number: BP-20070516AAI

Grant Date: August 14, 2007

This permit expires 3:00 a.m.
local time, 36 months after the
grant date specified above.

This authorization re-issued to remove special condition #1.
(JK-9/10/2007)

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

Commission rules which became effective on February 16, 1999, have a bearing on this construction permit. See Report & Order, Streamlining of Mass Media Applications, MM Docket No. 98-43, 13 FCC RCD 23056, Para. 77-90 (November 25, 1998); 63 Fed. Reg. 70039 (December 18, 1998). Pursuant to these rules, this construction permit will be subject to automatic forfeiture unless construction is complete and an application for license to cover is filed prior to expiration. See Section 73.3598.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.

Hours of Operation: Unlimited

Average hours of sunrise and sunset:
Local Standard Time (Non-Advanced)

Jan.	7:15 AM	5:00 PM	Jul.	4:45 AM	7:30 PM
Feb.	7:00 AM	5:30 PM	Aug.	5:15 AM	7:00 PM
Mar.	6:15 AM	6:00 PM	Sep.	5:45 AM	6:15 PM
Apr.	5:30 AM	6:30 PM	Oct.	6:15 AM	5:15 PM
May	4:45 AM	7:00 PM	Nov.	6:45 AM	4:45 PM
Jun.	4:30 AM	7:30 PM	Dec.	7:15 AM	4:30 PM

Callsign: KLVZ

Permit No.: BP-20070516AAI

Name of Permittee: KLZ RADIO, INC.

Station Location: BRIGHTON, CO

Frequency (kHz): 810

Station Class: B

Antenna Coordinates:

Day

Latitude: N 40 Deg 01 Min 41 Sec

Longitude: W 104 Deg 49 Min 21 Sec

Night

Latitude: N 39 Deg 50 Min 36 Sec

Longitude: W 104 Deg 57 Min 14 Sec

Transmitter(s): Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Nominal Power (kW): Day: 2.2 Night: 0.43

Antenna Mode: Day: DA Night: DA

(DA=Directional Antenna, ND=Non-directional Antenna; CH=Critical Hours)

Antenna Registration Number(s):

Day:

Tower No.	ASRN	Overall Height (m)
1	1024154	
2	1024155	
3	1024156	

Night:

Tower No.	ASRN	Overall Height (m)
1	None	61
2	None	61
3	None	61
4	None	61

DESCRIPTION OF DIRECTIONAL ANTENNA SYSTEM

Theoretical RMS (mV/m/km): Day: 471.72 Night: 200.5

Standard RMS (mV/m/km): Night: 210.78

Augmented RMS (mV/m/km): Day: 495.87

Q Factor: Day: Night:

Theoretical Parameters:

Day Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	0.5250	-127.500	75.9000	220.000	0	77.0
2	1.0000	0.000	0.0000	0.000	0	77.0
3	0.5100	124.500	75.9000	40.000	0	77.0

* Tower Reference Switch

0 = Spacing and orientation from reference tower

1 = Spacing and orientation from previous tower

Augmentation Parameters:

Aug No.	Central Azimuth (Deg. T)	Span (Deg.)	Radiation at Central Azimuth (mV/m @ 1 km)
1	15.0	68.0	37.56
2	65.0	68.0	35.52
3	99.5	68.0	33.96
4	340.5	68.0	31.56

Theoretical Parameters:

Night Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	0.4600	0.000	0.0000	0.000	0	58.0
2	0.5200	101.500	90.0000	257.000	0	58.0
3	0.8200	162.000	160.6000	3.500	0	58.0
4	1.0000	-121.000	197.2000	320.900	0	58.0

* Tower Reference Switch

0 = Spacing and orientation from reference tower

1 = Spacing and orientation from previous tower

Inverse Distance Field Strength:

The inverse distance field strength at a distance of one kilometer from the above antenna in the directions specified shall not exceed the following values:

Day:

Azimuth:	Radiation:	
15	37.6	mV/m
65	35.5	mV/m
99.5	34	mV/m
340.5	31.6	mV/m

Night:

Azimuth:	Radiation:	
74.5	87.1	mV/m
227.5	31.4	mV/m
264.5	56.8	mV/m
304	47.2	mV/m

Special operating conditions or restrictions:

- 1 Permittee shall install a type accepted transmitter, or submit application (FCC Form 301) along with data prescribed in Section 73.1660(b) should non-type accepted transmitter be proposed.
- 2 The license application to cover this authorization may refer to and rely upon the technical data contained in the engineering report (BL-20070525AJP) filed on May 25, 2007 to establish that the array is adjusted to within the pattern authorized herein.

*** END OF AUTHORIZATION ***