



**United States of America**  
**FEDERAL COMMUNICATIONS COMMISSION**  
**FM BROADCAST TRANSLATOR/BOOSTER STATION**  
**CONSTRUCTION PERMIT**

Authorizing Official:

Official Mailing Address:

L.M. COMMUNICATIONS, INC.  
401 WEST MAIN STREET  
SUITE 301  
LEXINGTON KY 40507

James D. Bradshaw  
Deputy Chief  
Audio Division  
Media Bureau

Facility Id: 148567

Call Sign: W223CV

Permit File Number: BMPFT-20161031ADD

Grant Date: November 17, 2016

The authority granted herein has no effect on the expiration date of the underlying construction permit.

This permit modifies permit no.: BNPFT-20130827AAI

Commission rules which became effective on February 16, 1999, have a bearing on this construction permit. See Report & Order, Streamlining of Mass Media Applications, MM Docket No. 98-43, 13 FCC RCD 23056, Para. 77-90 (November 25, 1998); 63 Fed. Reg. 70039 (December 18, 1998). Pursuant to these rules, this construction permit will be subject to automatic forfeiture unless construction is complete and an application for license to cover is filed prior to expiration. See Section 73.3598.

Name of Permittee: L.M. COMMUNICATIONS, INC.

Principal community to be served: KY-LEXINGTON

Primary Station: WLXG (AM) , Frequency 1300 kHz, LEXINGTON, KY

Via: Other

Frequency (MHz): 92.5

Channel: 223

Hours of Operation: Unlimited

Antenna Coordinates: North Latitude: 38 deg 02 min 51 sec  
 West Longitude: 84 deg 29 min 57 sec

Transmitter: Type Accepted. See Sections 73.1660, 74.1250 of the Commission's Rules

Antenna type: (directional or non-directional): Non-Directional

Major lobe directions (degrees true): Not Applicable

	Horizontally Polarized Antenna:	Vertically Polarized Antenna:
Effective radiated power in the Horizontal Plane (kw):	0.063	0.063
Height of radiation center above ground (Meters):	126	126
Height of radiation center above mean sea level (Meters):	416	416

Antenna structure registration number: Not Required

Overall height of antenna structure above ground: 129 Meters

Obstruction marking and lighting specifications for antenna structure:

It is to be expressly understood that the issuance of these specifications is in no way to be considered as precluding additional or modified marking or lighting as may hereafter be required under the provisions of Section 303(q) of the Communications Act of 1934, as amended.

None Required

Special operating conditions or restrictions:

- 1 Pursuant to Revitalization of the AM Radio Service, First Report and Order, 30 FCC Rcd 12145, 12153 para. 16 (2015), the permittee/licensee and any successor in interest (licensee) shall be subject to the following restrictions. From the grant of the construction permit and continuing until the facility has achieved four years of on-air operations rebroadcasting the primary AM station identified on this authorization, the licensee may NOT change such primary station being rebroadcast by this translator, nor may it rebroadcast another station when the primary station identified on this authorization is silent. Periods of station silence shall not count toward the fulfillment of this four-year requirement. During this same four-year period the licensee may not assign or transfer the construction permit/license to another party, unless it is to the licensee of the AM station identified on this authorization or unless such assignment or transfer provides for the continuing right of the primary station to rebroadcast on the translator. Minor modifications of this authorization are permitted, provided that the translator will continue to rebroadcast the AM station for which the modification was granted.

## Special operating conditions or restrictions:

- 2 The permittee/licensee shall, upon completion of construction and during the equipment test period, make proper radiofrequency electromagnetic (RF) field strength measurements throughout the transmitter site area to determine if there are any areas that exceed the FCC guidelines for human exposure to RF fields. If necessary, a fence must be erected at such distances and in such a manner as to prevent the exposure of humans to RF fields in excess of the FCC Guidelines (OET Bulletin No. 65, Edition 97-01, August 1997). The fence must be a type which will preclude casual or inadvertent access, and must include warning signs at appropriate intervals which describe the nature of the hazard. Any areas within the fence found to exceed the recommended guidelines must be clearly marked with appropriate visual warning signs.
- 3 BEFORE PROGRAM TESTS COMMENCE, sufficient measurements shall be made to establish that the operation authorized in this construction permit is in compliance with the spurious emissions requirements of 47 C.F.R. Sections 73.317(b) through 73.317(d). All measurements must be made with all stations simultaneously utilizing the shared antenna. These measurements shall be submitted to the Commission along with the FCC Form 350-FM application for license.
- 4 The permittee/licensee in coordination with other users of the site must reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic fields in excess of FCC guidelines.
- 5 Prior to commencing program test operations, FM Translator or FM Booster permittee must have on file at the Commission, FCC Form 350, Application for an FM Translator or FM Booster Station License, pursuant to 47 C.F.R. Section 74.14.

\*\*\* END OF AUTHORIZATION \*\*\*