

United States of America FEDERAL COMMUNICATIONS COMMISSION AM BROADCAST STATION CONSTRUCTION PERMIT

Authorizing Official:

Official Mailing Address:

AMEF	RICOM	ΓI	MITED	PARTNE	ERSHIP
961	MATLE	ΞY	LANE,	SUITE	120
RENC	NV 8	95	02		

Son Nguyen Supervisory Engineer Audio Division

Facility Id: 48684

-Call Sign: KBZZ

Permit File Number: BP-20201006AAU

Media Bureau Grant Date: January 14, 2021

This permit expires 3:00 a.m. local time, 36 months after the grant date specified above.

Change nighttime pattern and lower daytime power.

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

Commission rules which became effective on February 16, 1999, have a bearing on this construction permit. See Report & Order, Streamlining of Mass Media Applications, MM Docket No. 98-43, 13 FCC RCD 23056, Para. 77-90 (November 25, 1998); 63 Fed. Reg. 70039 (December 18, 1998). Pursuant to these rules, this construction permit will be subject to automatic forfeiture unless construction is complete and an application for license to cover is filed prior to expiration. See Section 73.3598.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.

Hours of Operation: Unlimited

Average hours of sunrise and sunset: Local Standard Time (Non-Advanced)

Jan.	7:15 AM	5:00 PM	Jul. 4:45 AM	7:30 PM
Feb.	6:45 AM	5:30 PM	Aug. 5:15 AM	7:00 PM
Mar.	6:15 AM	6:00 PM	Sep. 5:45 AM	6:15 PM
Apr.	5:30 AM	6:30 PM	Oct. 6:15 AM	5:15 PM
Мау	4:45 AM	7:00 PM	Nov. 6:45 AM	4:45 PM
Jun.	4:30 AM	7:30 PM	Dec. 7:15 AM	4:30 PM

Callsign: KBZZ Permit No.: BP-20201006AAU Name of Permittee: AMERICOM LIMITED PARTNERSHIP Station Location: SPARKS, NV Frequency (kHz): 1270 Station Class: B Antenna Coordinates: Day Latitude: Ν 39 Deg 32 Min 02 Sec 119 Deg 39 Min Longitude: W 46 Sec Night Latitude: Ν 39 Deg 32 Min 02 Sec W 119 Deg 39 Min 46 Sec Longitude: Transmitter(s): Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules. Nominal Power (kW): Day: 10.0 Night: 5.0 Antenna Mode: Day: ND Night: DA (DA=Directional Antenna, ND=Non-directional Antenna; CH=Critical Hours) Antenna Registration Number(s): Day: Tower No. ASRN None 60.2 2 Night: Tower No. ASRN 60.2 1 None 2 None 60.2 3 60.2 None

Callsign: KE	BZZ			P	ermit No.:	BP-20201006AAU
DESCRIPTION OF DIRECTIONAL ANTENNA SYSTEM						
Theoretica	al RMS (m ^v	/m/km):		Night:	747	
Standard I	RMS (mV/m,	/km):		Night:	784.92	
Augmented RMS (mV/m/km):						
Q Factor:				Night:		
Theoretical Parameters:						
Night Di	rectional	Antenna:				
Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	0.5200	147.000	0.0000	0.000	0	90.0
2	1.0000	0.000	90.0000	270.000	0	90.0
3	0.6600	-141.500	180.0000	270.000	0	90.0
* Tower	Reference	Switch		_		

0 = Spacing and orientation from reference tower

1 = Spacing and orientation from previous tower

Non-Directional Antenna: Day Radiator Height: 59 meters; 90 deg Theoretical Efficiency: 305.78 mV/m/kw at 1km

Inverse Distance Field Strength: The inverse distance field strength at a distance of one kilometer from the above antenna in the directions specified shall not exceed the following values:

Night:

Azimuth:	Radiation:	
3.7	113.54	mV/m
48.6	38.1	mV/m
131.4	38.1	mV/m
176.3	113.54	mV/m

Special operating conditions or restrictions:

1 The ground system consists of 120 equally spaced radials, 59 m in length of No. 10 AWG copper wire approximately 6 inches deep about each tower and bonded to strap between towers where radials overlap. Towers are interconnected by a 4" copper strap.

Callsign: KBZZ

Special operating conditions or restrictions:

- 2 The permittee/licensee in coordination with other users of the site must reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic fields in excess of FCC guidelines.
- 3 A license application (FCC Form 302) to cover this construction permit must be filed with the Commission pursuant to Section 73.3536 of the Rules before the permit expires.
- The permittee must submit a proof of performance as set forth in either 4 Section 73.151(a) or 73.151(c) of the rules before program tests are authorized. A proof of performance based on field strength measurements, per Section 73.151(a), shall include a complete nondirectional proof of performance, in addition to a complete proof on the night directional antenna system. The nondirectional and directional field strength measurements must be made under similar environmental conditions. The proof(s) of performance submitted to the Commission must contain all of the data specified in Section 73.186 of the rules. Permittees who elect to submit a moment method proof of performance, as set forth in Section 73.151(c), must use series-fed radiators. In addition, the sampling system must be constructed as described in Section 73.151(c) (2) (i).

*** END OF AUTHORIZATION ***