



United States of America
FEDERAL COMMUNICATIONS COMMISSION
AM BROADCAST STATION CONSTRUCTION PERMIT

Authorizing Official:

Official Mailing Address:

GOOD KARMA BROADCASTING, LLC
100 STODDARD STREET
BEAVER DAM WI 53916

Son Nguyen
Supervisory Engineer
Audio Division
Media Bureau

Grant Date: August 15, 2008

Facility Id: 70659

Call Sign: DWWGK

Permit File Number: BP-20080325ADY

This permit expires 3:00 a.m.
local time, 36 months after the
grant date specified above.

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

Commission rules which became effective on February 16, 1999, have a bearing on this construction permit. See Report & Order, Streamlining of Mass Media Applications, MM Docket No. 98-43, 13 FCC RCD 23056, Para. 77-90 (November 25, 1998); 63 Fed. Reg. 70039 (December 18, 1998). Pursuant to these rules, this construction permit will be subject to automatic forfeiture unless construction is complete and an application for license to cover is filed prior to expiration. See Section 73.3598.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.

Hours of Operation: Daytime

Average hours of sunrise and sunset:
Local Standard Time (Non-Advanced)

Jan.	7:45 AM	5:15 PM	Jul.	5:00 AM	8:00 PM
Feb.	7:30 AM	6:00 PM	Aug.	5:30 AM	7:30 PM
Mar.	6:45 AM	6:30 PM	Sep.	6:00 AM	6:45 PM
Apr.	5:45 AM	7:00 PM	Oct.	6:45 AM	5:45 PM
May	5:15 AM	7:45 PM	Nov.	7:15 AM	5:15 PM
Jun.	4:45 AM	8:00 PM	Dec.	7:45 AM	5:00 PM

Callsign: DWWGK

Permit No.: BP-20080325ADY

Name of Permittee: GOOD KARMA BROADCASTING, LLC

Station Location: CLEVELAND, OH

Frequency (kHz): 1540

Station Class: D

Antenna Coordinates:

Day

Latitude: N 41 Deg 19 Min 00 Sec

Longitude: W 81 Deg 43 Min 51 Sec

Critical

Latitude: N 41 Deg 19 Min 00 Sec

Longitude: W 81 Deg 43 Min 51 Sec

Transmitter(s): Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Nominal Power (kW): Day: 3.0 Critical: 1.5

Antenna Mode: Day: DA Critical: DA

(DA=Directional Antenna, ND=Non-directional Antenna; CH=Critical Hours)

Antenna Registration Number(s):

Day:

Tower No.	ASRN	Overall Height (m)
1	1014499	
2	1052305	
3	None	43.3
4	None	43.3

Critical:

Tower No.	ASRN	Overall Height (m)
1	1014499	
2	1052305	
3	None	43.3
4	None	43.3

DESCRIPTION OF DIRECTIONAL ANTENNA SYSTEM

Theoretical RMS (mV/m/km): Day: 545 Critical: 386
 Standard RMS (mV/m/km): Day: 573 Critical: 405
 Augmented RMS (mV/m/km):
 Q Factor: Day: Critical:

Theoretical Parameters:

Day Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	0.3110	49.200	0.0000	0.000	0	144.9
2	0.9100	136.000	176.0000	113.000	0	144.9
3	0.1560	-68.900	82.7000	338.200	0	78.9
4	1.0000	0.000	187.5000	93.400	0	78.9

* Tower Reference Switch

- 0 = Spacing and orientation from reference tower
- 1 = Spacing and orientation from previous tower

Theoretical Parameters:

Critical Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	0.3110	49.200	0.0000	0.000	0	144.9
2	0.9100	136.000	176.0000	113.000	0	144.9
3	0.1560	-68.900	82.7000	338.200	0	78.9
4	1.0000	0.000	187.5000	93.400	0	78.9

* Tower Reference Switch

- 0 = Spacing and orientation from reference tower
- 1 = Spacing and orientation from previous tower

Inverse Distance Field Strength:

The inverse distance field strength at a distance of one kilometer from the above antenna in the directions specified shall not exceed the following values:

Day:

Azimuth:	Radiation:
142.5	134.7 mV/m
225	88.4 mV/m
262	119.4 mV/m

Critical:

Azimuth:	Radiation:
142.5	95.4 mV/m
225	62.6 mV/m
262	84.6 mV/m

Special operating conditions or restrictions:

- 1 A complete nondirectional proof of performance, in addition to a complete proof on the day directional antenna system, shall be submitted before program tests are authorized. The nondirectional and directional field strength measurements must be made under similar environmental conditions.
- 2 Permittee shall install a type accepted transmitter, or submit application (FCC Form 301) along with data prescribed in Section 73.1660(b) should non-type accepted transmitter be proposed.
- 3 Before program tests are authorized, sufficient data shall be submitted to show that adequate filters, traps and other equipment has been installed and adjusted to prevent interaction, intermodulation and/or generation of spurious radiation products which may be caused by common usage of the same antenna system by Stations WWGK, Facility ID: 70659 ,and WKNR, Facility ID: 28509, and there shall be filed with the license application copies of a firm agreement entered into by the two stations involved clearly fixing the responsibility of each with regard to the installation and maintenance of such equipment. In addition, field observations shall be made to determine whether spurious emissions exist and any objectionable problems resulting therefrom shall be eliminated. Following construction, and prior to authorization of program test under this grant, Stations WWGK, Facility ID: 70659 ,and WKNR, Facility ID: 28509 shall each measure antenna or common point resistance and submit FCC Form 302 as application notifying the return to direct measurement of power.

Special operating conditions or restrictions:

- 4 Prior to construction of the tower authorized herein, permittee shall notify AM Station WJMO, Facility ID: 41389 so that, if necessary that AM station: may determine operating power by a method described in Section 73.51(a)(1) or (d), and/or request temporary authority from the Commission in Washington, D.C. to operate with parameters at variance in order to maintain monitoring point field strengths within authorized limits. Permittee shall be responsible for installation and continued maintenance of detuning apparatus necessary to prevent adverse effects upon the radiation pattern of the AM station. Both prior to construction of the tower and subsequent to the installation of all appurtenances thereon, a partial proof of performance, as defined by Section 73.154(a) of the Commission's Rules, shall be conducted to establish that the AM array has not been adversely affected and prior to or simultaneous with the filing of the application for license to cover this permit, the results submitted to the Commission.

*** END OF AUTHORIZATION ***