



(REFERENCE COPY - Not for submission)
Amendment to an AM Station Construction Permit Application

File Number: **BNP-20020909ABC** | Submit Date: **09/09/2002** | Lead Call Sign: **KMPH** | FRN: **0005032248**
Service: **Full Power AM** | Purpose: **Construction Permit Amendment** | Status: **Superseded** | Status Date: **12/19/2002**
Filing Status: **Inactive**

General Information

Section	Question	Response
Attachments	Are attachments (other than associated schedules) being filed with this application?	

Fees, Waivers, and Exemptions

Section	Question	Response
Fees	Is the applicant exempt from FCC application Fees?	No
	Indicate reason for fee exemption:	
	Is the applicant exempt from FCC regulatory Fees?	
Waivers	Does this filing request a waiver of the Commission's rule (s)?	
	Total number of rule sections involved in this waiver request:	

Applicant Information

Applicant Name, Type, and Contact Information

Applicant	Address	Phone	Email	Applicant Type
BESSIE GRILLOS D/B/A THE PETE PAPPAS COMPANY Applicant Doing Business As: BESSIE GRILLOS D/B/A THE PETE PAPPAS COMPANY	1009 COUNTRY CLUB DRIVE MODESTO, CA 95356 United States	+1 (209) 545-1009		Company

Contact Representatives (2)

Contact Name	Address	Phone	Email	Contact Type
CECIL LYNCH	2460 ILLINOIS AVENUE MODESTO, CA 98358-9472 United States	+1 (209) 523-3955		Technical Representative
KATHLEEN VICTORY, ESQ. FLETCHER, HEALD & HILDRETH, PLC	1300 N. 17TH STREET 11TH FLOOR ARLINGTON, VA 22209 United States	+1 (703) 812-0400	VICTORY@FHHLAW.COM	Legal Representative

Parties to the Application (1)

Party Name	Address	Phone	Email	Positional Interest
MRS. BESSIE GRILLOS D/B/A THE PETE PAPPAS COMPANY, 1009 COUNTRY CLUB DRIVE, MODESTO, CA				Positional Interest: SOLE PROPRIETOR Citizenship: United States Percentage of Votes: null% Percentage of Total Assets: null%

Attributable Interest

Section	Question	Response
Multiple Ownership	Is the applicant or any party to the application the holder of an attributable radio or television joint sales agreement or an attributable radio or television time brokerage agreement in the same market as the station subject to this application?	
	Applicant certifies that the proposed facility complies with the Commission's multiple ownership rules and cross-ownership rules.	
	Applicant certifies that the proposed facility: (a) does not present an issue under the Commission's policies relating to media interests of immediate family members; (b) complies with the Commission's policies relating to future ownership interests; (c) complies with the Commission's restrictions relating to the insulation and non-participation of non-party investors and creditors	
	Does the Applicant claim status as an "eligible entity," that is, an entity that qualifies as a small business under the Small Business Administration's size standards for its industry grouping (as set forth in 13 C.F.R. § 121-201), and holds: (a) 30 percent or more of the stock or partnership interests and more than 50 percent of the voting power of the corporation or partnership that will own the media outlet; or (b) 15 percent or more of the stock or partnership interests and more than 50 percent of the voting power of the corporation or partnership that will own the media outlet, provided that no other person or entity owns or controls more than 25 percent of the outstanding stock or partnership interests; or (c) more than 50 percent of the voting power of the corporation that will own the media outlet (if such corporation is a publicly traded company)?	

Alien Ownership

Question	Response
1) Is the applicant a foreign government or the representative of any foreign government as specified in Section 310(a) of the Communications Act?	
2) Is the applicant an alien or the representative of an alien? (Section 310(b)(1))	

3) Is the applicant a corporation, or non-corporate entity, that is organized under the laws of any foreign government? (Section 310(b)(2))	
4) Is the applicant an entity of which more than one-fifth of the capital stock, or other equity or voting interest, is owned of record or voted by aliens or their representatives or by a foreign government or representative thereof or by any entity organized under the laws of a foreign country? (Section 310(b)(3))	
5) Is the applicant directly or indirectly controlled by any other entity of which more than one-fourth of the capital stock, or other equity or voting interest, is owned of record or voted by aliens, their representatives, or by a foreign government or representative thereof, or by any entity organized under the laws of a foreign country? (Section 310(b)(4))	

Legal Certifications

Section	Question	Response
Character Issues	Applicant certifies that neither applicant nor any party to the application has or had any interest in, or connection with: (a) any broadcast application in any proceeding where character issues were left in unresolved or were resolved adversely against the applicant or party to the application; or (b) any pending broadcast application in which character issues have been raised.	Yes
Adverse Findings	Applicant certifies that, with respect to the applicant and any party to the application, and any non-party equity owner in the applicant, no adverse finding has been made, nor has an adverse final action been taken by any court or administrative body in a civil or criminal proceeding brought under the provisions of any law related to the following: any felony; mass media-related antitrust or unfair competition; fraudulent statements to another governmental unit; or discrimination.	Yes
Local Public Notice	Applicant certifies that it has or will comply with the public notice requirements of 47 C.F.R. Section 73.3580.	Yes

Frequency and Facility Information

Section	Question	Response
Filing Type of License	filing type	
Proposed Community of License	State	California
	City	Modesto
Facility Information	Frequency	840
	Service Type	Main
	Facility Type	Commercial
	Class	B
Modes/Hour of Operation	Modes/Hour of Operation	Daytime, NightTime

Antenna Summary Data

Directional Antenna Data - Daytime

Section	Question	Response
Parameters	Power	25.000
	Latitude	37° 36` 10.8N

	Longitude	121° 3` 55.8W						
	Site Elevation							
	Theoretical RMS	1551.12						
	Standard RMS	1632.51						
	Specified Q							
	Excitation							
Augmentation	Augmentation							
	Augmentation RMS							
Augmentation Table	<table border="1"> <thead> <tr> <th>Central Azimuth (degrees)</th> <th>Span (degrees)</th> <th>Radiation at Central Azimuth (mV/m)</th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table>		Central Azimuth (degrees)	Span (degrees)	Radiation at Central Azimuth (mV/m)			
Central Azimuth (degrees)	Span (degrees)	Radiation at Central Azimuth (mV/m)						
Site Plat and Tower Sketch	<p>Attach an antenna site plat and a tower sketch. The antenna site plat should clearly show the following items: Boundary lines, roads, railroads, other obstructions, and the ground system or counterpoise. Number and dimensions of ground radials or height and dimensions of counterpoise. Spacing and orientation of each element in the array with respect to true north. A scale in meters. The tower sketch should include site elevation, radiator height above base insulator, tower height above ground level, overall tower height above ground without obstruction lighting, and overall height above ground with obstruction lighting.</p>							

Directional Antenna : Tower - 1

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	
	ASR Number	
Parameters	Overall height above ground (including obstruction lighting)	61
	Height of radiator above base insulator, or above base, if grounded	60.5
	Electrical height of radiator	61.0
	Field Ratio	0.52
	Phase	-150
	Spacing	0
	Tower Orientation	60
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	TopLoaded
Tower Parameters	A	61.0
	B	0.0
	C	0.0
	D	0.0

Directional Antenna : Tower - 2

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	

	ASR Number	
Parameters	Overall height above ground (including obstruction lighting)	61
	Height of radiator above base insulator, or above base, if grounded	60.5
	Electrical height of radiator	61.0
	Field Ratio	1
	Phase	0
	Spacing	55
	Tower Orientation	0
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	TopLoaded
Tower Parameters	A	61.0
	B	0.0
	C	0.0
	D	0.0

Directional Antenna : Tower - 3

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	
	ASR Number	
Parameters	Overall height above ground (including obstruction lighting)	61
	Height of radiator above base insulator, or above base, if grounded	60.5
	Electrical height of radiator	61.0
	Field Ratio	0.52
	Phase	150
	Spacing	55
	Tower Orientation	300
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	TopLoaded
Tower Parameters	A	61.0
	B	0.0
	C	0.0
	D	0.0

Directional Antenna Data - Nighttime

Section	Question	Response
Parameters	Power	10.000
	Latitude	37° 42` 31.7N

	Longitude	120° 43' 30.7W						
	Site Elevation							
	Theoretical RMS	1047.6						
	Standard RMS	1100.5						
	Specified Q							
	Excitation							
Augmentation	Augmentation							
	Augmentation RMS							
Augmentation Table	<table border="1"> <thead> <tr> <th>Central Azimuth (degrees)</th> <th>Span (degrees)</th> <th>Radiation at Central Azimuth (mV/m)</th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table>		Central Azimuth (degrees)	Span (degrees)	Radiation at Central Azimuth (mV/m)			
Central Azimuth (degrees)	Span (degrees)	Radiation at Central Azimuth (mV/m)						
Site Plat and Tower Sketch	<p>Attach an antenna site plat and a tower sketch. The antenna site plat should clearly show the following items: Boundary lines, roads, railroads, other obstructions, and the ground system or counterpoise. Number and dimensions of ground radials or height and dimensions of counterpoise. Spacing and orientation of each element in the array with respect to true north. A scale in meters. The tower sketch should include site elevation, radiator height above base insulator, tower height above ground level, overall tower height above ground without obstruction lighting, and overall height above ground with obstruction lighting.</p>							

Directional Antenna : Tower - 1

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	
	ASR Number	
Parameters	Overall height above ground (including obstruction lighting)	61
	Height of radiator above base insulator, or above base, if grounded	60.5
	Electrical height of radiator	61.0
	Field Ratio	0.5
	Phase	0
	Spacing	0
	Tower Orientation	0
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	TopLoaded
Tower Parameters	A	61.0
	B	0.0
	C	0.0
	D	0.0

Directional Antenna : Tower - 2

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	

	ASR Number	
Parameters	Overall height above ground (including obstruction lighting)	61
	Height of radiator above base insulator, or above base, if grounded	60.5
	Electrical height of radiator	61.0
	Field Ratio	1
	Phase	-152
	Spacing	120
	Tower Orientation	209
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	TopLoaded
Tower Parameters	A	61.0
	B	0.0
	C	0.0
	D	0.0

Directional Antenna : Tower - 3

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	
	ASR Number	
Parameters	Overall height above ground (including obstruction lighting)	61
	Height of radiator above base insulator, or above base, if grounded	60.5
	Electrical height of radiator	61.0
	Field Ratio	1
	Phase	60
	Spacing	240
	Tower Orientation	209
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	TopLoaded
Tower Parameters	A	61.0
	B	0.0
	C	0.0
	D	0.0

Directional Antenna : Tower - 4

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	

	ASR Number	
Parameters	Overall height above ground (including obstruction lighting)	61
	Height of radiator above base insulator, or above base, if grounded	60.5
	Electrical height of radiator	61.0
	Field Ratio	0.5
	Phase	-90
	Spacing	360
	Tower Orientation	209
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	TopLoaded
Tower Parameters	A	61.0
	B	0.0
	C	0.0
	D	0.0

**License
Certifications**

Section	Question	Response
Environmental Effect	Would a Commission grant of Authorization for this location be an action which may have a significant environmental effect? (See 47 C.F.R. Section 1.1306)	Yes
Broadcast Facility	Does the proposed facility comply with the applicable engineering standards and assignment requirements of 47 C.F.R. Sections 73.21, 73.23, 73.24, 73.33, 73.37, 73.45, 73.150, 73.152, 73.160, 73.182, 73.186, 73.187, 73.189, and 73.1650?	
Dispositive Section 307(b) Preference	Was the AM facility that is the subject of this application awarded on the basis of a dispositive Section 307(b) preference?	
	Applicant certifies that: (I) the community of license proposed in the subject application is the same as that on which the Section 307(b) preference was based, or (II) as shown in the attached Exhibit, the service area proposed in the subject application is substantially equivalent to the service area on which the Section 307(b) preference was based.	
	Applicant certifies that, although in the subject application it proposes to: (i) change the community of license, or (ii) modify service to the area on which the Section 307(b) preference was based, it has for a period of four years of on-air operations: (1) served the community of license, or (2) provided full service to the area on which the Section 307(b) preference was based.	

Certification

Section	Question	Response
---------	----------	----------

General Certification Statements	The Applicant waives any claim to the use of any particular frequency or of the electromagnetic spectrum as against the regulatory power of the United States because of the previous use of the same, whether by authorization or otherwise, and requests an Authorization in accordance with this application (See Section 304 of the Communications Act of 1934, as amended.).	
	The Applicant certifies that neither the Applicant nor any other party to the application is subject to a denial of Federal benefits pursuant to §5301 of the Anti-Drug Abuse Act of 1988, 21 U.S.C. § 862, because of a conviction for possession or distribution of a controlled substance. This certification does not apply to applications filed in services exempted under §1.2002(c) of the rules, 47 CFR . See §1.2002(b) of the rules, 47 CFR § 1.2002(b), for the definition of "party to the application" as used in this certification § 1.2002(c). The Applicant certifies that all statements made in this application and in the exhibits, attachments, or documents incorporated by reference are material, are part of this application, and are true, complete, correct, and made in good faith.	
Authorized Party to Sign	FAILURE TO SIGN THIS APPLICATION MAY RESULT IN DISMISSAL OF THE APPLICATION AND FORFEITURE OF ANY FEES PAID Upon grant of this application, the Authorization Holder may be subject to certain construction or coverage requirements. Failure to meet the construction or coverage requirements will result in automatic cancellation of the Authorization. Consult appropriate FCC regulations to determine the construction or coverage requirements that apply to the type of Authorization requested in this application. WILLFUL FALSE STATEMENTS MADE ON THIS FORM OR ANY ATTACHMENTS ARE PUNISHABLE BY FINE AND/OR IMPRISONMENT (U.S. Code, Title 18, §1001) AND/OR REVOCATION OF ANY STATION AUTHORIZATION (U.S. Code, Title 47, §312(a)(1)), AND /OR FORFEITURE (U.S. Code, Title 47, §503).	
	I declare, under penalty of perjury, that I am an authorized representative of the above-named applicant for the Authorization(s) specified above.	

Attachments

File Name	Uploaded By	Attachment Type	Description	Upload Status
613006_300746.pdf	Applicant	All Purpose	Engineering Statement	Done with Virus Scan and /or Conversion
613006_300747.pdf	Applicant	All Purpose	Figure 1 - Day Pattern	Done with Virus Scan and /or Conversion
613006_300748.pdf	Applicant	All Purpose	Figure 2 - Night Pattern	Done with Virus Scan and /or Conversion
613006_300749.pdf	Applicant	All Purpose	Figure 3 - Day 5 mV contour	Done with Virus Scan and /or Conversion
613006_300750.pdf	Applicant	All Purpose	Figure 4 - Day Transmitter Site	Done with Virus Scan and /or Conversion
613006_300751.pdf	Applicant	All Purpose	Figure 5 - Night IF Contour	Done with Virus Scan and /or Conversion
613006_300752.pdf	Applicant	All Purpose	Figure 6 - Night Transmitter Site	Done with Virus Scan and /or Conversion
613006_300753.pdf	Applicant	All Purpose	Figure 6a - Night Site aerial photo	Done with Virus Scan and /or Conversion

<u>613006_300754.pdf</u>	Applicant	All Purpose	Figure 7 - Day 840-860 Overlap Study	Done with Virus Scan and /or Conversion
<u>613006_300755.pdf</u>	Applicant	All Purpose	Figure 8 - Day 1 V Contour	Done with Virus Scan and /or Conversion
<u>613006_300756.pdf</u>	Applicant	All Purpose	Figure 9 - 840 Dataworld Nighttime Study 8-2002	Done with Virus Scan and /or Conversion
<u>613006_300757.pdf</u>	Applicant	All Purpose	Figure 9a - Night 860-840 Overlap Study	Done with Virus Scan and /or Conversion
<u>613006_300758.pdf</u>	Applicant	All Purpose	Figure 10 - Night 1 V contour	Done with Virus Scan and /or Conversion
<u>613006_300759.pdf</u>	Applicant	All Purpose	Figure 11 - Day Contours	Done with Virus Scan and /or Conversion
<u>613006_300760.pdf</u>	Applicant	All Purpose	Figure 12 - 840 Daytime Tower Configuration	Done with Virus Scan and /or Conversion
<u>613006_300761.pdf</u>	Applicant	All Purpose	Figure 12a - 840 Nighttime Tower Configuration	Done with Virus Scan and /or Conversion
<u>613006_300762.pdf</u>	Applicant	All Purpose	Form 7460-1 840 Day 1 form only	Done with Virus Scan and /or Conversion
<u>613006_300770.pdf</u>	Applicant	All Purpose	Engineering Statement (corrected)	Done with Virus Scan and /or Conversion
<u>613006_300771.pdf</u>	Applicant	All Purpose	Figure 7 (corrected)	Done with Virus Scan and /or Conversion
<u>613006_300772.pdf</u>	Applicant	All Purpose	Form 7460 -Daytime (corrected)	Done with Virus Scan and /or Conversion
<u>613006_300773.pdf</u>	Applicant	All Purpose	Form 7460 - Nighttime	Done with Virus Scan and /or Conversion
<u>613006_300774.pdf</u>	Applicant	All Purpose	Form 854 -Tower 1 Day	Done with Virus Scan and /or Conversion
<u>613006_300775.pdf</u>	Applicant	All Purpose	Form 854 -Tower 2 Day	Done with Virus Scan and /or Conversion
<u>613006_300776.pdf</u>	Applicant	All Purpose	Form 854 - Tower 3 Day	Done with Virus Scan and /or Conversion
<u>613006_300777.pdf</u>	Applicant	All Purpose	Form 854 - Tower 1 Night	Done with Virus Scan and /or Conversion
<u>613006_300778.pdf</u>	Applicant	All Purpose	Form 854 - Tower 2 Night	Done with Virus Scan and /or Conversion
<u>613006_300779.pdf</u>	Applicant	All Purpose	Form 854 - Tower 3 Night	Done with Virus Scan and /or Conversion
<u>613006_300781.pdf</u>	Applicant	All Purpose	Form 854 - Tower 4 Night	Done with Virus Scan and /or Conversion
<u>613006_6205366.pdf</u>	Applicant	All Purpose	Engineering Statement	Done with Virus Scan and /or Conversion
<u>613006_6205368.pdf</u>	Applicant	All Purpose	Figure 1 - Day Pattern	Done with Virus Scan and /or Conversion
<u>613006_6205369.pdf</u>	Applicant	All Purpose	Figure 2 - Night Pattern	Done with Virus Scan and /or Conversion
<u>613006_6205371.pdf</u>	Applicant	All Purpose	Figure 3 - Day 5 mV contour	Done with Virus Scan and /or Conversion

<u>613006_6205374.pdf</u>	Applicant	All Purpose	Figure 4 - Day Transmitter Site	Done with Virus Scan and /or Conversion
<u>613006_6205375.pdf</u>	Applicant	All Purpose	Figure 5 - Night IF Contour	Done with Virus Scan and /or Conversion
<u>613006_6205377.pdf</u>	Applicant	All Purpose	Figure 6 - Night Transmitter Site	Done with Virus Scan and /or Conversion
<u>613006_6205379.pdf</u>	Applicant	All Purpose	Figure 6a - Night Site aerial photo	Done with Virus Scan and /or Conversion
<u>613006_6205381.pdf</u>	Applicant	All Purpose	Figure 7 - Day 840-860 Overlap Study	Done with Virus Scan and /or Conversion
<u>613006_6205383.pdf</u>	Applicant	All Purpose	Figure 8 - Day 1 V Contour	Done with Virus Scan and /or Conversion
<u>613006_6205385.pdf</u>	Applicant	All Purpose	Figure 9 - 840 Dataworld Nighttime Study 8-2002	Done with Virus Scan and /or Conversion
<u>613006_6205387.pdf</u>	Applicant	All Purpose	Figure 9a - Night 860-840 Overlap Study	Done with Virus Scan and /or Conversion
<u>613006_6205389.pdf</u>	Applicant	All Purpose	Figure 10 - Night 1 V contour	Done with Virus Scan and /or Conversion
<u>613006_6205391.pdf</u>	Applicant	All Purpose	Figure 11 - Day Contours	Done with Virus Scan and /or Conversion
<u>613006_6205393.pdf</u>	Applicant	All Purpose	Figure 12 - 840 Daytime Tower Configuration	Done with Virus Scan and /or Conversion
<u>613006_6205399.pdf</u>	Applicant	All Purpose	Figure 12a - 840 Nighttime Tower Configuration	Done with Virus Scan and /or Conversion
<u>613006_6205400.pdf</u>	Applicant	All Purpose	Form 7460-1 840 Day 1 form only	Done with Virus Scan and /or Conversion
<u>613006_6205403.pdf</u>	Applicant	All Purpose	Engineering Statement (corrected)	Done with Virus Scan and /or Conversion
<u>613006_6205405.pdf</u>	Applicant	All Purpose	Figure 7 (corrected)	Done with Virus Scan and /or Conversion
<u>613006_6205407.pdf</u>	Applicant	All Purpose	Form 7460 -Daytime (corrected)	Done with Virus Scan and /or Conversion
<u>613006_6205409.pdf</u>	Applicant	All Purpose	Form 7460 - Nighttime	Done with Virus Scan and /or Conversion
<u>613006_6205411.pdf</u>	Applicant	All Purpose	Form 854 -Tower 1 Day	Done with Virus Scan and /or Conversion
<u>613006_6205413.pdf</u>	Applicant	All Purpose	Form 854 -Tower 2 Day	Done with Virus Scan and /or Conversion
<u>613006_6205415.pdf</u>	Applicant	All Purpose	Form 854 - Tower 3 Day	Done with Virus Scan and /or Conversion
<u>613006_6205417.pdf</u>	Applicant	All Purpose	Form 854 - Tower 1 Night	Done with Virus Scan and /or Conversion
<u>613006_6205419.pdf</u>	Applicant	All Purpose	Form 854 - Tower 2 Night	Done with Virus Scan and /or Conversion
<u>613006_6205421.pdf</u>	Applicant	All Purpose	Form 854 - Tower 3 Night	Done with Virus Scan and /or Conversion
<u>613006_6205423.pdf</u>	Applicant	All Purpose	Form 854 - Tower 4 Night	Done with Virus Scan and /or Conversion

<u>613006_88940.txt</u>	Applicant	All Purpose	SECTIONS/QUESTIONS AMENDED	Done with Virus Scan and /or Conversion
<u>613006_88941.txt</u>	Applicant	All Purpose	COMMUNITY COVERAGE	Done with Virus Scan and /or Conversion
<u>613006_88942.txt</u>	Applicant	All Purpose	INTERFERENCE	Done with Virus Scan and /or Conversion
<u>613006_88943.txt</u>	Applicant	All Purpose	GROUNDWAVE	Done with Virus Scan and /or Conversion
<u>613006_88944.txt</u>	Applicant	All Purpose	SKYWAVE	Done with Virus Scan and /or Conversion
<u>613006_88945.txt</u>	Applicant	All Purpose	ENVIRONMENTAL	Done with Virus Scan and /or Conversion
